

| V ₁ [] | Model Element | Traceable Info | V ₁ [] | Model Element | Traceable Info |
|--------------------|--|----------------|--------------------|---|----------------|
| TM2-G1 | Metadata entry is standardized | | Team-G27 | Record creation organization | |
| TM2-G2 | Headings are suggested | <P11,US1,1>* | Team-G28 | Create URL | |
| TM2-G3 | Batch submission | <P9,US2,2>* | TM1-G29 | Allow others to monitor new content | <P4,US4,1> |
| TM2-G4 | Import data into the repository | <P8,US1,4> | TM1-G30 | List of maximum file sizes | <P34,US4,1>* |
| TM2-G5 | Data in VRA core 4.0 | <P9,US3,3>* | TM1-G31 | List of acceptable file formats | <P2,US1,1> |
| TM2-G6 | Data in XML | <P9,US2,2> | TM1-G32 | Batch uploads | <P35,US3,1>* |
| TM2-G7 | Data through URIs | <P10,US2,3> | TM1-G33 | Data is of good quality | <P39,US3,1> |
| TM3-G8 | Book viewer for docs | <P6,US1,1>* | TM1-G34 | Handle multiple input files | <P35,US3,1>* |
| TM3-G9 | Built in audio/video/image player | <P6,US3,1>* | TM1-G35 | Handle large files | <P1,US1,1>* |
| TM3-G10 | Export citation | <P5,US1,1>* | TM1-G36 | Allow file rollback | <P26,US1,1>* |
| TM3-G11 | Choose format | <P15,US1,1> | TM1-G37 | A way to understand the terms for uploading | <P1,US1,2> |
| TM3-G12 | Copy to clipboard | <P2,US1,1> | TM1-G38 | Manage permission | <P29,US4,1>* |
| TM3-G13 | Assign/revoke permissions to others | <P41,US1,1>* | TM1-G39 | Rich text styling | <P6,US4,1>* |
| TM3-G14 | Have a permanent URL | <P32,US1,1>* | TM1-G40 | Password protector | <P7,US3,1> |
| TM3-G15 | Create groupings | <P15,US1,1>* | TM1-G41 | Customize collection visual | <P36,US2,1>* |
| TM3-G16 | Have ability to search | <P20,US1,2>* | TM1-G42 | Show access statistics | <P48,US1,1>* |
| TM3-G17 | View context after search | <P20,US1,1>* | TM1-G43 | Show file size information | <P1,US1,1>* |
| TM3-G18 | Display select groupings | <P15,US1,1>* | TM2-G44 | Collections are branded | <P4,US1,1>* |
| TM3-G19 | Preserve upload structure | <P40,US1,2> | TM2-G45 | Data is managed | <P16,US1,1> |
| TM3-G20 | Useful file titles | <P21,US1,3> | TM2-G46 | Repository does not contain malware | <P18,US1,1>* |
| Team-G21 | Monitor new content | <P4,US3,1>* | TM2-G47 | Collections are managed | <P14,US3,1> |
| TM2-G22 | Authorship is defined explicitly | <P27,US2,2>* | TM2-G48 | Authorization is managed | <P29,US4,1> |
| TM2-G23 | Checksums are validated | <P17,US2,4>* | TM2-G49 | Orphaned records aren't contacted | <P30,US2,2>* |
| TM2-G24 | Submit multiple records at the same time | <P29,US1,2> | TM2-G50 | No broken hyperlinks | <P33,US1,1>* |
| TM2-G25 | Import metadata | <P6,US4,1> | TM2-G51 | Track usage | <P48,US3,1> |
| TM2-G26 | Retrieve from EAD finding aids | <P13,US1,1> | TM2-G52 | Submissions are managed | <P27,US1,1> |

| V ₁ { } | Model Element | Traceable Info | V ₁ { } | Model Element | Traceable Info |
|--------------------|--|----------------|--------------------|--|----------------|
| TM2-T1 | Generate a list of suggested headings | <P11,US2,1>* | TM1-T34 | Quality check data | <P38,US1,1>* |
| TM2-T2 | Show the list in a dropdown | <P11,US2,1> | TM1-T35 | Assign thumbnail | <P35,US1,1>* |
| TM2-T3 | Add specific information later | <P29,US1,1>* | TM2-T36 | Give branding guidelines | <P4,US1,1> |
| TM2-T4 | Use checkbox to add work records to existing batch items | <P29,US2,1>* | TM2-T37 | Give administrative permissions | <P16,US1,1>* |
| TM2-T5 | Choose desired format from a dropdown(VRA or XML) | <P9,US2,2> | TM2-T38 | Scan existing records | <P18,US2,1>* |
| TM2-T6 | Use URIs in fields of data | <P10,US2,2>* | TM2-T39 | Manage group member access | <P15,US2,1>* |
| TM2-T7 | Add metadata to multiple records at the same time | <P9,US2,1>* | TM2-T40 | Assign hierarchical structure | <P14,US3,1>* |
| TM2-T8 | Choose XML and data is loaded in XML format | <P9,US2,1> | TM2-T41 | Manage orphaned records | <P30,US2,2>* |
| TM2-T9 | Choose VRA core | <P9,US3,3>* | TM2-T42 | Remove broken hyperlinks | <P33,US3,1> |
| TM2-T10 | Add multiple records with specific information | <P9,US2,3> | TM2-T43 | Report broken hyperlinks | <P33,US3,1>* |
| TM2-T11 | Get URIs from Getty's AAT for linking | <P10,US2,1>* | TM2-T44 | Receive usage statistics | <P48,US1,1> |
| TM2-T12 | Manually retrieve/generate reports | <P48,US2,1> | TM2-T45 | Approve submissions | <P28,US2,1>* |
| TM2-T13 | Receive automated reports | <P48,US3,2> | TM2-T46 | Customize submission workflow | <P33,US2,1>* |
| TM2-T14 | Compare checksum changes in metadata | <P17,US2,1>* | TM2-T47 | Update approval queue | <P28,US2,1> |
| TM2-T15 | Define authorship when submitting a record | <P27,US2,1>* | TM2-T48 | Give submission authorization | <P16,US1,1>* |
| TM2-T16 | Successfully upload a group of records | <P27,US3,1>* | TM2-T49 | Scan new records | <P33,US1,1>* |
| TM2-T17 | Create a multistage workflow | <P3,US1,1>* | TM3-T50 | Use icon to enter mode | <P6,US1,1>* |
| TM2-T18 | Transfer to MODs | <P3,US2,1>* | TM3-T51 | Allow user to turn pages | <P6,US1,1>* |
| TM2-T19 | Import descriptive information | <P13,US2,1>* | TM3-T52 | Zoom and pan on images | <P7,US2,1>* |
| TM2-T20 | Initiate the records deposit | <P3,US1,1> | TM3-T53 | Play audio/video file in repo | <P6,US3,1>* |
| TM2-T21 | Add records and metadata | <P3,US1,1> | TM3-T54 | Use button to generate citation | <P5,US1,1>* |
| TM2-T22 | Review before final ingest | <P3,US1,1> | TM3-T55 | Let others view docs/audio/video/image | <P34,US1,1> |
| Team-T23 | Determine acceptable URL | <P23,US2,1> | TM3-T56 | Search metadata and text files | <P21,US1,1>* |
| TM1-T24 | Upload data | <P1,US1,1>* | TM3-T57 | Filter by keyword | <P11,US2,4>* |
| TM1-T25 | Fill out metadata | <P28,US3,1>* | TM3-T58 | Parse search terms | <P24,US3,1>* |
| TM1-T26 | Group collection | <P14,US1,1>* | TM3-T59 | Suggest file title based on file name | <P11,US2,1>* |
| TM1-T27 | Add to collection | <P14,US1,1> | TM3-T60 | Submit file | <P41,US1,1>* |
| TM1-T28 | Add to sub-collection | <P14,US1,1>* | TM3-T61 | Group by keyword | <P15,US1,1>* |
| TM1-T29 | Send access reports | <P7,US3,1> | TM3-T62 | Nominate URL for webpage | <P3,US2,1>* |
| TM1-T30 | View file history | | TM3-T63 | Organize file structure | <P19,US1,1> |
| TM1-T31 | Set permission | <P42,US2,1>* | Team-T64 | Store search information | <P21,US3,1> |
| TM1-T32 | Get metadata approval | <P7,US3,1> | Team-T65 | Store audio/video/imaging information | <P21,US3,1> |
| TM1-T33 | Get data approval | <P7,US3,1> | | | |

| V ₁ { j } | Model Element | Traceable Info |
|----------------------|--|----------------|
| TM2-S1 | Metadata is more consistent | <P11,US2,1> |
| TM2-S2 | Save metadata entry time | <P9,US2,1> |
| TM2-S3 | Data is easily linked using URIs | <P13,US3,1>* |
| TM1-S4 | Easily sharable | <P48,US1,1> |
| TM1-S5 | Warning if upload will take long | <P38,US2,1>* |
| TM1-S6 | Generate relationship information | <P2,US1,1>* |
| TM1-S7 | Typescript styling | <P36,US2,1>* |
| TM1-S8 | Diacritics and special characters | <P37,US1,1>* |
| TM1-S9 | Italics | <P36,US3,1>* |
| TM1-S10 | Data is secure | |
| TM1-S11 | Metadata template | <P28,US3,1>* |
| TM1-S12 | Include ORCID | <P11,US1,1>* |
| TM1-S13 | Format collection like a journal | <P14,US1,2> |
| TM1-S14 | Data is checked promptly | <P38,US1,1> |
| TM2-S15 | Save time on submissions | <P29,US1,1> |
| TM2-S16 | Users don't confuse archivist for the author | <P27,US2,1> |
| TM2-S17 | Metadata is more descriptive | <P13,US2,1>* |
| TM2-S18 | Secure information access | |
| TM2-S19 | Data is of good quality | <P18,US2,1> |
| Team-S20 | Collections don't appear as generic | <P4,US1,1>* |
| TM3-S21 | Avoid download | <P22,US2,1> |
| TM3-S22 | View relevant results | <P21,US2,1>* |
| TM3-S23 | Check size | <P26,US2,1>* |
| TM3-S24 | Stable | <P23,US2,1> |

| V ₁ { j } | Model Element | Traceable Info |
|----------------------|---|----------------|
| TM2-R1 | Controlled vocabulary | <P11,US2,1>* |
| TM2-R2 | New records/info to add | <P10,US4,1> |
| TM1-R3 | Glossary to explain collection, group, etc. | <P34,US2,1>* |
| TM1-R4 | Data | <P2,US1,1> |
| TM1-R5 | RSS feed | <P4,US4,1>* |
| TM1-R6 | My works' collection | <P4,US4,1>* |
| Team-R7 | Video data | <P6,US3,1> |
| Team-R8 | XML with TEI encoding | <P5,US3,1> |
| Team-R9 | Data to upload | |
| Team-R10 | UC affiliation and user info | <P31,US1,1>* |
| TM2-R11 | Original checksums | <P17,US2,1>* |
| TM2-R12 | Publisher/creator | <P27,US2,1>* |
| TM2-R13 | Branding rules | <P4,US1,1> |
| TM2-R14 | Read rules | |
| TM2-R15 | Write rules | |
| TM2-R16 | Approval queue | |
| TM2-R17 | Content downloads | <P24,US2,1> |
| TM2-R18 | Search activity | <P48,US3,1>* |
| TM2-R19 | Submission | |
| Team-R20 | Collection approval | |
| Team-R21 | Permissions to submit | <P29,US3,1> |
| TM3-R22 | Given file structure | <P19,US1,1>* |
| Team-R23 | Review URL nominee | |
| Team-R24 | Records and metadata | <P10,US4,1> |
| Team-R25 | Quality check | <P38,US1,1> |

| V ₂ { J } | Model Element | Traceable Info |
|----------------------|--|----------------|
| TM1-G1 | Login in using UC login | <P32,US2,1>* |
| TM1-G2 | Export citations | <P5,US1,1>* |
| TM1-G3 | Integrate RSS feed | <P3,US3,2>* |
| TM1-G4 | Preview content | <P3,US2,1> |
| TM1-G5 | Submit URL | |
| TM2-G6 | Update/delete Data | <P16,US1,1> |
| TM2-G7 | Assign access and sharing Rights | <P30,US2,1> |
| TM2-G8 | Approve submissions for public view | <P28,US2,1>* |
| TM2-G9 | Restrict fields for university only access | <P30,US2,1>* |
| TM2-G10 | Scan submissions for malware | <P18,US2,1>* |
| Team-G11 | Accessing licensing rights | <P38,US1,1> |
| TM3-G12 | Edit internal file | |
| TM3-G13 | Edit metadata | |
| TM3-G14 | Approve URL links | |
| TM3-G15 | Submit files | <P1,US1,1>* |
| TM3-G16 | Upload revision | <P5,US1,1> |
| Team-G17 | Set publication date | <P7,US2,1>* |
| Team-G18 | Set password protection | <P32,US2,1>* |

| V ₂ { J } | Model Element | Traceable Info |
|----------------------|---------------------------------|----------------|
| TM1-T1 | Check correct username+password | <P32,US1,1> |
| TM1-T2 | Open browser in document viewer | <P19,US1,1>* |
| TM1-T3 | Generate citations | <P49,US3,1>* |
| Team-T4 | Access documents | <P5,US1,1>* |
| TM2-T5 | Alert user of malware | <P18,US2,1>* |
| TM3-T6 | Fill metadata | <P3,US1,1> |
| TM3-T7 | Search by metadata | <P21,US1,1>* |
| TM2-T8 | Save data in database | |

| V ₂ { J } | Model Element | Traceable Info |
|----------------------|-----------------------|----------------|
| Team-S1 | Security- for user | <P16,US1,1> |
| TM1-S2 | User friendliness | <P4,US3,2> |
| TM1-S3 | Readability | <P16,US1,1> |
| TM2-S4 | Usability | <P48,US1,1> |
| TM3-S5 | Decreased liability | |
| TM3-S6 | Decreased search time | <P29,US1,2> |
| TM3-S7 | Information quality | |
| TM3-S8 | Organized | |
| TM3-S9 | Improve security | <P4,US3,2> |
| TM3-S10 | Quick | <P6,US2,1> |

| V ₂ { J } | Model Element | Traceable Info |
|----------------------|-------------------|----------------|
| TM1-R1 | Username+password | <P20,US2,1> |
| TM1-R2 | URL | <P49,US3,1>* |
| TM1-R3 | RSS notifications | <P32,US1,1> |
| Team-R4 | UC databases | |
| TM2-R5 | Documents | <P33,US1,1>* |
| TM2-R6 | Data | <P2,US1,1> |
| TM3-R7 | Metadata | <P29,US1,2> |
| Team-R8 | External file | |
| TM3-R9 | Internal file | |

| G1-Team-[] | Model Element | Traceable Info |
|-------------|--------------------------------|----------------|
| G1 | Maintain the integrity | <P1,US1,1>* |
| G2 | Protect data | |
| G3 | Quality assurance | |
| G4 | Managing record | |
| G5 | Manage the security collection | |

| G1-Team-[] | Model Element | Traceable Info |
|-------------|--------------------------------------|----------------|
| T1 | Handling metadata | <P21,US1,2> |
| T2 | Upload file information | <P7,US1,1>* |
| T3 | Restrict visibility | <P32,US2,1> |
| T4 | Control user access | <P42,US2,1>* |
| T5 | Control sharing | <P42,US2,1> |
| T6 | Upload files in chunk | <P29,US1,1>* |
| T7 | Control digital library | <P7,US2,1> |
| T8 | Save description of metadata | <P12,US2,1> |
| T9 | Indicate the submission to its owner | |
| T10 | Sending warning for each change | <P38,US1,3>* |
| T11 | Review submission | <P27,US1,1> |
| T12 | Use proxy service | <P27,US1,1>* |
| T13 | Track change | <P17,US2,1> |
| T14 | Control data | <P28,US1,1> |
| T15 | Support research paper | <P19,US1,1> |
| T16 | Login with UC | <P32,US3,1>* |
| T17 | Domain collection | |
| T18 | Manage references | <P32,US1,1> |
| T19 | View documents | <P6,US1,1> |
| T20 | Manage URL | <P4,US3,1> |
| T21 | Manage permission | |
| T22 | Control cyber attack | |
| T23 | Control existing collection | <P16,US1,1> |
| T24 | Control visibility | <P42,US2,1> |
| T25 | Monitor the users' actions | <P3,US1,1> |
| T26 | Branding collection | <P4,US1,1>* |

| G1-Team-[] | Model Element | Traceable Info |
|-------------|--------------------------------|----------------|
| S1 | Ability to access the metadata | <P16,US1,1> |
| S2 | Flexibility to interact | |
| S3 | Document integrity | <P1,US1,1> |
| S4 | Organizing | <P19,US1,1> |
| S5 | Accessibility | |
| S6 | Usability of metadata | |
| S7 | Easy accessibility | <P16,US1,1> |
| S8 | Security | |
| S9 | Reuse data | <P35,US2,1>* |

| G1-Team-[] | Model Element | Traceable Info |
|-------------|-------------------|----------------|
| R1 | Login credentials | <P16,US1,1> |
| R2 | Metadata | <P21,US1,2> |
| R3 | URL | <P4,US3,1> |
| R4 | Files/documents | <P40,US1,2> |

| G2-Team-[] | Model Element | Traceable Info | G2-Team-[] | Model Element | Traceable Info |
|-------------|--|----------------|-------------|---|----------------|
| G1 | Update metadata | <P10,US3,1> | G20 | Management of folders and files | <P41,US1,1> |
| G2 | Check checksums | <P17,US2,2>* | G21 | Use italics in metadata records | |
| G3 | Export in MODS format | <P12,US2,2>* | G22 | Change typescript of metadata records | <P36,US1,1> |
| G4 | Mark as approved historically accurate | | G23 | Add metadata without file | <P19,US1,1> |
| G5 | View suggested historical relevant documents | | G24 | Enter original publication title (journal/article) | |
| G6 | Review all files uploaded before they are made public | <P3,US1,1> | G25 | Use special characters in metadata | <P37,US1,1> |
| G7 | Approve records for public display | <P27,US2,1> | G26 | Upload XML | <P5,US3,1>* |
| G8 | Copy a citation or Link to share record | <P5,US1,1> | G27 | Proxy submitters | <P7,US1,1>* |
| G9 | View record | <P29,US2,1> | G28 | Receive reports about the repository | <P48,US1,1> |
| G10 | View documents in book viewer and images in JPEG2000 | <P6,US3,1>* | G29 | Review and approve changes proposed | <P28,US2,1> |
| G11 | Logged in | <P48,US1,1>* | G30 | Assign documents to groups | <P27,US1,1> |
| G12 | Can change password | <P39,US1,1>* | G31 | Develop applications against the curate repository | <P49,US1,1>* |
| G13 | Link to IP policies | | G32 | Able to integrate data to Scholar@UC system | |
| G14 | Link to distribution license | <P45,US1,1>* | G33 | Choose subject headings for metadata subject fields | |
| G15 | Re-use metadata from past submissions | <P4,US3,1> | G34 | Import metadata to xml | <P10,US1,1> |
| G16 | Batch upload multiple files and associated metadata, including connections through cloud storage | <P29,US1,1>* | G35 | Access account | |
| G17 | Upload one or many large files | <P29,US1,1>* | G36 | Alteration made to repository | |
| G18 | Loading/uploading screen | | G37 | Grant edit permission | <P42,US2,1> |
| G19 | Create a thumbnail for my work | <P35,US1,1> | | | |

| G2-Team-[] | Model Element | Traceable Info | G2-Team-[] | Model Element | Traceable Info |
|-------------|---|----------------|-------------|---|----------------|
| T1 | User role is metadata specialist | <P10,US3,1> | T15 | View RSS feed | <P4,US1,1>* |
| T2 | Provide metadata map | <P8,US1,1> | T16 | Share RSS feed or exhibit link | <P4,US2,1> |
| T3 | Map EAD to MOD | <P13,US1,1> | T17 | Login | <P16,US1,1> |
| T4 | Edit metadata based on user specified schema | <P9,US1,1> | T18 | Nominate for historical significance | <P3,US2,1>* |
| T5 | Import/export metadata | <P12,US3,1> | T19 | Search records | <P23,US3,1> |
| T6 | Produce checksum report | <P17,US2,1>* | T20 | Upload | <P1,US1,1> |
| T7 | Internal status set to relevant and added to DB | | T21 | Accessibility managements | |
| T8 | Modify approval queue based on make public date | | T22 | Upload video | <P34,US1,1> |
| T9 | Auto update approval queue | | T23 | Integrate metadata into VRA core 4.0 | <P9,US3,1>* |
| T10 | Log decision of review | <P3,US1,1> | T24 | Link metadata to AAT | <P10,US2,1>* |
| T11 | Finalize repository records | | T25 | Run code on server | |
| T12 | Edit record w/view permissions | <P41,US1,1> | T26 | Add to historical review queue or increase the suggestion count if in queue | |
| T13 | Add to exhibit | <P15,US1,1> | T27 | Set repository | |
| T14 | Login with UCID or username or password | | T28 | User role is visual resource librarian | |

| G2-Team-[] | Model Element | Traceable Info |
|-------------|-----------------------|----------------|
| R1 | Metadata record | <P30,US2,1> |
| R2 | Scolar@UC code | |
| R3 | Metadata | <P21,US1,2> |
| R4 | Publish date has past | |
| R5 | Approved repository | <P3,US1,1> |
| R6 | Exhibit | <P15,US2,1> |
| R7 | RSS Feed | <P4,US3,1> |

| G2-Team-[] | Model Element | Traceable Info |
|-------------|---|----------------|
| S1 | Secure | <P39,US1,1> |
| S2 | Intuitive | |
| S3 | Show password requirements | <P39,US1,1> |
| S4 | Alerted when TOS change | |
| S5 | User friendly | |
| S6 | Quick process | <P29,US3,1> |
| S7 | List of acceptable file types for each type of work | <P34,US3,1> |
| S8 | Submission templates | <P28,US3,1>* |
| S9 | Rename files/folders | |
| S10 | Control over specific fields that others can edit | |
| S11 | Create a permanent DOI to use for sharing and referencing my work | <P32,US1,1>* |
| S12 | With TEI encoding | <P5,US3,1>* |
| S13 | Good coding standards | |
| S14 | Optimized code for fast processing | |

| V _{1-TM2-[]} | | |
|--|--|--------------------------------------|
| D | P | N |
| G2; G3; G5; G22; G23; G44; G46; G49; G50; S3; S17; T1; T3; T4; T6; T7; T9; T11; T14; T15; T16; T17; T18; T19; T37; T38; T39; T40; T41; T43; T45; T46; T48; T49; R1; R11; R12; R18 | G4; G6; G7; G24; G25; G26; G45; G47; G48; G51; G52; S1; S2; S15; S16; S19; T2; T5; T8; T10; T12; T13; T20; T21; T22; T36; T42; T44; T47; R2; R13; R17 | G1; S18; R14; R15; R16; R19 |
| R26: Page views R27: Group member details; | | |

| V _{1-TM1-[]} | | |
|--|--|-------------|
| D | P | N |
| G30; G32; G34; G35; G36; G38; G39; G41; G42; G43; S5; S6; S7; S8; S9; S11; S12; T24; T25; T26; T28; T31; T34; T35; R3; R5; R6 | G29; G31; G33; G37; G40; S4; S13; S14; T27; T29; T32; T33; R4; | S10; T30 |
| S25: Auto-fill with previous metadata; T66: Submit Record; R28: Approval process; R29: Permissions to submit G53: A way to understand the terms for uploading | S26: Display any missing metadata; | |


| V _{1-TM3-[]} | | |
|--|---|---|
| D | P | N |
| G8; G9; G10; G13; F14; G15; G16; G17; G18; T50; T51; T52; T53; T54; T56; T57; T58; T59; T60; T61; T62; S22; S23; R22 | G11; G12; G19; G20; T55; T63; S21; S24; | |
| S27: User Friendliness | | |

| V _{2-TM1-[]} | | |
|--|------------------------|----|
| D | P | N |
| G1; G2; G3; T2; T3; R2 | G4; T1; S2; S3; R1; R3 | G5 |
| R10: Username and Password G19: Preview Content | | |

| V _{2-TM2-[]} | | |
|------------------------|----------------|----|
| D | P | N |
| G8; G9; G10; T5; R5 | G6; G7; S4; R6 | T8 |
| | | |

| V _{2-TM3-[]} | | |
|--|--|-----------|
| D | P | N |
| G15; T7; S8 | G12; G13; G14; G16; T6; S6; S9; S10; R7; R9 | S5; S7 |
| T9: Set Protection Password S11: Organized R11: Metadata; R12: Publication Date | | |

Summary data for figure 9: Mapping model elements to domain-understanding items.



Raw data for figure 9: Mapping model elements to domain-understanding items.

| Source : V ₁ Information loss items | Target : V ₁ Deeper Domain Understanding presence |
|--|--|
| 1.<V1-TM1-T66> | <V1-SD1> <V1-SD3> <V1-NR1> |
| 2.<V1-TM1-R28> | <V1-SD3> <V1-SD5> |
| 3.<V1-TM1-R29> | <V1-SD1> <V1-SD2> <V1-SD3> <V1-SD4> |
| 4.<V1-TM3-S27> | <V1-SD1> <V1-SD2> <V1-HA3> <V1-HA4> <V1-HA6> |
| 5.<V1-TM2-R26> | V1-R26> |
| 6. V1-TM1-G53> | <V1-NR2> |
| V₁ not traceable items (25%) | |
| 7. <V1-TM2-R27> | 8. <V1-TM1-S25> |

| Source : V ₂ Information loss items | Target : V ₂ Deeper Domain Understanding presence |
|--|--|
| 1.<V2-TM1-R10> | <V2-SD3> |
| 2.<V2-TM3-T9> | <V2-HA4> <V2-SD3> |
| 3.<V2-TM1-G19> | <V2-HA1> <V2-SD1> <V2-SD4> <V2-NR3> |
| 4.<V2-TM3-S11> | <V2-HA3> <V2-SD4> <V2-NR1> <V2-NR4> |
| 5.<V2-TM3-R11> | <V2-HA3> |
| V₂ not traceable items (17%) | |
| 6.<V2-TM3-R12> | |

| Source : G ₁ Not Traceable items | Target : G ₁ Deeper Domain Understanding presence |
|--|--|
| 1.<G1-Team-G4> | <G2-HA4> |
| 2.<G1-Team-G18> | <G2-HA5> |
| 3.<G1-Team-S8> | <G1-HA5> |
| G₁ not traceable items (75%) | |
| 4.<G1-Team-G2>,5.<G1-Team-G3>,6.<G1-Team-T9>,7.<G1-Team-T17>,8.<G1-Team-T21>,9.<G1-Team-T22>,10.<G1-Team-S2>,11.<G1-Team-S5>,12.<G1-Team-S6>,13.<G1-Team-S8> | |

| Source : G ₂ Not Traceable items | Target : G ₁ Deeper Domain Understanding presence |
|--|--|
| 1.<G2-Team-G4> | <G1-HA2> |
| 2.<G2-Team-G5> | <G1-HA5> |
| 3.<G2-Team-G3> | <G1-HA7> |
| 4.<G2-Team-T9> | <G1-SD3> |
| 5.<G2-Team-T25> | <G1-HA6> |
| G₂ not traceable items (79%) | |
| 6.<G2-Team-G5>,7.<G2-Team-G13>,8.<G2-Team-G18>,9.<G2-Team-G21>,10. <G2-Team-G24>,11. <G2-Team-G32>,12. <G2-Team-G33>,13. <G2-Team-G35>,14. <G2-Team-G36>,15. <G2-Team-T7>,16. <G2-Team-T8>,17. <G2-Team-T9>,18. <G2-Team-T11>,19. <G2-Team-T14>,20. <G2-Team-T21>,20. <G2-Team-T25>,21. <G2-Team-T26>,22. <G2-Team-T27>,23. <G2-Team-T28>,24. <G2-Team-G32>,25. <G2-Team-R4>,26. <G2-Team-S2>,27. <G2-Team-S4>,28. <G2-Team-S5>,29. <G2-Team-S9>,30. <G2-Team-S10>,31. <G2-Team-S13>,32. <G2-Team-S14> | |