


XX XX
ID: XX Page: Acq Test Date: May, 29, 2024 DOB: Age: (DOB empty) Report: May, 29, 2024
Acquisition Page





6860 SW 81st Street Miami, Florida 33143
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com


XX XX
 ID: XX Page: Acq Test Date: May. 29, 2024 DOB: Age: (DOB empty) Report: May. 29, 2024
 Acquisition Page

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	TXLA84B.1	84SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.51	0.02 18.344	100	100-1500Hz
2	TXLA84B.2	84SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.66	0.01 17.658	100	100-1500Hz
3	TXLA80B.1	80SPL	L	Bone	8000Hz(1)	560/2	11.4	Altr	0.34	0.02 13.085	100	100-1500Hz
4	TXLA80B.2	80SPL	L	Bone	8000Hz(1)	560/3	11.4	Altr	0.57	0.02 13.155	100	100-1500Hz
5	TXLA80B.3	80SPL	L	Bone	8000Hz(1)	560/6	11.4	Altr	0.65	0.02 12.109	100	100-1500Hz
6	TXLA70B.1	70SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.56	0.09 2.482	100	100-1500Hz
7	TXLA70B.3	70SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.51	0.08 2.555	100	100-1500Hz
8	TXLA70B.2	70SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.47	0.08 2.846	100	100-1500Hz
9	TXLA65B.3	65SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.42	0.09 1.637	100	100-1500Hz
10	TXLA65B.1	65SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.39	0.08 1.655	100	100-1500Hz
11	TXLA65B.2	65SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.25	0.06 1.657	100	100-1500Hz
12	TXLA60B.3	60SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.32	0.19 0.954	100	100-1500Hz
13	TXLA60B.4	60SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.59	0.26 0.932	100	100-1500Hz
14	TXLA60B.2	60SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.36	0.15 0.906	100	100-1500Hz
15	TXLA55B.2	55SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.35	0.36 0.464	100	100-1500Hz
16	TXLA55B.1	55SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.50	0.17 0.772	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	84	L	
2	84	L	
3	80	L	
4	80	L	
5	80	L	
6	70	L	
7	70	L	
8	70	L	
9	65	L	
10	65	L	
11	65	L	
12	60	L	
13	60	L	
14	60	L	
15	55	L	
16	55	L	

1.00uV



Num	Filename	Int	Ear	Stim. Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	TXLA20B.2	20SPL	L	Bone 8000Hz(1)	560/0	11.4	Altr	0.76	1.38 0.220	100	100-1500Hz
2	TXLA20B.1	20SPL	L	Bone 8000Hz(1)	560/0	11.4	Altr	0.47	0.57 0.255	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	20	L	
2	20	L	

1.00uV



0 1 2 3 4 5 6 7 8 9 10 11 12 ms

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	TXLA50B.1	50SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.38	0.28 0.525	100	100-1500Hz
2	TXLA50B.2	50SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.36	0.30 0.414	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms *-indicates different region used

Num	Int	Ear	Peaks: Latency(ms) Amp(uV) (AR=Amp Ratio)
1	50	L	
2	50	L	