MONKEY
LANSING



scattered
sclerae

14 of 55 according to

16 with titers under 1:3
range 1.9 to 2.9

TEST FOR LANSING ANTIVIRAL ACTIVITY IN SERA OF NORMAL CYNOMOLGUS MONKEYS

CYNOMOLGUS SERUM TESTED	DATE OF TEST	LOG OF FINAL DILUTION OF VIRUS IN MIXTURE				LOG LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
VIRUS CONTROL	10-10-50	—	7/7	8/8	0/8	3.5	
	10-11-50	—	8/8	5/8	1/6	3.3	
	10-13-50	—	7/8	7/8	3/8	3.6	
	10-16-50	—	20/20	15/20	2/20	3.4	
	12-28-50	—	8/8	6/8	2/8	3.5	
	12-29-50	—	8/8	6/8	5/7	4.1	
	1-10-51	—	7/7	8/8	5/7	4.3	
	1-11-51	—	8/8	8/8	2/8	3.7	
	1-16-51	—	8/8	5/8	3/8	3.5	
	1-17-51	—	7/8	5/8	3/8	3.5	
	1-18-51	—	8/8	3/8	3/8	3.1	
	CUMULAT.	—	96/98	76/100	29/96	3.5	
CYNOMOLGUS #							
1588	10-10-50	8/8	8/8	7/8	—	3.4	
1561	10-10-50	7/7	8/8	7/7	—	3.5	
1562	10-10-50	8/8	8/8	6/8	—	3.3	
1564	10-10-50	8/8	3/6	6/8	—	3.1	
1566	10-10-50	8/8	8/8	7/8	—	3.4	
1568	10-11-50	7/8	8/8	6/8	—	3.2	
1569	"	6/8	7/8	6/7	—	3.2	
+ 1572	"	5/8	5/8	2/8	—	2.4	
1575	"	7/8	5/8	5/8	—	2.8	
+ 1579	"	5/7	5/8	3/7	—	2.4	

	CYNOMOLGUS SERUM TESTED	DATE OF TEST	LOG OF FINAL DILUTION OF VIRUS IN MIXTURE			LOG LD_{50}	NEUTRALIZING INDEX
			1.6	2.3	3.0		
+	1581	10-13-50	8/8	4/8	2/7	2.5	
+	1573	"	7/8	5/8	3/8	2.6	
+	1576	"	7/7	7/8	4/8	2.9	
	1577	"	7/8	8/8	6/8	3.2	
+	1583	"	5/7	7/8	2/8	2.6	
	1589	10-16-50	6/8	8/8	7/8	3.3	
	1590	"	8/8	6/8	8/8	3.4	
+	1591	"	8/8	7/8	3/6	2.9	
	1585	"	8/8	7/8	5/8	3.1	
	1598	12-28-50	8/8	8/8	5/8	3.2	
	1601	"	8/8	7/8	6/8	3.2	
	1602	"	8/8	8/8	6/8	3.3	
	1609	"	8/8	8/8	6/8	3.3	
+	1603	12-29-50	—	8/8	4/8	3.0	
	1610	"	7/8	6/8	7/8	3.2	
	1612	"	7/8	6/7	5/8	3.0	
+	1619	"	8/8	8/8	4/8	3.1	
+	1626	"	6/8	4/6	3/7	2.6	— repeat 3.3
	1599	1-10-51	8/8	8/8	7/8	3.4	
+	1600X	"	5/8	2/8	1/8	1.9	
+	1606	"	6/8	5/8	2/8	2.4	— repeat 2.8
	1607	"	7/7	8/8	8/8	3.5	
	1608	"	8/8	8/8	5/8	3.3	

	CYNOMOLGUS SERUM TESTED	DATE OF TEST	LOG OF FINAL DILUTION OF VIRUS IN MIXTURE			LOG LD_{50}	NEUTRALIZING INDEX
			1.6	2.3	3.0		
+	1611	1-11-51	8/8	7/7	2/7	2.8	
	1613	"	8/8	8/8	6/8	3.3	
	1614	"	8/8	7/7	7/8	3.4	
	1615	"	8/8	8/8	5/8	3.2	
	1616X	"	7/8	8/8	5/8	3.1	
	1628X	1-16-51	7/8	7/8	5/8	3.0	
	1629	"	8/8	7/8	6/8	3.2	
	1630	"	7/8	4/8	5/8	2.7	
	1631	"	8/8	7/8	4/8	2.9	
	1632	"	7/8	7/8	4/8	2.9	
	1633	1-18-51	8/8	6/8	4/8	2.8	
	1634 X	"	8/8	7/8	7/8	3.4	
	1635	"	8/8	8/8	6/8	3.3	
	1636	"	8/8	8/8	7/8	3.4	
	1637	"	8/8	6/8	5/8	3.0	
	1617 X	1-18-51	7/8	7/8	8/8	3.4	
	1618	"	8/8	8/8	7/8	3.4	
	1622	"	8/8	6/8	7/8	3.3	
	1623	"	7/8	7/8	6/8	3.2	
	1624 X	"	8/8	8/8	6/8	3.3	
	1625	"	8/8	8/8	5/8	3.2	
	1627	"	8/8	8/8	7/8	3.4	

55 Cyn.

Neutralizing Antibodies for Lansing Virus in Cynomolgus Monkeys Fed Y-SK or Wisconsin Polio in test of 7-24-50

Summary of tests of 8/29/50 + 8/30/50

Serum tested	Date of test	Log of final dilution of virus in mixture				Log LD_{50}	Neutraliz. index
		1.6	2.3	3.0	4.0		
Virus Control - Saline	8-29-50	8/8	8/8	6/8	2/8	3.5	. . . . .
	8-30-50	8/8	7/8	5/8	4/8	3.5	. . . . .
	Cumul.	16/16	15/16	11/16	6/16	3.5	. . . . .
Normal rhesus - scurvy	8-29-50	7/8	6/8	5/8	. . .	2.9	4
Y-SK - 1537 - Par 23, K 28	8-29-50	7/8	6/8	1/8	. . . .	2.5	? 10
" - 1545 - Par 10, K 28	8-30-50	0/8	0/8	0/8	. . . . .	1.2	+ 200
" - 1538 - No signs, No lesions	8-29-50	2/7	3/8	1/8		1.7	+ 63
" - 1540 " "	"	1/8	1/7	0/8		1.3	+ 160
" - 1542 " "	"	8/8	5/8	5/8		2.9	- 4
" - 1543 " "	8-30-50	8/8	7/8	6/8		3.2	- 2
" - 1544 " "	"	4/8	3/8	2/8		2.0	+ 32
" - 1546 " "	"	8/8	7/8	8/8		3.4	- 0
NL Wis - 1547 " "	8-29-50	8/8	8/8	6/8		3.2	2
NL " - 1549 " "	"	7/8	8/8	4/8		3.0	3
NL " - 1551 " "	8-30-50	8/8	7/7	5/8		3.2	2
NL " - 1554 " "	"	6/8	3/8	0/8		2.0	32
NL " - 1556 " "	"	6/7	8/8	7/8		3.3	2

STANDARD B&P "NOTEAR"
STANDARD B&P "NOTEAR"

MONKEY SERA vs LANSING

AUG 29 1950

Purpose – To determine Lansing neutralizing capacity of sera of monkeys which were fed Y-SK & Wisconsin '45 Polio virus.

Sera – Sera obtained from monkeys days after the first of 3-2X daily feedings of Y-SK or Wisconsin polio virus

Virus – Lansing pool II of 6/6/50

Method – Virus & sera mixed making final virus dilution against each sera of 1/40, 1/200, 10^{-3} mixtures incubated at room temp. for 1 hour & placed in an ice bath during the incubation.

Mice – 18-20 gram mayfield albino (female).

CODE	MONKEY SERA	FINAL VIRUS DILUTION 1/40	1/200	10^{-3}	10^{-4}
A	Y-SK 1537 (PAR)				—
B	Y-SK 1538				—
C	Y-SK 1540				—
D	Y-SK 1542				—
E	WISCONSIN 1547				—
F	WISCONSIN 1549				—
G	NORMAL SCURVY				—
H	SALINE CCONTROL				

MONKEY SERA VS LANSING

AUG 29 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
A	1:40	1	INOC (IN)	INOC INS	INOC IN	M	EE CNS	P	D																													7/8
		2	-	-	-	eh		PP	D																													
		3	-	-	-	-	?	EE	D																													
		4	-	-	-	-	H	?	PP	D																												
		5	-	-	-	-	-	-	CNS	?	D																											
Y-SK 1537 (PARI) + LANSING		6	-	-	-	-	-	-	-	D	-	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	CNS	D			
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	P	P	D		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1:200	1	-	-	-	eh	eh	E P	D																													6/8
		2	-	-	-	-	P	P	D																													
		3	-	-	-	-	eh	eh	P	D																												
		4	-	-	-	-	?	?	E	E	P	E	D																									
		5	-	-	-	-	-	-	-	-	?	-	P	P	D																							
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	P	P	P	D																	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10^{-3}	1	-	-	?	?	-	-	-	-	EE	P	P	P	P	D																						1/8
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-	-	-	-	-	-	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B	1:40	1	-	?	?	P	P	P	D																													2/7
		2	-	-	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E D													
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	TY	TY	TY	D	TYPHOID									
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Y-SK 1538 + LANSING		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

MONKEY SERA VS LANSING

AUG 29 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
B (CONT) Y-SK 1538 + LANSING	1:200	1	-	?	? CNS	D																																
		2	-	-	?	FH	ZH	E	EE CNS	D																												
		3	-	-	-	-	?	?	-	-	-	-	-	P E	D																							
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	? TY	? TY	-	-	-	-	-	?	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10^{-3}	1	-	-	CNS (1)																																	
		2	-	-	?	?	-	-	-	?	? CNS	?	?	-	-	-	-	-	-	-	-	-	-	-	-	? TY	TY	TY	-	-	-	-	-	-	-	-	-	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C Y-SK 1540 + LANSING	1:40	1	-	?	?	-	?	?E	-	-	?	-	EE	EE CNS	PP	D																						8/8
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1:200	1	-	-	?	-	-	-	TY	TY	TY	-	-	-	-	? TY	TY	-	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	TY	D	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	? E	? E	E	-	TY	TY	TY	TY	-	TY	?	?	?	W E?	TP	P				
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	? (1)	E	E	?	-	-	-	-	-	-	-	-	-	-	-	1/7
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

MONKEY SERA VS LANSING

AUG 29 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
C (control) Y-SK 1540 + LANSING	10^{-3}	1	-	-	-	-	-	-	-	?T	T	T	T	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		2	-	-	-	-	-	-	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
D Y-SK 1542 + LANSING	1:40	1	-	H	H	PP H	D																															
		2	-	-	?	PP	PP	D																															
		3	-	-	-	?	EE	D																														
		4	-	-	-	-	F	D																														
		5	-	-	-	-	?	PP	D																													
		6	-	-	-	-	-	? CNS	P E	P E	D																											
		7	-	-	-	-	-	-	-	P E	P E	D																										
		8	-	-	-	-	-	-	-	P	PP	D																										
	1:200	1	-	-	-	-	-	?	P	PP	D																											
		2	-	-	-	-	-	-	-	-	P	D																										
		3	-	-	-	-	-	-	-	?	?	?	D																									
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	P E	D																					
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	D													
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10^{-3}	1	-	-	P IR	D																																
		2	-	-	-	-	-	-	?	?	D																											
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	D																						
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	PP	P PP	D															
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-	-	-	-	D										
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

MONKEY SERA vs LANSING

AUG 29 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	31	32	33	34	35	MORTALITY
E	1:40	1	–	PP	D																																
		2	–	?	headache	P EE	D																														
		3	–	–	–	headache	PP	D																													
		4	–	–	–	–	–	CNS	PP	D																											
		5	–	–	–	–	–	–	PE	D																											
		6	–	–	–	–	–	–	P	E	PP EE	F	D																								
		7	–	–	–	–	–	–	–	–	CNS EE	PP	D																								
		8	–	–	–	–	–	–	–	–	? CNS	PP	PR	D																							
	1:200	1	–	P	D																																
		2	–	–	food	in	P E	D																													
		3	–	–	?	EN	EN	PP	D																												
		4	–	–	–	–	?	CNS	?	?	D																										
		5	–	–	–	–	–	–	–	?		PP	D																								
		6	–	–	–	–	–	–	–	–	–	E CNS	D																								
		7	–	–	–	–	–	–	–	–	–	?	E	E	E	–	–	–	–	–	PPP	D															
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	10^{-3}	1	–	–	?	–	P	PP	D																												
		2	–	–	–	–	–	E	E	?	EE CNS	PR	D																								
		3	–	–	–	–	–	–	–	–	–	–	?	D																							
		4	–	–	–	–	–	–	–	–	–	–	–	?	PP	D																					
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	EE	D							
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	D					
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
F	1:40	1	–	?	P	D																															
		2	–	–	?	?	P	PP	D																												
		3	–	–	–	–	CNS	PP	D																												
		4	–	–	–	–	CNS	PP	D																												
		5	–	–	–	–	–	?	PR	D																											
		6	–	–	–	–	–	–	P	PP	D																										
		7	–	–	–	–	–	–	E	E	PR	D																									
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

WISCONSIN 1547 + LANSING

WISCONSIN 1549 + LANSING

STANDARD B & P "NOTEAR"

AUG 29 1950

MONKEY SERA VS LANSING

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
F (CONT) WISCONSIN 1549 + LANSING	1:200	1	-	P	D																																	
		2	-	-	-	-	?E	PP	D																													
		3	-	-	-	-	-	?	PPD																													
		4	-	-	-	-	-	-	-	N?	PR	PR	D																									
		5	-	-	-	-	-	-	-	-	EE	PP	D																									
		6	-	-	-	-	-	-	-	-	P	D																									
		7	-	-	-	-	-	-	-	-	CNS	EE	EE	PP	D																							
		8	-	-	-	-	-	-	-	-	-	-	PP	D																								
	10-3	1	-	?	?	TY	TY	TY	TY	Typh	-	EE	EE	CNS	D																							
		2	-	-	-	-	-	P	D																													
		3	-	-	-	-	-	?	-	-	-	-	-	?	E?	PP	PP	D																				
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	D														
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G NORMAL SCURVY + LANSING	1:40	1	-	?	D																																	
		2	-	-	dead	PPP	D																																
		3	-	-	-	ehen	PP PP	D																															
		4	-	-	-	-	PPD	D																															
		5	-	-	-	-	-	?	-	-	-	CNS	D																									
		6	-	-	-	-	-	-	-	-	?	D																										
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	D																
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1:20	1	-	W N	D																																	
		2	-	?	?	-	?	-	CNS	EE CNS	D																											
		3	-	-	-	-	-	-	-	?	PP	PP	D																									
		4	-	-	-	-	-	-	-	-	-	E	E	PP	D																							
		5	-	-	-	-	-	-	-	-	-	-	?	EE CNS	PR	D																						
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	?	-	P	PP	D					
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

MONKEY SERA + LANSING

AUG 29 1950

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
G		1	–	?	–	–	?	?	P	D																													
		2	–	–	–	–	–	–	–	–	D																												
		3	–	–	–	–	–	–	–	–	–	–	?	?	?	–	PP	D																					
NORMAL SCURVY + LANSING	10^{-3}	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P EE	P P	PP P	D																		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P	D																	
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
H		1	–	–	?	–	PP	D																														
		2	–	–	–	–	P	PP	D																													
		3	–	–	–	–	? CMS	P	D																													
CONTROL	1:40	4	–	–	–	–	–	? CMS	PP	D																												
		5	–	–	–	–	–	–	?	D																												
		6	–	–	–	–	–	–	–	PP	D																											
		7	–	–	–	–	–	–	–	PP	D																											
SALINE + LANSING		8	–	–	–	–	–	–	–	–	–	–	PP	D																								
		1	–	–	–	P	D																															
		2	–	–	–	–	?	?	P	D																												
		3	–	–	–	–	–	–	–	PP	D																											
	1:200	4	–	–	–	–	–	–	–	?	PR	D																										
		5	–	–	–	–	–	–	–	–	PR	D																										
		6	–	–	–	–	–	–	–	–	P	D																										
		7	–	–	–	–	–	–	–	–	EE P	D																										
		8	–	–	–	–	–	–	–	–	–	–	–	–	EE CMS	PP	D																					
		1	–	–	?	eth	PP	D																														
		2	–	–	–	–	–	–	–	?	PP	D																										
		3	–	–	–	–	–	–	–	–	PP	D																										
	10^{-3}	4	–	–	–	–	–	–	–	–	?	PP	D																									
		5	–	–	–	–	–	–	–	–	–	? E	PR	D																								
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	–	–	–	PP	D																
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

AUG 29 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
H (CONT.)		1	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PPD																		
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	PPP	D											
CONTROL	10^{-4}	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
SACINE		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
+		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
LANSING		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

MONKEY SERA VS LANSING

AUG 30 1950

PURPOSE - To determine Lansing neutralizing Capacity of sera from monkeys which were fed Y-SK + Wisconsin '45 Polio virus.

SERA - Sera obtained from monkeys 7 days after the first of 3 twice daily feedings of Y-SK + Wisconsin Polio virus.

Virus - Lansing Pool V of 6/6/50

METHODS - Equal Parts of virus & sera mixed making final virus dilution of 1/40, 1/200, 10^{-3} against each serum to be tested. Mixtures incubated at room temperature for 1 hr & Placed in an ice bath during incubation.

MICE - 18-20 gm swiffield albino (female)

CODE	MONKEY SERA	FINAL VIRUS DILUTION 1/40	1/200	10^{-3}	10^{-4}
A	Y-SK 15				
B	Y-SK 15				
C					
D					
E					
F					
G					

AUG 30 1950

MONKEY SERA VS LANSING

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
A		1	-	?	D																																	
		2	-	-	-	PP	D																															
		3	-	-	-	E	PP	D																														
	1:40	4	-	-	-	-	?	EN	PP	D																											
		5	-	-	-	-	-	-	?	CNS	P	D																										
Y-SK 1543		6	-	-	-	-	-	-	-	-	-	P	D																								
+		7	-	-	-	-	-	-	-	-	-	P	IR	D																							
LANSING		8	-	-	-	-	-	-	-	-	-	-	-	PP	PP	PR	P	D																			
		1	(INOC ING)	(INOC ING)	11	D	INOCULATION LANGUISH																															
		2	-	EE	E	?	E	?	?	?	?	?	?	P	P	PR	D																				
		3	-	-	-	-	-	-	-	-	-	?	-	-	?	D																					
	1:200	4	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	D																				
		5	-	-	-	-	-	-	-	-	-	-	-	-	?	-	?	P	PP	D																	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	P	P	D																	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-	-	?	-	-	-	D									
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	?	?	?	-	-	
		1	-	-	-	?	PP	D																														
		2	-	-	-	-	P	PP	D																													
		3	-	-	-	-	-	-	-	-	PP	PP	D																								
	10^{-3}	4	-	-	-	-	-	-	-	-	-	?	-	?	-	-	-	P	D																		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	PP	D															
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	D	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
B		1	-	?	?	PP	D																															
		2	-	-	-	-	?	?	?	-	E	E	E	E	E	E	D																				
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PD															
	1:40	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	PP	PD						
Y-SK 1544		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
+		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LANSING		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

AUG 30 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
B (cont) Y-SK 1544 + LANSING	1:200	1	-	-	-	-	-	?	-	E	P	P	D																									
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	!	?	D																				
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	D																			
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10^{-3}	1	-	-	?	-	-	-	-	-	-	-	-	?	-	-	-	-	-	E	P	D																
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	P	D															
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C Y-SK 1545 (PAIR) + LANSING	1:40	1	-	-	-	-	-	-	-	-	E	-	-	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1:200	1	-	-	-	-	-	-	!	-	?	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

AUG 30 1950

MONKEY SERA VS. LANSING

SPECIMEN	VIRUS	No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
C (cont)		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Y-SK 1545 (PAR)	10^{-3}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
+		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LANSING		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

SPECIMEN	VIRUS	No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
D		1	INOC INJ	INOC INJ	D	- INOCULATION INJURY																																
		2	-	?	D	EE PR	D																																
		3	-	-	-	-	P	D																															
	1:40	4	-	-	-	-	P	PR	D																														
		5	-	-	-	-	?	PR	D																														
Y-SK 1546		6	-	-	-	-	-	PR	D																														
+		7	-	-	-	-	-	P	PR	D																														
LANSING		8	-	-	-	-	-	-	-	PP	D																												
		1	-	-	?	D																																
		2	-	-	?	EE	PP	EE	D																														
		3	-	-	-	-	E	D																															
	1:200	4	-	-	-	-	EE	PR	D																														
		5	-	-	-	-	?	-	-	?	?	P	D																										
		6	-	-	-	-	-	-	-	-	-	? P CNS	EE	D																									
		7	-	-	-	-	-	-	-	-	-	-	EE	D																									
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		1	-	-	?	D																																
		2	-	-	-	-	?	?	-	-	-	-	PP PP D																									
		3	-	-	-	-	-	-	-	-	-	-	PP D																									
	10^{-3}	4	-	-	-	-	-	-	-	-	-	-	P	D																								
		5	-	-	-	-	-	-	-	-	-	-	E	EE	PP	PR	D																					
		6	-	-	-	-	-	-	-	-	-	-	-	EE	P EE	D																						
		7	-	-	-	-	-	-	-	-	-	-	-	-	E	D																						
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	E	W E	EE CNS	PP EE CNS	D																		

AUG 30 1950

MONKEY SERA VS LANSING

SPECIMEN	VIRUS	MD	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
E WISCONSIN 1551 + LANSING	1:40	1	- ? D	
		2	- - PPP D	
		3	- - ? ? ? P D	
		4	- - - - - E FR D	
		5	- - - - - ? - PP D	
		6	- - - - - - - - PP D	
		7	- - - - - - - - - P D	
		8	- - - - - - - - - ? CNS PP D	
	1:200	1	- - - E EFh EFh PP PP D	
		2	- - - CNS ? D	
		3	- - - - ? ? - - ? ? PP P D	
		4	- - - - - - - - - - E PP D	
		5	- - - - - - - - - ? PP D	
		6	- - - - - - - - - - P PP PP PR D	
		7	- - - - - - - - - - ? PP PP D	
		8	- - - - - - - - - - ? E E ? - - - - - - - - TY TY TY D - TYPHOID	
	10^{-3}	1	- - - - - - - - - - E D	
		2	- - - - - - - - - - - EE ? EE PP D	
		3	- - - - - - - - - - - - - - - - E PP PP PP D	
		4	- - - - - - - - - - - - - - - - - - P FR D	
		5	- - - - - - - - - - - - - - - - - - ? ? hy PP D	
		6	- ? - - - - - -	
		7	- -	
		8	- -	
F WISCONSIN 1554 + LANSING	1:40	1	- - - - Fh PP D	
		2	- - - - ? CNS CNS PP D	
		3	- - - - - - CNS (CNS) D	
		4	- - - - - - ? CNS PP D	
		5	- - - - - - - - E PP D	
		6	- - - - - - - - EE EE EE EE EE ? - - - - - E ? ? - - ? D	
		7	- -	
		8	- -	

MONKEY SERA US LANSING

AUG 30 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
F (CONT) WISCONSIN 1554 + LANSING	1:200	1	-	?	-	E?	E	E	E	?	?	E	?	-	WE	E	PD	PP	D														PP	D				
		2	-	-	-	-	-	-	-	-	?	-	-	-	-	-	WEE	PP	D																			
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	D				
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10^{-3}	1	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
G WISCONSIN 1556 + LANSING	1:40	1	-	?	D																																	6/7
		2	-	-	TY	TY	TY	TY	D	TYPHOID																												
		3	-	-	-	?	P	PR	D																													
		4	-	-	-	-	-	?	CNS	D																												
		5	-	-	-	-	-	-	?	E	PEE	D																											
		6	-	-	-	-	-	-	-	-	CNS	CNS	D																										
		7	-	-	-	-	-	-	-	-	E	EE	EE	CNS	D																								
		8	-	-	-	-	-	-	-	-	-	-	-	-	?	-	?	-	-	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1:200	1	-	-	-	-	?	D	PP	D																												8/8
		2	-	-	-	-	-	?	?	PP	D																												
		3	-	-	-	-	-	-	-	EE	CNS	PP	D																										
		4	-	-	-	-	-	-	-	?	?	CNS	PP	D																									
		5	-	-	-	-	-	-	-	-	-	-	-	-	?	PP	PP	D																					
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	D																				
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	D																		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	PP	PR	PR	D								

AUG 30 1950

SPECIMEN	VIRUS	MO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
G (CONT)		1	-	-	←b	P	P	P	P	P	P?	?	PP	D																									
		2	-	-	-	-	-	-	-	-	-	?		EÉÉ CNS D																									
		3	-	-	-	-	-	-	-	-	-	-	?		?	←h	PP	PP	PP	P D																			
WISCONSIN 1556 + LANSING	10^{-3}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	D																				
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	? D																	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	D																	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS ?	-	-	-	?	-	-	-	D?					
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-			
H CONTROL	1:40	1	-	CNS	CNS	D																																
		2	-	?	?	PP	D																															
		3	-	-	-	P	PP	D																														
		4	-	-	-	? CNS	PD	PR	D																													
		5	-	-	-	-	P EE	PR	D																													
		6	-	-	-	-	?	PP	PR	PR	PR	D																										
		7	-	-	-	-	-	E	WE	PP	D																											
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PPP D																	
SALINE + LANSING	1:260	1	D																																			
		2	-	D																																		
		3	-	-	CNS	D																																
		4	-	-	-	-	-	-	-	?	?	D																										
		5	-	-	-	-	-	-	-	-	PP	D																										
		6	-	-	-	-	-	-	-	-	-	-	-	PP	PR	D																						
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PP D																			
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10^{-3}	1	-	?	? CNS	? CNS	?	P	PR	D																												
		2	-	-	?	-	-	-	PP	D																												
		3	-	-	-	-	-	-	-	?	CNS	CNS	D																									
		4	-	-	-	-	-	-	-	-	-	P	PP	PP D																								
		5	-	-	-	-	-	-	-	-	?	-	PP	D																								
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-	-	-	-	-	-	-	-	-	-	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

STANDARD B & P "NOTEAR"

STANDARD B & P "NOTEAR"

AUG 30 1950

MONAFY SERA VS LANSING

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
H (CONT)		1	-	-	-	-	?	-	-	P	D	R																											
		2	-	-	-	-	-	-	-	-	-	-	E	E	D																								
		3	-	-	-	-	-	-	-	-	-	-	-	P	PP	D																							
CONTROL	10^{-4}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	PP	D																				
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SALING		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
+		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
LANSING		8	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

SUMMARY OF TEST OF 10/10/50

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH.

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}
		1.6	2.3	3.0	4.0	
CYNOMOLGUS # 1558	NORMAL	8/8	8/8	7/8	—	3.4
	POST Y-SK	2/8	1/7	1/7	—	1.5
CYNOMOLGUS # 1561	NORMAL	7/7	8/8	7/7	—	3.5
	POST Y-SK	1/8	2/8	0/8	—	1.4
CYNOMOLGUS # 1562	NORMAL	8/8	8/8	6/8	—	3.3
	POST Y-SK	1/8	0/6	1/8	—	1.3
CYNOMOLGUS # 1564	NORMAL	8/8	3/6	6/8	—	3.1
	POST Y-SK	3/8	3/7	4/8	—	2.1
CYNOMOLGUS # 1566	NORMAL	8/8	8/8	7/8	—	3.4
	POST Y-SK	4/8	1/6	0/8		1.7
CONTROLS		—	7/7	8/8	0/8	$10^{+3.5}$

OCT 10 1950

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK VIRUS BY MOUTH.

PURPOSE: To determine whether or not these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk (which neutralizes polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus. There were three groups of animals (1) those fed virus only (2) those fed human milk followed by virus, then milk again (3) those fed autoclaved Commercial Cow's milk, followed by virus, then milk again

PROCEDURE: 0.2 ml of serum was added to 0.2 ml of the following dilutions of virus (Lansing) in saline: 1/20, 1/100, 1/500, giving final dilutions of virus = 1/40, 1/200 and 1/1000. Virus controls consisted of 1/200, 10^{-3} and 10^{-4} dilution of Lansing in saline. The mixtures were shaken, incubated at room temperature for 1 hour. Inoculation lasted 90 minutes

VIRUS: Lansing virus: Pool V of 6/6/50 — 10% suspension in saline. Centrifuged at 2000 rpm for 10 minutes

MICE: 18-20 gram ♀ Matfield. 8 mice per dilution

SERA USED:

GROUP	CYNOMOLGUS NO.	Remarks
VIRUS ONLY (Y-SK)	1558	Killed 28 days after 1st dose of virus
	1561	Killed 28 days after 1st dose of virus
	1562	Paralyzed 10 days after 1st dose. Killed 28 days.
	1564	Died 19 days.
Human milk followed by Virus (Y-SK)	1566	Killed 28 days after first dose of virus

In addition to the post Y-SK sera, normal sera from each animal was tested simultaneously.

NOTEAR" STANDARD B & P "NOTEAR" STA
OCT 10 1950

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
A SERUM FROM CYNOMOLGUS #1558. PRE-VIRUS + LANSING	1:40	1	– P D	8/8
		2	– – – D	
		3	– – – – – – ? – – – – PP D	
		4	– – – – – – – – – – – – CNS P E T CNS PP R D	
		5	– – – – – – – – – – – –

SPECIMEN (CONTINUED)

B

SERUM FROM CYNOMOLGUS #1558 (VIRUS ONLY)

POST-VIRUS + LANSING

VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	29	28	29	30	31	32	33	34	35	MORTALITY
1:200	1	–	–	·	–	–	–	PP	D																													1/7
	2	–	–	·	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	MISSING 10/29															
	3	–	–	·	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	4	–	–	·	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	5	–	–	·	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	6	–	–	·	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	7	–	–	·	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	8	–	–	·	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
10^{-3}	1	D																																			1/7
	2	–	D																																		
	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	? TY	? TY	? TY	?	?	?	–	–	–	–	–	–	–	–	–	
	4	–	–	/	–	–	–	–	–	–	–	–	–	–	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	5	–	–	·	–	–	–	–	–	–	–	–	–	–	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

C

SERUM FROM CYNOMOLGUS #1561 [redacted] NORMAL + LANSING

VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	29	28	29	30	31	32	33	34	35	MORTALITY
1:40	1	D																																			7/7
	2	–	D																																		
	3	–	PP	PP	PP	D																															
	4	–	?	?	?	–	–	–	?	PP	D																										
	5	–	–	–	–	–	–	–	–	–	?	?	D																								
	6	–	–	–	–	–	–	–	–	–	–	–	–	W	W	P	D																				
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E	E	–	–	–	–	–	–	–	–	–	–	–	E	D							
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	PP	E PP	EE PP	PR	D				
1:200	1	–	?	PP	D																																
	2	–	?	–	?	–	–	–	P	W	D																										
	3	–	–	–	–	–	–	–	–	W	D																										
	4	–	–	–	–	–	–	–	–	P	PP EE	D																										
	5	–	–	–	–	–	–	–	–	–	–	PP EE	D																									
	6	–	–	–	–	–	–	–	–	–	–	–	–	?	?	P	P P EE P	D																				
	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	W	P	W	P P EE	PR	D																
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	W	P	D														

OCT 10 1950

SPECIMEN (CONTINUED)	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
C CYNOMOLGUS # 1561 NORMAL + LANSING	10^{-3}	1	– – missing	7/7
		2	– – – PP D	
		3	– – – – – – PP D	
		4	– – – – – – – – – – D	
		5	– – – – – – – – – – – D	
		6	– – – – – – – – – – – – P P D	
		7	– – – – – – – – – – – – E P E E D	
		8	– – – – – – – – – – – – – P P E E D	
D CYNOMOLGUS # 1561 (VIRUS ONLY) POST-VIRUS + LANSING	1/40	1	– ? D	1/8
		2	– –	
		3	– –	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	
	1/200	1	– – – – – – – D	2/8
		2	– – – – – – – – – – – – – – P P D	
		3	– –	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	
	10^{-3}	1	– ? – –	0/8
		2	– –	
		3	– –	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
E SERUM FROM CYNOMOLGUS # 1562 NORMAL + LANSING	1/40	1	– P D	8/8
		2	– P PP D	
		3	– – PP PP D	
		4	– – – – – ? CNS PP EP D	
		5	– – – – – – – TY CNS PP D	
		6	– – – – – – – – – – – W PE D	
		7	– – – – – – – – – – – W PP P D	
		8	– – – – – – – – – – – – – W D	
	1/200	1	– PP P	8/8
		2	– – P D	
		3	– – – P D	
		4	– – – P D	
		5	– – – – P D	
		6	– – – – – – PP EE D	
		7	– – – – – – – – E PP E D	
		8	– – – – – – – – – – – E PPP EEE D	
	10^{-3}	1	– – D	6/8
		2	– – PP D	
		3	– – P PP D	
		4	– – – – D	
		5	– – – – – – – – – – – – ? WW W M E PP D	
		6	– – – – – – – – – – – – ? ? – – – TY ? ? – – – – – – EP D	
		7	– – – – – – – – – – – – – – – – – ? – – – – – – – – –	
		8	– –	
F SERUM FROM CYNOMOLGUS # 1562 (VIRUS ONLY) POST-VIRUS + LANSING	1/40	1	– – – W – – – ? – – – – – – – – – D	1/8
		2	– –	
		3	– –	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	

STANDARD B & P "NOTEAR"

OCT 10 1950

SPECIMEN (CONTINUED)	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 28 29 30 31 32 33 34 35	MORTALITY
F SERUM FROM CYNOMOLGUS # 1562 (VIRUS ONLY)	1/200	1	missing 11/4/50	0/6
		2	missing 11/4/50	
		3	H H H H H	
		4		
		5		
		6		
		7		
		8		
POST-VIRUS + LANSING	10^{-3}	1		1/8
		2		
		3		
		4		
		5		
		6		
		7		
		8		
G SERUM FROM CYNOMOLGUS # 1564 NORMAL + LANSING	1/40	1		8/8
		2		
		3		
		4		
		5		
		6		
		7		
		8		
	1/200	1		3/6
		2		
		3		
		4		
		5		
		6		
		7		
		8		

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
(CONTINUED) G SERUM FROM CYNOMOLGUS # 1564 NORMAL + LANSING	10^{-3}	1	— — P D	6/8
		2	— P PP PP P D	
		3	— P PP P D	
		4	— — — P PP D	
		5	— — — ? ? — — — — — cus ? PP D	
		6	— — — — — — — — — — E ?E — — — — — — — — — — — — — P D	
		7	— —	
		8	— —	
H SERUM FROM CYNOMOLGUS # 1564 (VIRUS ONLY)	1/40	1	— — — — P P PR PR D	3/8
		2	— — — — — — PP PR D	
		3	— — — — — — — — D	
		4	— — — — — — — — — — — ? — — E ?E — — — — — — — — — — —	
		5	— —	
		6	— —	
		7	— —	
		8	— —	
POST-VIRUS + LANSING	1/200	1	(D)	3/7
		2	— — — — — — — — — — — — — P PP EE D	
		3	— — — — — — — — — — — — — — W WW P P D	
		4	— — — — — — — — — — — — — — W ? — — ?D	
		5	— — — — — — — — — — — — — — — — — — ? — — ? — — — — —	
		6	— —	
		7	— —	
		8	— —	
	10^{-3}	1	— D	4/8
		2	— — ? D	
		3	— — — — D	
		4	— — — EE — ? EE ? ? EE ? ? EE — — E? EE EW EE ? EE — — ? TY TY TY TY TY TY TY ? — ? E D	
		5	— — — — — — — — — — — — — — — ? ? ? — — ? — ? ? — — — — — — ? —	
		6	— —	
		7	— —	
		8	— —	

OCT 10 1950

SPECIMEN	VIRUS	MICE	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
I SERUM FROM CYNOMOLGUS # 1566 NORMAL + LANSING	1/40	1 2 3 4 5 6 7 8		8/8
	1/200	1 2 3 4 5 6 7 8		8/8
	10^{-3}	1 2 3 4 5 6 7 8		7/8
J SERUM FROM CYNOMOLGUS # 1566 (HUMAN MILK FOLLOWED BY VIRUS) POST-VIRUS + LANSING	1/40	1 2 3 4 5 6 7 8		4/8

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
(CONTINUED) J SERUM FROM CYNOMOLGUS #1566 (HUMAN MILK FOLLOWED BY VIRUS)	1/200	1	– ? CNS CNS CNS (CNS) D	1/6
		2	– – – – ? ? TY H TY H TY H TY H TY H D Typhoid D	
		3	– – – – – – – – – TY ? TY – W ? ? – – ? H H H H (D)	
		4	– – – – – – – – – – – – ? – ? – –	
		5	– – – – – – – – – – – – – – – –	
		6	– – – – – – – – – – – – – – – –	
		7	– – – – – – – – – – – – – – – –	
		8	– – – – – – – – – – – – – – – –	
POST-VIRUS + LANSING	10^{-3}	1	– [redacted] – – – – – – – – – – – – – – – –	9/8
		2	– – – – – – – – – – – – – – – –	
		3	– – – – – – – – – – – – – – – –	
		4	– – – – – – – – – – – – – – – –	
		5	– – – – – – – – – – – – – – – –	
		6	– – – – – – – – – – – – – – – –	
		7	– – – – – – – – – – – – – – – –	
		8	– – – – – – – – – – – – – – – –	
K CONTROL SALINE + LANSING	1/200	1	– D	7/7
		2	– D	
		3	– P D	
		4	– ? D	
		5	– H TY H TY D – [redacted]	
		6	– – P P ? : – ? P E E D	
		7	– – – – – – – – 2 CNS 2 WP P P P D	
		8	– – – – – – – – H. ? TY – – – ? TY TY ? TY ? TY (D) Typhoid	
	10^{-3}	1	– W D	8/8
		2	– – – W – D	
		3	– – – – – – – E P P R D	
		4	– – – – – – – – – D	
		5	– – – – – – – – – – D	
		6	– – – – – – – – – – – – – – ? E E P P CNS E E D	
		7	– – – – – – – – – – – – – – – – – E E P D	
		8	– – – – – – – – – – – – – – – – – ? P CNS P D	

STANDARD B & P "NOTEAR"

STANDARD B & P "

OCT 10 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35
(CONTINUED)		1	–	–	?	–	–	–	–	–	–	–	–	–	–	–	?	?	EWM		?	?	–	–	–	?	–	–	?	?	–	–	–	–		–	–
K		2	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	?	T?	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
CONTROL		3	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	?		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
		4	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
LANSING	10⁻⁴	5	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
+		6	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
SALINE		7	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–
		8	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–

0/8

SUMMARY OF TEST OF 10/11/50

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGI GIVEN Y-SK BY MOUTH.

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}
		1.6	2.3	3.0	4.0	
CYNOMOLGUS #1568	NORMAL	7/8	8/8	6/8	—	3.2
	POST Y-SK	3/8	1/7	1/8	—	1.6
CYNOMOLGUS #1569	NORMAL	6/8	7/8	6/7	—	3.2
	POST Y-SK	3/7	2/8	0/8		1.7
CYNOMOLGUS #1572	NORMAL	5/8	5/8	2/8	—	2.4
	POST Y-SK	1/8	1/7	0/8	—	1.3
CYNOMOLGUS #1575	NORMAL	7/8	5/8	5/8	—	2.8
	POST Y-SK	8/8	7/8	3/8	—	2.8
CYNOMOLGUS #1579	NORMAL	5/7	5/8	3/7	—	2.4
	POST Y-SK	4/8	1/8	0/8	—	1.7
CONTROLS		—	8/8	5/8	1/6	3.3

Test for Development of Neutralizing Antibodies for Lansing Virus Among Different Groups of Cynomolgus Monkeys Given L-5K Virus by Mouth.

Group	Cynomolgus No.	Remarks
Virus only	✓1558	Killed 28 days after 1st dose
	~~1560~~	~~" 8 days " "~~ ~~(No Polio lesions)~~
	✓1561	Killed 28 days after 1st dose
	✓1562	Paralyzed 10 days after 1st dose Killed 28 days
	✓1564	Died 19 days
Human Milk followed by Virus	✓1566	Killed 28 days after 1st dose of virus
	✓1568	
	✓1569	
	✓1572	
	✓1575	
	✓1579	Killed 29 days
	✓1581	
	✓1573	Par. 10 days - Killed 18 days when terminal.
	✓1576	Par " " - " 12 days " "
	✓1577	Par " " - " 16 days " "
No blood taken	1582	Par 11 " - Died 13 days
Autoclaved Cow's Milk followed by virus	✓1583	Killed 29 days after 1st dose of virus
	1589	
	1590	
	1591	
	1585	- Killed 10 days after 1st dose of virus when terminal due to intercurrent disease. No Polio lesions

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH.

OCT 11 1950

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk (which neutralizes polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus. There were three groups of animals: (1) those fed Y-SK only (2) those fed human milk followed by virus, then milk again (3) those fed autoclaved Commercial Cow's milk, followed by virus, then milk again.

PROCEDURE: 0.2 of a ml. of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500, giving final dilutions of virus = 1/40, 1/200, 1/1000. Virus Controls Consisted of 1/200, 10^{-3}, and 10^{-4} dilution in saline. The mixtures were shaken and incubated at room temperature for 1 hour. Inoculation lasted 100 minutes.

VIRUS: Lansing Virus: Pool IV of 6/6/50. 10% suspension in saline. Centrifuged 2000 rpm for 10 minutes

MICE: 18-20 gram ♀ Mayfield. 8 mice per dilution

SERA USED:

GROUP	CYNOMOLGUS #	REMARKS
HUMAN MILK FOLLOWED BY VIRUS (Y-SK)	1568	Killed 28 days after first dose of virus.
	1569	
	1572	
	1575	
	1579	Killed 29 days after first dose of virus.

In addition to the post Y-SK sera, normal sera from each animal was tested simultaneously.

OCT 11 1954

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
A SERUM FROM CYNOMOLGUS # 1568 NORMAL + LANSING	1/40	1	– PP D	7/8
		2	– – ? PP PP D	
		3	– – – PP D	
		4	– – – – – – ? ? PP D	
		5	– – – – – – – – – – – – ? WWWW EE D	
		6	– – – – – – – – – – – – ? ? WW EE CWS EE D	
		7	– – – – – – – – – – – – – ? – EE D	
		8	– – – – – – – – – – – – –

SPECIMEN (CONTINUED)	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 28 29 30 31 32 33 34 35	MORTALITY
B SERUM FROM CYNOMOLGUS # 1568 (HUMAN MILK FOLLOWED BY VIRUS) POST Y-SK + LANSING	1/200	1	— — — — — D	1/7
		2	— — — — E — E E E — — — ? ? H H H H H H H D	
		3	— — — — — — — — — — — — ? — ? — — — ? ? — ? ? — — — — — — —	
		4	— —	
		5	— —	
		6	— —	
		7	— —	
		8	— —	
	10^{-3}	1	— ? ? — — — — — — — — — — — — W P PP D	1/8
		2	— —	
		3	— —	
		4	— —	
		5	— —	
		6	— —	
		7	— —	
		8	— —	
C SERUM FROM CYNOMOLGUS # 1569 NORMAL + LANSING	1/40	1	— D	6/8
		2	— P PP D	
		3	— — ? — PP D	
		4	— — — — — CNS PP D	
		5	— — — — — ? ? — — — — CNSE P PR D	
		6	— — — — — — — — — — — — — — E D	
		7	— — — — — — — — — — — — — — — — W ? — — — — — — — — — — — —	
		8	— —	
	1/200	1	— PP D	7/8
		2	— P P D	
		3	— P PP D	
		4	— ? PP D	
		5	— — PP PP PPPP D	
		6	— — ? — — — — — — — — P EE PR D	
		7	— — — — — — — — — — — — P P PR D	
		8	— —	

OCT 1 1 1950

SPECIMEN	VIRUS	DD	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
C SERUM FROM CYNOMOLGUS # 1569 NORMAL + LANSING	10^{-3}	1	– – PP D	6/7
		2	– – ? D	
		3	– – – PP D	
		4	– – – – P P D	
		5	– – – – – CHS – – TY TY ? D	
		6	– – – – – – – – – – – E E E E P P R R D	
		7	– – – – – – – – – – – – ? ? WN ? TY TY D TYPHOID	
		8	– – – – – – – – – – – –

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
E SERUM FROM CYNOMOLGUS # 1572 NORMAL + LANSING	1/40	1	– P PP D	5/8
		2	– – PP PP D	
		3	– – – – – – – – W W W W W W W ? W W – ? CNS D	
		4	– – – – – – – – – – – – – W P E D	
		5	– – – – – – – – – – – – – – – – – ? ? ? CNS CNS CNS ? W ? W W W P D	
		6	– –	
		7	– –	
		8	– –	
	1/200	1	– – PP D	5/8
		2	– – ? – – – – – – – P P P R D	
		3	– – – – – – – – – – P P P R D	
		4	– D D	
		5	– –	
		6	– –	
		7	– –	
		8	– –	
	10^{-3}	1	– – P PP D	2/8
		2	– – – W P P P D	
		3	– – – – – – – – – – – – ? T Y ? – – – – – – – – – – – – – –	
		4	– – – – – – – – – – – – – W N – – – – – – – – – – – – – – –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	
F SERUM FROM CYNOMOLGUS # 1572 (HUMAN MILK FOLLOWED BY VIRUS) POST Y-SIT + LANSING	1/40	1	– – – – – – – – – – – – E – ? ? E E CNS D	1/8
		2	– –	
		3	– –	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	

STANDARD B & P "NOTEAR" STANDARD B & P "NOTEAR" OCT 11 1950

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 28 29 30 31 32 33 34 35	MORTALITY
(CONTINUED) F SERUM FROM CYNOMOLGUS # 1572 (HUMAN MILK FOLLOWED BY VIRUS) POST Y-SK + LANSING	1/200	1	— - - - D	1/7
		2	— - - - — — - ? - — — TY D TYPHOID	
		3	— - - - — — — — — — — W W ? WN — — — — — — — — ? — — — — — —	
		4	— - - - —	
		5	— - - - —	
		6	— - - - —	
		7	— - - - —	
		8	— - - - —	
	10^{-3}	1	— — — — — — — — — — — — — E E — — — ? ? ? E — ? — — — — — —	0/8
		2	— —	
		3	— —	
		4	— —	
		5	— —	
		6	— —	
		7	— —	
		8	— —	
G SERUM FROM CYNOMOLGUS # 1575 NORMAL + LANSING	1/40	1	— P D	7/8
		2	— P D	
		3	— — — — — ? D	
		4	— — — — — — — — P P P P E E E E D	
		5	— — — — — — — — — P P D	
		6	— — — — — — — — — — W P P R D	
		7	— — — — — — — — — — — — — ? — P P P P E E D	
		8	— —	
	1/200	1	— — ? W W D	5/8
		2	— — — — — — — P P P P E E D	
		3	— — — — — — — — — — — — — — — — W N D	
		4	— — — — — — — — — — — — — ? — — — — — — ? — ? ? ? — — P — D W E E W E E W E E P E E	
		5	— —	
		6	— —	
		7	— —	
		8	— —	

SPECIMEN (CONTINUED)	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
G SERUM FROM CYNOMOLGUS # 1575 NORMAL + LANSING	10^{-3}	1	– – P D	5/8
		2	– – – E D	
		3	– – – PP D	
		4	– – – – – – PR D	
		5	– – – – – – – ? PPPPPR D	
		6	– – – – – – – – ? ? – – – ? V WN ? – – – – – ? CNS CNS ? ? ? ? ? ? ? ? –	
		7	– – – – – – – – – – – – – ? WN ? – – – – – – – – – – – – – –	
		8	– –	
H SERUM FROM CYNOMOLGUS # 1575 (HUMAN MILK FOLLOWED BY VIRUS) POST YSK + LANSING	1/10	1	– PP D	8/8
		2	– P PP D	
		3	– – ? ? ? PPPPPP D	
		4	– – ? – – – PP PR D	
		5	– – – – – – – – ? CNS PR D	
		6	– – – – – – – – – – – – – PW P D	
		7	– – – – – – – – – – – – – – ? PP D	
		8	– – – – – – – – – – – – – – – – – – ? ? ? – – W P D	
	1/200	1	– – D	7/8
		2	– – B	
		3	– – 2 D	
		4	– – – D	
		5	– – – – – – TY? ? ? TY ? TY TY TY TY TY TY ? TY ? TY ? TY P D	
		6	– – – – – – – – E PP E D	
		7	– – – – – – – – – – – – – – ? – – – – – – – – – – – P P P P P	
		8	– –	
	10^{-3}	1	– – – D	3/8
		2	– – – – – – PPP D	
		3	– – – – – – – – – – – – – ? ? ? – – – – – ? TYP E PR D	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	

OCT 11 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
I SERUM FROM CYNOMOLGUS # 1579 NORMAL + LANSING	1/10	1	–	PP	D																																	5/7
		2	–	–	–	–	H	H?	H	H	H	H	H	H	H	H	D																					
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	TY	–	–	–	–	?	P	PP	D											
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	TY	–	–	–	–	–	–	?	?	–	–	E	P E	D							
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	–	–	–	–	–	–	–	–	–	–	–	–	–	W	P	W	P			
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	W	P	W	P			
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			
	1/200	1	–	–	?	:	PP	PP	D																													5/8
		2	–	–	–	–	–	–	–	–	–	–	?	?	–	–	–	E	D																			
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	WW ?	–	–	?	TY ?	?	TY ?	PP	D												
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	?	PP	D										
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P P	D										
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	CMS	?	?	?	?	–	?	?	–	
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	10^{-3}	1	–	P	PP	D																															3/7
		2	–	–	–	D																															
		3	–	–	–	*MISSING – 10/15																															
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E	E	–	E	?	?	E	E	?	–	–	P	D							
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	W ?	W ?	?	–	–	–	
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	–	–	–	–	–	
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
J SERUM FROM CYNOMOLGUS # 1579 (HUMAN MILK FOLLOWED BY VIRUS) POST Y-SH + LANSING	1/60	1	—	—	?	—	?	?	P	P	P	D																										4/8
		2	—	—	—	—	—	—	WPP	D																													
		3	—	—	—	—	—	—	?PP	D																													
		4	—	—	—	—	—	—	P	PPPP	D																												
		5	—	—	—	—	—	—	—	—	—	?	?	?	—	E	E	E	WW EE E	? E	—	—	—	? CNS	?	?	? CNS	E	?	?	E	E	E		E	E	—		
		6	—	—	—	—	—	—	—	—	?E	—	—	—	—	—	—	E WW E	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	1/200	1	—	—	—	P	D																															1/8
		2	—	—	—	—	—	—	W	—	—	—	—	—	?	?	—	WW ?	—	—	—	—	—	—	?	? CNS	?	?	?	—	—	—	—	—	—	—		
		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
	10^{-3}	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	?	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		0/8
		2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

OCT 1 1 1950

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
K CONTROL SALINE + LANSING	10^{-4}	1	– D	8/8
		2	– P PP D	
		3	– – – ? – – – – – – – CWS D	
		4	– – – – – – – – – – – – P EEP D	
		5	– – – – – – – – – – – – P EEP D	
		6	– – – – – – – – – – – – – ER ? ? – P E D	
		7	– – – – – – – – – – – – – – – – – P P D	
		8	– ? P D	
	10^{-5}	1	– – ? P P D	5/8
		2	– – – ? ? – – – – – – – – ? ? P D	
		3	– – – – – – – – – – – – – – – – – – WW P P EE EE D	
		4	– ? – ? P P P D	
		5	– P E P EE D	
		6	– –	
		7	– –	
		8	– –	
	10^{-4}	1	– – – – – – P P D	1/6
		2	– – – – – – – – – – – – ? ? ? ? MISSING	
		3	– – – – – – – – – – – – – – – – MISSING	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	

SUMMARY OF TEST OF OCTOBER 13, 1950

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGI GIVEN Y-SK BY MOUTH.

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}
		1.6	2.3	3.0	4.0	
CYNOMOLGUS #1581	NORMAL	8/8	4/8	2/7	—	2.5
	POST Y-SK	8/8	5/7	4/8	—	2.8
CYNOMOLGUS #1573	NORMAL	7/8	5/8	3/8	—	2.6
	POST Y-SK	2/8	1/8	0/7	—	1.3
CYNOMOLGUS #1576	NORMAL	7/7	7/8	4/8	—	2.9
	POST Y-SK	1/8	1/7	0/8	—	1.3
CYNOMOLGUS #1577	NORMAL	7/8	8/8	6/8	—	3.2
	POST Y-SK	1/8	0/8	0/8	-	1.3
CYNOMOLGUS #1583	NORMAL	5/7	7/8	2/8	—	2.6
	POST Y-SK	2/8	0/8	0/8	-	1.4
CONTROLS		—	7/8	7/8	3/8	3.6

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH.

OCT 13 1950

PURPOSE: To determine if the monkeys which were fed Y-SK have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk would effectively neutralize Y-SK if the milk was fed before and after administration of the virus. There were three groups of animals: (1) those fed Y-SK only (2) those fed human milk followed by virus, then milk again (3) those fed autoclaved Commercial cow's milk, followed by virus, then milk again.

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500, 1:1000. Virus Control Consisted of 1/200, 10^{-3} and 10^{-4} dilutions in saline. The mixtures were shaken and incubated at room temperature for 1 hour. Inoculation lasted 90 minutes.

VIRUS: Lansing Virus: Pool V of 6/6/50. 10% suspension in saline. Centrifuged 2000 RPM for 10 minutes.

MICE: 18-20 gram ♀ Mayfield. 8 mice per dilution

SERA USED:

GROUP	CYNOMOLGUS	REMARKS
~~TEST~~	1581	Killed 29 days after first dose of virus
Human MILK FOLLOWED BY VIRUS	1573	Par. 19 days. Killed 18 days when terminal
	1576	Par. 10 days. Killed 12 days when terminal
	1577	Par. 10 days. Killed 16 days when terminal
AUTOCLAVED COWS MILK FOLLOWED BY VIRUS	1583	Killed 29 days after first dose of virus

STANDARD B & P "NOTEAR" STANDARD B & P "NOTEAR" OCT 13 1950

SPECIMEN	VIRUS	DD	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
A SERUM FROM CYNOMOLGUS #1581 NORMAL + LANSING	1/40	1	– CNS D	8/8
		2	– – CNS PP D	
		3	– – – CNS CNS D	
		4	– – – P PP PP D	
		5	– – – ? ? ? ? – PP D	
		6	– – – – – – – – PP D	
		7	– P D	
		8	– T T P D	
	1/200	1	– ? D	4/8
		2	– – ? PP D	
		3	– – – – – – P PP D	
		4	– ? ? – P PW D	
		5	– – – – – – – – – – – – – – – – – – –

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	
B SERUM FROM CYNOMOLGUS #1581 HUMAN MILK FOLLOWED BY VIRUS POST Y-SK + LANSING	1/200	1	P D	5/7	$10^{-2.8}$
		2	? ? E TY? TY TY D Typhoid		
		3	W P D		
		4	? ? PP PR D		
		5	PPP D		
		6	T? ? ? P D		
		7			
		8			
	10^{-3}	1	WW D	4/8	
		2	? ? PP D		
		3	E WW D		
		4	? P D		
		5			
		6			
		7			
		8			
C SERUM FROM CYNOMOLGUS #1573 NORMAL + LANSING	1/40	1	P W D	7/8	$10^{-2.6}$
		2	? PP D		
		3	? ? ? E E CNS D		
		4	? CNS D		
		5	EE WW EE F W E P E E E P R D		
		6	? E E E K P D		
		7	E E E E D		
		8	?		
	1/100	1	W D	5/8	
		2	? ? P D		
		3	W ? WW E E E E E W E D CNS		
		4	? PP P D ?		
		5	CNS CNS CNS CNS CNS PP D		
		6	? ? ?		
		7			
		8			

OCT 13 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
C (CONT) SERUM FROM CYNOMOLGUS # 1573 NORMAL + LANSING	10^{-3}	1	–	–	?	?	–	–	D																													
		2	–	–	–	–	–	–	–	–	–	–	–	–	?	?	PP E	D																					
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E	WW	PR	D																			3/8
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	–	?	?	–	–	?	?	–	–	–		–	–	–	–			
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–			
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–			
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–			
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–			
D SERUM FROM CYNOMOLGUS # 1573 HUMAN MILK FOLLOWED BY VIRUS	1/40	1	–	–	–	–	–	–	–	–	–	–	EPE	D																							2/8	$10^{-1.3}$
		2	–	–	–	–	–	–	–	–	–	–	–	W	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	HH		D					
		3	–	–	–	–	–	–	–	–	–	–	–	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
POST Y-ST + LANSING	1/200	1	–	–	?	–	–	–	?	–	–	–	?	–	–	?	W	D																			1/8
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
	10^{-3}	1	–	–	–	–	–	–	–	–	–	–	–	–	–	E	–	14	? TY	? TY	?	?	?	–	–	–	?	–	–	–	–		–	–	–	D	0/7	
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–		

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	
E SERUM FROM CYNOMOLGUS #1576 NORMAL + LANSING	1/10	1	D	7/7	$10^{-2.9}$
		2	PP D		
		3	PP D		
		4	PP D		
		5	? EE CNS D		
		6	? WWPP E E D		
		7	TY D TYPHOID		
		8	? ? D		
	1/100	1	PP D	7/8	
		2	P D		
		3	D		
		4	? D		
		5	WWPP E E D		
		6	E E CNS D		
		7	? E E PPP PP A D		
		8			
	10^{-3}	1	? PP D	4/8	
		2	P D		
		3	? D		
		4	? EE ? EE ? P P		
		5			
		6			
		7			
		8			
F SERUM FROM CYNOMOLGUS #1576 HUMAN MILK. FOLLOWED BY VIRUS POST + 4 SF + LANSING	1/40	1	? ? ? ? P D	1/8	$10^{-1.3}$
		2			
		3			
		4			
		5			
		6			
		7			
		8			

OCT 1 3 1950

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
F (CONT.) SERUM FROM CYNOMOLGUS # 1576	1/200	1	– – ? ? D	
		2	– – – TY TY TY – – – – TY D Typhoid	
		3	– – – – – – – – – – ? TY TY TY TY – TY TY TY TY TY TY ? ? ? ? TY TY TY TY TY TY	1/7
		4	– – – – – – – – – – – E E – – – – ? ? – – ? – ? ? – – – TY TY TY TY	
		5	– – – – – – – – – – – – W – – – – – – – – – – – – – – – –	
		6	– –	
		7	– –	
		8	– –	
HUMAN MILK FOLLOWED BY VIRUS POST Y-SK + LANSING	10^{-3}	1	– – – – – ? – – – – – – ? – – – E E – – – – – – – – – – –	
		2	– – – – – – – – – – – – ? – – – – – – – – – – – – – – –	
		3	– –	9/8
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	
G SERUM FROM CYNOMOLGUS # 1577	1/40	1	– PP D	
		2	– P PP D	
		3	– – PP PR D	
		4	– – – – – – ? PR D	
		5	– – – – – – – P D	
		6	– – – – – – – – – – – – W D	
		7	– – – – – – – – – – – – – – PPD D	7/8
		8	– –	
NORMAL + LANSING	1/200	1	– PPD	$10^{-3.2}$
		2	– W CNS CNS CNS CNS CNS ? CNS P PR D	
		3	– – – – – – – – D	
		4	– – – – – – – – PP D	
		5	– – – – – – – – – ? – W PP PP D	
		6	– – – – – – – – – – – – WW D	8/8
		7	– – – – – – – – – – – – E E P CNS D	
		8	– P E D	

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
G (CONT) SERUM FROM CYNOMOLGUS # 1577 NORMAL + LANSING	10^{-3}	1	– ?D	6/8
		2	– – – T – PP D	
		3	– – – – – – ? TTTTTT – TTTTT D	
		4	– – – – – – – ? T – ? ? WW – – ? ? ? – – ? ? ? E E PP ED	
		5	– – – – – – – – – – – – ? – – – – – – – – – – – ? W. D	
		6	– P D	
		7	– –	
		8	– –	
H SERUM FROM CYNOMOLGUS # 1577	1/40	1	– ? – – PP D	1/8 $10^{-1.3}$
		2	– – – – – – – – – – – – W – – – – – – – – – – – – – – –	
		3	– –	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	
HUMAN MILK FOLLOWED BY VIRUS. POST. Y-SH + LANSING	1/200	1	– – – – – – – – – – – – – ? – – – ? ? – – – – ? – – – –	0/8
		2	– –	
		3	– –	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	
	10^{-3}	1	– –	0/8
		2	– –	
		3	– –	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	

OCT 1 3 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	29	28	29	30	31	32	33	34	35	MORTALITY	
I		1	(D)																																				
		2	–	PP	P	R	P	R	P	R	P	R	F	R	D																								
		3	–	–	–	–	–	–	–	–	PP	D																											
SERUM FROM CYNOMOLGUS # 1583	1/40	4	–	–	–	–	–	–	–	–	?	?	?	–	?	?	–	–	–	–	–	–	–	–	–	–	P	D										5/7	$10^{-2.6}$
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	P	D									
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	D	W		P	D						
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
NORMAL + LANSING		1	–	?	D																																		
		2	–	–	D																																		
		3	–	–	–	–	–	–	–	?	D																												
	1/200	4	–	–	–	–	–	–	–	–	PP	D																										7/8	
		5	–	–	–	–	–	–	–	–	CNS	PP	D																										
		6	–	–	–	–	–	–	–	–	–	?	CNS	EEP	CNS	D	WN																						
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	D																						
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P	P	D																				
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	D																				
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	10^{-3}	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	29	28	29	30	31	32	33	34	35	MORTALITY	LD 50
J		1	-	-	-	-	D																																
		2	-	-	-	P	D																																
		3	-	-	-	E	?	-	?	?	?	-	-	-	-	?	/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2/8	$10^{-1.4}$
SERUM FROM CYNOMOLGUS # 1583	1/40	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
AUTOCLAVED COWS MILK FOLLOWED BY VIRUS		1	-	-	-	?	?	-	-	EE? cusses	?	?	-	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	?	-	-	-		
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
POST Y-SK + LANSING	1/100	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0/8	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	W PW	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-3}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0/8	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

"NOTEAR" STANDARD B & P "NOTEAR" OCT 13 1950

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
K CONTROL SALINE + LANSING	1/200	1	– P D	7/8	$10^{-3.6}$
		2	– – – – – – – – P D		
		3	– – – – – – – – P D		
		4	– – – – – – – – ? W W W W D		
		5	– – – – – – – – – E E W E W E P P D		
		6	– – – – – – – – – – – – – – – – P P D		
		7	– – – – – – – – – – – – – – – – P P D		
		8	– – – – – – – – – – – – – – – –

SUMMARY OF TEST OF OCTOBER 16, 1950

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGI GIVEN Y-SK BY MOUTH.

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}
		1.6	2.3	3.0	4.0	
CYNOMOLGUS #1589	NORMAL	6/8	8/8	7/8	—	3.3
	POST Y-SK	1/7	1/8	0/8	—	1.3
CYNOMOLGUS #1590	NORMAL	8/8	6/8	8/8	—	3.4
	POST Y-SK	2/8	1/8	0/8	—	1.3
CYNOMOLGUS #1591	NORMAL	8/8	7/8	3/6	—	2.9
	POST Y-SK	1/8	1/8	1/7	—	1.4
CYNOMOLGUS #1585	NORMAL	8/8	7/8	5/8	—	3.1
	POST Y-SK	8/8	5/8	2/8	—	2.6
CONTROLS		—	20/20	15/20	2/20	$10^{-3.4}$

Nov. 20, 1950 Final
Amos plaintext Dec. 5.

TEST FOR THE PRESENCE OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK VIRUS BY MOUTH

OCT 16 1950

PURPOSE: To determine if those monkeys which were fed Y-SK have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk would effectively neutralize Y-SK if the milk was fed before and after administration of the virus. There were three groups of animals: (1) those fed Y-SK only (2) those fed human milk followed by virus - then milk again (3) those fed autoclaved commercial cow's milk, followed by virus, then milk again.

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1/20, 1/100, 1/500, giving final dilutions of virus = 1/40, 1/200, and 1/1000. Virus Control Consisted of 1/200, 10^{-3}, and 10^{-4} dilutions in saline. The mixtures were shaken and incubated at room temperature for 1 hour. Inoculation lasted 90 minutes.

VIRUS: Lansing Virus: Pool V of 6/6/50. 10% suspension in saline. Centrifuged 2000 rpm for 10 minutes.

MICE: 18-20 gram Swiss Rockfield. 8 mice per dilution*


SERA USED:

GROUP	CYNOMOLGUS	REMARKS
Autoclaved cow's milk followed by virus	1589	Killed 29 days after first dose of virus.
	1590	
	1591	
	1585	Killed 10 days after first dose of virus when terminal due to intercurrent disease. No polio lesions

* For the Controls 20 mice were used in each dilution in order to determine with greater accuracy the LD_{50} titer of the virus at this time.

OCT 16 1950

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	
A SERUM FROM CYNOMOLGUS # 1589 NORMAL + LANSING	1/40	1	– PP WW D	6/8	$10^{-3.3}$
		2	– – – D		
		3	– – ? ? E E ? ? ? E E E E – W D		
		4	– – – – – – – – – ? – – CR P P E E E E D		
		5	– – – – – – – – – – – – – – P P P P P D		
		6	– – – – – – – – – – – – – – – ? ? – – – ? ? ? W WW P E E D		
		7	– ? – –		
		8	– –		
	1/200	1	– P	8/8	
		2	– P P P D		
		3	– P P P D		
		4	– – ? D		
		5	– – – W P P P D		
		6	– – – – – – – W P E D		
		7	– – – – – – – – – – – – – – – – – – P D		
		8	– D		
	10^{-3}	1	– ? D	7/8	
		2	– – D		
		3	– – D		
		4	– – – – – – – – ? ? E E CWS EE CWS D		
		5	– – – – – – – – – ? – – ? P E E D		
		6	– – – – – – – – – – – – – – – – – – ? ? – – W E H P E H E D		
		7	– PP EE D		
		8	– –		
B SERUM FROM CYNOMOLGUS # 1589 AUTOCLAVED COWS MILK FOLLOWED BY VIRUS POST Y-SK + LANSING	1/40	1	– – – – – – – W W W – – TY TY TY TY D TYPHOID	1/7	$10^{-1.3}$
		2	– P W P W E E D		
		3	– –		
		4	– –		
		5	– –		
		6	– –		
		7	– –		
		8	– –		


SPECIMEN
VIRUS
NO
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
MORTALITY
B (CONT.)
SERUM FROM CYNOMOLGUS # 1589
1/200
1/8
AUTOCLAVED COW'S MILK FOLLOWED BY VIRUS.
POST Y-S/T + LANSING
10^{-3}
0/8
C
SERUM FROM CYNOMOLGUS # 1590
NORMAL + LANSING
1/40
TYPHOID
8/8
$10^{-3.4}$
1/200
6/8

OCT 1 6 1950

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
C (CONT.) SERUM FROM CYNOMOLGUS #1590 NORMAL + LANSING	10^{-3}	1	P P PP PP D	8/8
		2	th th th th e P P P P P P P W W W	
		3	E E EVS D	
		4	R. PP ORP W D	
		5	? D	
		6	P P P D	
		7	P P E PR D	
		8	? ? ? ? ? W W W P EE P EE P EE D	
D SERUM FROM CYNOMOLGUS #1590 AUTOCLAVED COW'S MILK FOLLOWED BY VIRUS POST X-SH + LANSING	1/40	1	D	2/8
		2	D	
		3	? ? EEE ? ?	
		4		
		5		
		6		
		7		
		8		
	1/200	1	E E E ? ? E E ? ? E ? E P E P D	1/8
		2	? ? ? ? TY ?	
		3		
		4		
		5		
		6		
		7		
		8		
	10^{-3}	1	W ? ? ? ? ?	0/8
		2	E	
		3		
		4		
		5		
		6		
		7		
		8		

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	
E SERUM FROM CYNOMOLGUS #1591 NORMAL + LANSING	1/40	1	– D	8/8	$10^{-2.9}$
		2	– D		
		3	– PP D		
		4	– – – – – – – – – – – – PP D		
		5	– – – – – – – – – – – – – W EE D		
		6	– – – – – – – – – – – – – ? ? – P D		
		7	– ? W P EE P PP P PP P PP P PP P		
		8	– – – – – – – – – – – – – – – – – – –

OCT 16 1950

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
F (CONT.) SERUM FROM CYNOMOLGUS # 1591 AUTOCLAVED COW'S MILK FOLLOWED BY VIRUS.	1/200	1	– – – – ? ? PP D	1/8
		2	– – – – – – – – – E E E ? ! ? – E E WW ? ? – – – – – – – –
		3	– –
		4	– –
		5	– –
		6	– –
		7	– –
		8	– –
POST Y-SH + LANSING	10^{-3}	1	– D	1/7
		2	– – – – – – – – – TY TY D TYPHOID
		3	– –
		4	– –
		5	– –
		6	– –
		7	– –
		8	– –
G SERUM FROM CYNOMOLGUS # 1585 NORMAL + LANSING	1/40	1	– EE D	$10^{-3.1}$ 8/8
		2	– EE PP D
		3	– – EE D
		4	– – – EE CNS ? EE CNS EE CNS EE ? EE P EE D
		5	– – – – – – – – – – E CNS D
		6	– – – – – – – – – – – CNS P EE D
		7	– – – – – – – – – – – – – – – – P EE D
		8	– E EP EP D
	1/200	1	– PP D	7/8
		2	– WW D
		3	– CNS CNS EE CNS EE CNS EE CNS D
		4	– – – – – – – – – P EE D
		5	– – – – – – – – – – – – – ? ? W PE PP PR D
		6	– – – – – – – – – – – – – – ? P EE D
		7	– – – – – – – – – – – – – – – – WE N CNS CNS P EE D
		8	– ? ? ? ? – – 3 –

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
G (CONT.) SERUM FROM CYNOMOLGUS #1585 NORMAL + LANSING	10^{-3}	1	– ? ? ? D	5/8
		2	– – – E E E E E E E E E – PP D	
		3	– – – – – – – – – – E – – – – – TY ? ? TY TY ? EE D	
		4	– – – – – – – – – – E – – – – – – – – – ? ? P D	
		5	– ? – ? P P	
		6	– –	
		7	– –	
		8	– –	
H SERUM FROM CYNOMOLGUS #1585 AUTOCLAVED COW'S MILK FOLLOWED BY VIRUS. POST Y-SH + LANSING	1/40	1	– PP PP EE EE D	$10^{-2.6}$ 8/8
		2	– – P PP EE D	
		3	– – ? ? P P P P P P D	
		4	– – – – – – – D	
		5	– – – – – – – – ? EE PP EE D	
		6	– – – – – – – – ? ? PP D	
		7	– – – – – – – – – ? D	
		8	– E D	
	1/200	1	– – D	5/8
		2	– – ? ? ? ? – ? – – ? E ? E E E PP EE D	
		3	– – – – – – – – – – – – – – N WP NP EE D	
		4	– P D	
		5	– PE D	
		6	– –	
		7	– –	
		8	– –	
	10^{-3}	1	– – – – – – – WW WW WW WW WW WW P P P P P D	2/8
		2	– – – – – – – – – – – – ? ? ? – – – – – – – PE D	
		3	– ? – ? – ? TY TY TY	
		4	– –	
		5	– –	
		6	– –	
		7	– –	
		8	– –	

Oct. 16, 1950

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
CONTROL · LANSING + SALINE	1/200	1		10/10	$10^{-3.4}$
		2			
		3			
		4			
		5			
		6			
		7			
		8			
		9			
		10			
	1/200	1		10/10	
		2			
		3			
		4			
		5			
		6			
		7			
		8			
		9			
		10			
	10^{-3}	1		8/10	
		2			
		3			
		4			
		5			
		6			
		7			
		8			
		9			
		10			

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY
I (CONT.) CONTROL	10^{-3}	1	— — P D	7/10
		2	— — P D	
		3	— — ? P D	
		4	— — — ? P P D	
		5	— — — — ? ? — — ■ W ? ? — — — D	
		6	— — — — — — — ? — — — — — — ? ? ? — — — — — — —

SUMMARY OF TEST OF DECEMBER 28, 1950

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS #1598	NORMAL	8/8	8/8	5/8	—	3.2	2
	POST Y-SK	1/8	0/8	0/5	—	1.3	160
CYNOMOLGUS #1601	NORMAL	8/8	7/8	6/8	—	3.2	2
	POST Y-SK	5/8	0/8	1/8	—	1.8	50
CYNOMOLGUS #1602	NORMAL	8/8	8/8	6/8	—	3.3	2
	POST Y-SK	4/8	2/5	0/7	—	1.8	50
CYNOMOLGUS #1609	NORMAL	8/8	8/8	6/8	—	3.3	2
	POST Y-SK	2/8	0/4	0/8	—	1.4	130
CONTROL		—	8/8	6/8	2/8	3.5	

DEC 28 1950

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk (which neutralizes polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500; giving final dilutions of virus 1/40, 1/200, 1/1000. Virus controls consisted of 1:200, 10^{-3} and 10^{-4} dilutions in saline. The mixtures were shaken and incubated at room temperature for 1 hour.

VIRUS: Lansing virus: Pool II of 6/6/50. 10% suspension in saline. Centrifuged 2000 rpm. for 10 minutes

MICE: 18-20 gram ♀ Maxfield 8 mice per dilution

SERA USED: CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	1598 NORMAL	8/8	8/8	5/8	—
B	1598 POST Y-SK	1/8	0/8	0/5	—
C	1601 NORMAL	8/8	7/8	6/8	—
D	1601 POST Y-SK	5/8	0/8	1/8	—
E	1602 NORMAL	8/8	8/8	6/8	—
F	1602 POST Y-SK	4/8	2/5	0/7	—

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
G	1609 NORMAL	8/8	8/8	6/8	—
H	1609 POSTY-SK	2/8	0/4	0/8	—
I CONTROL		—	8/8	6/8	2/8

STANDARD B & P "NOTEAR"
STANDARD B & P "NOTEAR"

DEC 28 1950

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
A		1	?	D																																			
		2	–	D																																			
		3	–	PP CNS	D																																		
	1:40	4	–	CNS	CNS	D																																8/8	N. I.
		5	–	–	–	D																																	"
SERUM FROM CYNOMOLGUS # 1598		6	–	–	–		–	–	P	D																													2
		7	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	?	?	P	D														
		8	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–			–	–	?	D								
+		1	–	?	?		D																																
		2	–	–	–		D																																
		3	–	–	–		–	P	D																														
	1:200	4	–	–	–		–	–	D																													8/8	
		5	–	–	–		–	–	?	–	–		D																										
LANSING		6	–	–	–		–	–	–	–	–		–	?	D																								
		7	–	–	–		–	–	–	–	–		–	–	–	–	PP	D																					
		8	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	E ?	EE	WN EE		D														
NORMAL		1	–	–	D																																		
		2	–	–	–		P	D																															
		3	–	–	–		–	–	–	–	–	–	–	–	–	–	W	P		D																			
	10-3	4	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		P	P	D																5/8	
		5	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	PP		D												
		6	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									
		7	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									
		8	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									
B		1	–	–	–		D																																
		2	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									
SERUM FROM CYNOMOLGUS # 1598		3	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									
	1:40	4	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–								1/8	N. I.
+		5	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									"
LANSING POST Y-SK		6	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									160
		7	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									
		8	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–									

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
B (CONT.) SERUM FROM CYNOMOLGUS #1598 + LANSING POST Y-SK	1:200	1	–	–	+	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9/8	
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
LANSING POST Y-SK	10^{-3}	1	D																																				
		2	D																																				
		3	–	D	?																																		
		4	–	–	–		–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0/5	
		5	–	–	–		–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–		–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
C SERUM FROM CYNOMOLGUS # 1601 + LANSING NORMAL	1:40	1	–	D																																			$10^{-3.2}$ N.I. 4 2
		2	–	D																																			
		3	–	D																																			
		4	–	PP	D																																		
		5	–	P	D																																		
		6	–	P	D		D																																
		7	–	ww	?		?	?	D																														
		8	–	–	–		–	–	–	–			–	–	D																								
	1:200	1	–	P	D																																	7/8	
		2	–	CNS	D																																		
		3	–	?	D																																		
		4	–	–	D																																		
		5	–	–	D																																		
		6	–	–	–		–	–	–	–			?	PR	D																								
		7	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	D												
		8	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

DEC 28 1950

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD_{50}
C (CONT.) SERUM FROM CYNOMOLGUS #1601 + LANSING NORMAL	10^{-3}	1	— — — D	6/8	
		2	— — — — D		
		3	— — — — — — ? P D		
		4	— — — — — — — — : — — — — — — — — P D		
		5	— — — — — — — — — — — — — — — — — P D		
		6	— — — — — — — — — — — — — — — — —

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	$L.D_{50}$
E		1	–	D																																			
		2	–	D																																			
		3	–	P	D																																		
	1:40	4	–	P	D																																	8/8	N.I.
		5	–	?	–		–	–	PP	D																													
SERUM FROM		6	–	–	–		–	–	–	P	PP		D																										
CYNOMOLGUS		7	–	–	–		–	–	–	–	?		D																										
# 1602		8	–	–	–		–		–	–	–		D																										
		1	–	CNS	D																																		
+		2	–	?	D																																		
		3	–	–	–		D																																
	1:200	4	–	–	–		D																															8/8	
LANSING		5	–	–	–		–	–	–	?	D																												
		6	–	–	–		–	–	–	–	–		–	–	–	–	–			D																			
		7	–	–	–		–	–	–	–	–		–	–	–	–	–			PP	PP	PR	D																
NORMAL		8	–	–	–		–	–	–	–	–		–	–	–	–	–			?	PP	D																	
		1	–	?	?		D																																
		2	–	–	–		D																																
		3	–	–	–		D																																
	10^{-3}	4	–	–	–		D																																
		5	–	–	–		–	–	–	P	WW PP		D																									6/8	
		6	–	–	–		–	–	–		–		–	–	?		WPP		D																			
		7	–	–	–		–	–	–		–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	
		8	–	–	–		–	–	–		–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	
F		1	–	–	–		?	D																															$10^{-1.8}$
		2	–	–	–		–	–	PP	D																													
SERUM FROM		3	–	–	–		–	–	–	–			D																										
CYNOMOLOGUS #1602	1:40	4	–	–	–		–	–	–	–			–	–	D																							4/8	
+		5	–	–	–		–	–	–	–			–	–	–	–	?			?	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	
LANSING		6	–	–	–		–	–	–	–			–	–	–	–	–			–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	
		7	–	–	–		–	–	–	–			–	–	–	–	–			–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	
POST Y-SK		8	–	–	–		–	–	–	–			–	–	–	–	–			–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	

DEC 28 1950

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
F (CONT.) SERUM FROM CYNOMOLGUS #1602 + LANSING POST Y-SK	1:200	1	Ⓓ																																			2/5	$10^{-1.8}$ N.I. 4 50
		2	–	PR	PR		D																																
		3	–	–	–		–	–	–	–	?		D																										
		4	–	–	–		–	–		–	–		–	–	–	?	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
		5	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
		6	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
		7	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		MISSING V 2/4/51													
		8	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		MISSING 1/31/51													
		1	Ⓓ																																			0/7	
		2	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
		3	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
	10^{-3}	4	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
		5	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
		6	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
		7	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
		8	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
G SERUM FROM CYNOMOLGUS # 1609 + LANSING NORMAL	1:40	1	–	D																																		8/8	$10^{-3.3}$ N.I. 4 2
		2	–	PP	D																																		
		3	–	PP	D																																		
		4	–	PP	D																																		
		5	–	–	–		–	–	–	–	–		P	D																									
		6	–	–	–		–	–	–	–	–		–	PPP	D																								
		7	–	–	–		–	–	–	–	–		–	–	–	P	D																						
		8	–	–	–		–	–	–	–	–		–	–	–	–	–				PPP	D																	
		1	–	?	?		D																															8/8	
		2	–	–	–		D																																
		3	–	–	–		D																																
	1:200	4	–	–	–		D																																
		5	–	–	–		–	–	–	–			–	–	–	?	D																						
		6	–	–	–		–	–	–	–			–	–	–	–	–	P	P	D																			
		7	–	–	–		–	–	–	–			–	–	–	–	–	–		–	P	PP	D																
		8	–	–	–		–	–	–	–			–	–	–	–	/	–		–	–	–	–	P		D													

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	L.D50
G (CONT.) SERUM FROM CYNOMOLGUS # 1609 + LANSING NORMAL	10^{-3}	1	–	–	D																																	6/8	
		2	–	–	–	D																																	
		3	–	–	–		–	–	–	–			–	–	–	–	?	D																				
		4	–	–	–		–	–	–	–			–	–	–	–	–	–		P	D																	
		5	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	?		D				
		6	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	EE	D	
		7	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	
		8	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	
H SERUM FROM CYNOMOLGUS # 1609 + LANSING POST Y-SK	1:40	1	–	–	–		–	?	–	–			?	–	D																					2/8	$10^{-1.4}$ N.I. " 130
		2	–	–	–		–	–	–	–			–	–	–	–	–	–		D																	
		3	–	–	–		–	–	–	–			–	–	–	–	–	–		–	?	–	–	–			–	–	–	–	–		–	–	–	–	
		4	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		5	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		6	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		7	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		8	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
	1:200	1	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	0/4	
		2	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		3	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		4	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		5	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		6	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		7	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		8	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
	10^{-3}	1	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	0/8	
		2	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		3	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		4	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		5	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		6	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		7	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	
		8	–	–	–		–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	

MISSING 1/17/51

MISSING 1/17/51 Kidney liver top

MISSING 1/17/51

MISSING 1/17/51

DEC 28 1950

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
CONTROL	1:200	1	–	PP	D																																	8/8	$10^{-3.5}$
		2	–	PP	D																																		
		3	–	?	?		D																																
		4	–	–	–		–	P	PP	D																													
		5	–	–	–		–	–	P	D																													
		6	–	–	–		–	–	–	–	–	D																											
		7	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	D																				
		8	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	:	–	:	E	D										
SALINE + LANSING	10^{-3}	1	–	:	?		D																															6/8	
		2	–	–	–		–	–	–	–			–	–	–	:	D																						
		3	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	D																		
		4	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	:	D																	
		5	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	PP	D																
		6	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	D															
		7	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–		–	–	–	–		
		8	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–		–	–	–	–		
	10^{-4}	1	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	P	D															
		2	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		:	–	–	–	P	D						
		3	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	:	:	–	:	:	–			
		4	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		5	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		6	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		7	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		8	–	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			

SUMMARY OF TEST OF DECEMBER 29, 1950

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS #1603	NORMAL	—	8/8	4/8	—	3.0	12
	POST Y-SK	2/8	2/8	5/7	—	1.9	160
CYNOMOLGUS #1610	NORMAL	7/8	6/8	7/8	—	3.2	8
	POST Y-SK	6/8	5/8	1/8	—	2.4	50
CYNOMOLGUS #1612	NORMAL	7/8	6/7	5/8	—	3.0	12
	POST Y-SK	2/8	3/8	0/8	—	1.5	400
CYNOMOLGUS #1619	NORMAL	8/8	8/8	4/7	—	3.1	10
	POST Y-SK	0/8	0/8	0/7	—	1.2	790
CYNOMOLGUS #1626	NORMAL	6/8	4/6	3/7	—	2.6	32
	POST Y-SK	—	0/9	—	—	1.9-?	160+?
CONTROL		—	8/8	6/8	5/7	4.1	

DEC 29 1950

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk (which neutralizes polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus.

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500, giving final dilutions of virus 1:40, 1:200, 1:1000. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixtures were shaken and incubated at room temperature for 1 hour.

VIRUS: Lansing virus: Pool II of 6/16/50. 10% suspension in saline. Centrifuged 2000 r.p.m. for 10 minutes.

MICE: 18-20 gram ♀ Mayfield 8 mice per dilution

CODE	CYNOMOLGUS #		1:40	1:200	10^{-3}	10^{-4}
A	1603	-NORMAL	—	8/8	4/8	—
B	1603	-POST Y-SK	2/8	2/8	5/7	—
C	1610	NORMAL	7/8	6/8	7/8	—
D	1610	POST Y-SK	6/8	5/8	1/8	—
E	1612	NORMAL	7/8	6/7	5/8	—
F	1612	POST Y-SK	2/8	3/8	0/8	—
G	1619	NORMAL	8/8	8/8	4/7	—
H	1619	POST Y-SK	0/8	0/8	0/7	—
I	1626	NORMAL	6/8	4/6	3/7	—
J	1626	POST Y-SK	—	0/9	—	—
K	CONTROL		—	8/8	6/8	5/7

DEC 29 1950

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
A SERUM FROM CYNOMOLGUS #1603	1:40	1 2 3 4 5 6 7 8	insufficient serum		$10^{-3.0}$ N.I. " 12
+ LANSING NORMAL	1:200	1 2 3 4 5 6 7 8		8/8	
	10^{-3}	1 2 3 4 5 6 7 8		4/8	
B SERUM FROM CYNOMOLGUS #1603 + LANSING POST Y-SK	1:40	1 2 3 4 5 6 7 8		2/8	$10^{-1.9}$ N.I. " 160

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
B (CONT.) SERUM FROM CYNOMOLGUS # 1603 + LANSING	1:200	1	–	–		CNS	CNS	CNS	CNS?	D	?								–	D	?																	?
		2	–	–		–	–	–	–	?		CNS	CNS	?	?	–	–		–	D	?																		
		3	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	?		?	?	?	–	–	–		CNS	CNS	CNS?	?	–	2/8	
		4	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		5	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		6	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		7	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		8	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
LANSING	10^{-3}	1	–	–		–	–	?	PP	D																												?	
		2	–	–		–	–	–	–	D	?																												
		3	–	–		–	–	–	–	?		PP	PP	PP	PP	PP	PP		PP	D																		
		4	–	–		–	–	–	–	–		–	–	–	TY	D	TYPHOID		–	–																	5/7	
POST Y-SK		5	–	–		–	–	–	–	–		–	–	–	–	–			–	–	?	?	?	D		D													
		6	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–															
		7	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	?	?	–	–		
		8	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
C SERUM FROM CYNOMOLGUS # 1610 + LANSING	1:40	1	?	D																																	2/8	$10^{-3.2}$ N.I. 1/8
		2	–	D																																		
		3	–	D																																		
		4	–	D																																		
		5	–	–		D																																
		6	–	–		D																																
		7	–	–		–	–	P	PP	PR		D																										
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
	1:200	1	–	–		D																																
		2	–	–		–	D																															
		3	–	–		–	–	–	–	–		PR	D																									
NORMAL		4	–	–		–	–	–	–	–		–	–	–	P	D																						6/8	
		5	–	–		–	–	–	–	–		–	–	–	–	?	P		D																			
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	P	EE PP	D								
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		

DEC 29 1950

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C (CONT.) SERUM FROM CYNOMOLGUS #1610 + LANSING NORMAL	10^{-3}	1	–	–		D																																7/8	
		2	–	–		D																																	
		3	–	–		D																																	
		4	–	–		D																																	
		5	–	–		D																																	
		6	–	–		–	–	–	–	–		–	–	–	–	–	P		D																				
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	P		PP	D													
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			
D SERUM FROM CYNOMOLGUS #1610 + LANSING POST V-SK	1:40	1	–	–		D																														6/8	$10^{-2.4}$ N.I. 4 50
		2	–	–		D																																	
		3	–	–		PP	D																																
		4	–	–		–	PP	D																															
		5	–	–		–	–	–	?	?		?	–	–	–	–	–		–	–	?	D																	
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			CNS	CNS	CNS	D			
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		1	–	–		D																																	
		2	–	–		PP	D																																
		3	–	–		PP	D																																
	1:200	4	–	–		?	?	CNS	D																												5/8	
		5	–	–		–	–	–	–	?		?	–	–	–	–	–		–	CNS	CNS	CNS	D																
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		1	–	–		–	–	–	–	↔		?	–	–	–	–	–		–	–	?	D																	
		2	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		3	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
	10^{-3}	4	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–		1/8	
		5	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–			–	–	–	–			

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
E		1	–	D																																			
		2	–	–		D																																	
		3	–	–		?	?	?	?	E P		D																											
	1:40	4	–	–		–	–	–	–	–		?	?	P		D																							7/8	N.I.
		5	–	–		–	–	–	–	–		–	?	?	?	D																							"
SERUM FROM CYNOMOLGUS #1612		6	–	–		–	–	–	–	–		–	–	–	–	P	P	P	D PP	D PP																			12
		7	–	–		–	–	–	–	–		–	–	–	–	–	–	–	PP	PP	D																		
		8	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	?	?	?	?	–		–	?	?	N	N	?		?	?	?	–		
+		1	–	–		D																																	
		2	–	–		D																																	
		3	–	–		?	–	D																														
	1:200	4	–	–		–	–	–	–	–		–	–	–	P	D																						
LANSING		5	–	–		–	–	–	–	–		–	–	–	–	?	P E	D																				6/7	
		6	–	–		–	–	–	–	–		–	–	–	–	–	–	TY	TY PP	TY PP	TY D	?	–	–	D														
		7	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–																			
NORMAL		8	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	?	?	?	?	–		–	–	–	–		
		1	–	–		D																																	
		2	–	–		PP CE PP	D																																
		3	–			PP	D																																
	10^{-3}	4	–	–		–	–	–	–	–		–	P	PP	D																							5/8	
		5	–	–		–	–	–	–	–		–	–	–	–	–	–	–		D																		
		6	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
																					EX	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		
F		1	–	–		D																																	$10^{-1.5}$
		2	–	–		–	–	–	–	–		–	–	–	–	2nd	? CNS	CNS	D																			N.I.
SERUM FROM CYNOMOLGUS #1612 + LANSING	1:40	3	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	LNS	–			
		4	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2/8	"
		5	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		400
		6	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK		8	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

DEC 29 1950

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
F (CONT.) SERUM FROM CYNOMOLGUS #1612 + LANSING	1:200	1	–	–		? CNS	CNS	D																														3/8	
		2	–	–		–	?	D																															
		3	–	–		–	–	? CNS	? CNS	S	D																												
		4	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		1	–	–		–	–	–	–	–		?	?	–	?	?	?		–	–	–	–	–	–	?	–	–	–	–	–	–	–	–	–	–	–		
		2	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		4	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
G SERUM FROM CYNOMOLGUS #1619 + LANSING	1:40	1	–	D		D																															8/8	$10^{-3.1}$ N.I. 11 10
		2	–	D		D																																
		3	–	–		D																																
		4	–	–		–	–	–	P	D																												
		5	–	–		–	–	–	–	P		D																										
		6	–	–		–	–	–	–	–		–	–	–	–	–	?		D																			
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		P	D																		
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		P	P	D																	
LANSING NORMAL	1:200	1	–	–		D																															8/8	
		2	–	–		D																																
		3	–	–		?	P	D																														
		4	–	–		–	–	–	?			P	D																									
		5	–	–		–	–	–	–	–		–	–	P	D																							
		6	–	–		–	–	–	–	–		–	–	?	P	R	D																					
		7	–	–		–	–	–	–	–		–	–	–	P		D																					
		8	–	–		–	–	–	–	–		–	–	–	–	?	E	E	D																			

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
G (CONT.) SERUM FROM CYNOMOLGUS #1619 + LANSING NORMAL	10^{-3}	1	–	–		TY	TY	TY	TY	D	TYPHOID																											4/7	
		2	–	–		–	–	–	–	–	–	–	–	P	D																								
		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–			?	D																		
		4	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		E	P E E	D											
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	?	P	D								
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
H SERUM FROM CYNOMOLGUS #1619 + LANSING POST Y-SK	1:40	1	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	OS	S	–		$10^{-1.2}$ N.T. 1 790
		2	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	0/8	
		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		4	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
	1:200	1	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		2	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		4	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	0/8	
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
	10^{-3}	1	–	–		–	–	–	–	–	?	–	–	–	–					–	–	–	TY	TY		?	–	–	–	–	–	D						
		2	–	–		–	–	–	–	–	–	–	–	–	–					–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–	–	–	–	–	–					–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	0/7	
		4	–	–		–	–	–	–	–	–	–	–	–	–					–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		5	–	–		–	–	–	–	–	–	–	–	–	–					–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–	–	–	–	–	–					–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–	–	–	–	–	–					–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–	–	–	–	–	–					–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		

DEC 20 1950

SPECIMEN	VIROS	No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
I		1	–	–		D																																	
		2	–	–		–	–	–	–			D PP D																												
		3	–	–		–	–	–	–																														
	1:40	4	–	–		–	–	–	–			–	–	?	P EE	D																								
SERUM FROM CYNOMOLGUS #1626		5	–	–		–	–	–	–			–	–	–	–	–			.	P	D																		
		6	–	–		–	–	–	–			–	–	–	–	–			–	–	–	P	PP	D																
		7	–	–		–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6/8	N.I. 4 32
		8	–	–		–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
+		1	–	–		–	–	–	–			–	–	–	?	D					EX	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		2	–	–		–	–	–	–			–	–	–	?	D																								
		3	–	–		–	–	–	–			–	–	–	?	P D																								
LANSING	1:200	4	–	–		–	–	–	–			–	–	–	–	–			–	–	–	–	–	D															4/6	
		5	–	–		–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		6	–	–		–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
NORMAL		7	–	–		–	–	–	–			–	–	–	–	–	MISSING 4/3/51				EX	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–		–	MISSING 4/3/51														EX	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		1	–	–		D																																
		2	–	–		? CNS	CNS	CNS	CNS			D																											
	10^{-3}	3	–	–		–	–	–	–			?	?	D	TYPHOID																									
		4	–	–		–	–	–	–			–	–	–	–	–		D																						3/7
		5	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		6	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
J		1																																				
		2																																				
SERUM FROM CYNOMOLGUS #1626 + LANSING		3																																				
	1:40	4				insufficient serum																																		
		5																																				
		6																																				
		7																																				
POST Y-SK		8																																				

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
J (CONT.)		1	–	–	?	?	?	?	–		–	–	–	–	–	–	–	–	–	?TY	?	–	–	–		–	–	–	–	–			–	D					
		2	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		3	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–			
SERUM FROM CYNOMOLGUS #1626	1:200	4	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–		0/9	$10^{-1.9}$ N.I.
		5	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–			"
		6	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–			160
		7	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–			
+		8	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		9	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–			
LANSING		10	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–			
		3																																					
POST Y-SK	10^{-3}	4	Insufficient serum																																				
		5																																					
		6																																					
		7																																					
		8																																					
K		1	–	D																																			$10^{-4.1}$
		2	–	–	D																																		
		3	–	–		–	–	–	PEE	EE		D																											
CONTROL	1:200	4				–	–	–	–			D																										8/8	
		5	–	–		–	–	–	–	–		?	?	D																									
		6	–	–		–	–	–	–	–		–	–	–	–	–	D																						
SALINE		7	–	–		–	–	–	–	–		–	–	–	–	–	?	P	D																				
		8	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	P	P	D											
+		1	–	–	D																																		
		2	–	–	CNS	CNS	CNS	CNS	?																														
LANSING		3	–	–		–	–	–	–			D																											
	10^{-3}	4	–	–		–	–	–	–			D																										6/8	
		5	–	–		–	–	–	–			–	–	?	?	D																						
		6	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	P	D															
		7	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–		–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

STANDARD B & P "NoTEAR"

DEC 29 1950

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
K (CONT.) CONTROL		1	–	–		D																																	
		2	–	–		–	?TY	?	?	PP		D																											
		3	–	–		–	–	–	–	–		?	PP	D																									
	10^{-4}	4	–	–		–	–	–	–	–		–	–	–	–	–	?TY	TY	TY	TY	TY	TY	D	TYPHOID													5/7	
SALINE + LANSING		5	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	PPP	D															
		6	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	EE	PR	D														
		7	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

SUMMARY OF TEST OF JANUARY 10, 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGI GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS #1599	NORMAL	8/8	8/8	7/8	—	3.4	8
	POST Y-SK	2/8	1/7	1/8	—	1.5	630
CYNOMOLGUS #1600X Paralyzed 8th day	NORMAL	5/8	2/8	4/8	—	1.9	250
	POST Y-SK	1/8	0/8	0/8	—	1.3	1000
CYNOMOLGUS #1606 Remained well	NORMAL	6/8	5/8	2/8	—	2.4	80
	POST Y-SK	2/8	1/8	1/8	—	1.5	630
CYNOMOLGUS #1607	NORMAL	7/7	8/8	8/8	—	3.5	6
	POST Y-SK	1/7	1/8	0/8	—	1.4	800
CYNOMOLGUS #1608	NORMAL	8/8	8/8	5/7	—	3.3	10
	POST Y-SK	4/8	0/7	2/8	—	1.8	320
CONTROL		—	7/7	8/8	5/7	4.3	

JAN 10 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk (which neutralize polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus.

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100 1:500; giving final dilutions of virus 1:40, 1:200, 1:1000. Virus controls consisted of 1:200, 10^{-3} 10^{-4} dilutions made in saline. The mixtures were shaken and incubated at room temperature for 1 hour.

VIRUS: Lansing virus: Pool II of 6/6/50. 10% suspension in saline. Centrifuged 2600 rpm for 10 minutes.

MICE: 18-20 gram ♀ Mayfield 8 mice per dilution

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	1599 - NORMAL	8/8	8/8	7/8	—
B	1599 - POST Y-SK	2/8	1/7	1/8	—
C	1600X - NORMAL	5/8	2/8	1/8	—
D	1600X - POST Y-SK	1/8	0/8	0/8	—
E	1606 - NORMAL	6/8	5/8	2/8	—
F	1606 - POST Y-SK	2/8	1/8	1/8	—
G	1607 - NORMAL	7/7	8/8	8/8	—
H	1607 - POST Y-SK	1/7	1/8	0/8	—
I	1608 - NORMAL	8/8	8/8	5/7	—
J	1608 - POST Y-SK	4/8	2/7	2/8	—
K	CONTROL	—	7/7	8/8	5/7

JAN 10 1951

SPECIMEN	VIRUS	MO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
A		1	–	D																																			
		2	–	D																																			
		3	–	P	D																																		
	1:40	4	–	?	D																																	8/8	$10^{-3.4}$
		5	–	–	PR	D																																	
SERUM FROM CYNOMOLGUS # 1599		6	–	–	–	–	P	D																															
		7	–	–	–	–	–	–	–	–	–			P	D																							
		8	–	–	–	–	–	–	–	–	–			–	–	–	–	P		D																		
		1	P	D																																		
+		2	–	D																																		
		3	–	PP	P	D																																
	1:200	4	–	P	P	D																																8/8
		5	–	PP	D																																	
LANSING		6	–	–	?		:	–	–	P	D																											
		7	–	–	–		–	–	–	–	P	D																										
NORMAL		8	–	–	–		–	–	–	–	–	–		–	?	D																						
		1	–	–	P	D																																
		2	–	–	–	D																																
		3	–	–	–	–	?	:	?	–	–			–	–	–	P	D																				
	10^{-3}	4	–	–	–	–	–	–	–	–	–			–	–	–	–	–	P		D																	7/8
		5	–	–	–	–	–	–	–	–	–			–	–	–	–	–		P	D																	
		6	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	P	D																
		7	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	PP	P	PP	D							
		8	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
B		1	–	–	–	–	D																																$10^{-1.5}$
		2	–	–	–	–	–	P	D																													
SERUM FROM CYNOMOLGUS # 1599		3	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	2/8	
	1:40	4	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
+		5	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
LANSING		6	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
POST Y-SK		8	–	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
B (CONT.) SERUM FROM CYNOMOLGUS # 1599 + LANSING POST Y-SK	1:200	1	—	CNS	CNS	CNS	CNS	D																														1/7	
		2	—	CNS	CNS TY		D																																
		3	—	—	?		?	?	—	—	—																												
		4	—	—	—		—	—	—	—	—																												
		5	—	—	—		—	—	—	—	—																												
		6	—		—		—	—	—	—	—																												
		7	—	—	—		—	—	—	—	—																												
		8	—	—			—	—	—	—	—																												
	10^{-3}	1	?	PR	D																																	1/8	
		2	—	—	—		—	—	—	—	—																						?	?					
		3	—	—	—		—	—	—	—	—																												
		4	—	—	—		—	—	—	—	—																												
		5	—	—	—		—	—	—	—	—																												
		6	—	—	—		—	—	—	—	—																												
		7	—	—	—		—	—	—	—	—																												
		8	—	—	—		—	—	—	—	—																												
C SERUM FROM CYNOMOLGUS # 1600X + LANSING NORMAL	1:40	1	—	D																																		5/8	$10^{-1.9}$
		2	—	PR	D																																		
		3	—	?	?		D																																
		4	—	—	—		D																																
		5	—	—	—		—	—	—	—	?			?	?	—	—	—	—	—	—	—	—	—	—	—	D												
		6	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—												
		7	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—												
		8	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—												
	1:200	1	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	1E	D										2/8	
		2	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	?	?	P	D						
		3	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		4	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		5	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		6	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		7	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
		8	—	—	—		—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

STANDARD B & P "NoTEAR"

JAN 10 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C		1	–	·	–		–	–	–	–	–	–		–	–	–	–	–	–		FE	D																	
SERUM FROM CYNOMOLGUS # 1600X + LANSING NORMAL	10^{-3}	2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	1/8	
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
D		1	–	–	–		–	?	P	D																											$10^{-1.3}$
SERUM FROM CYNOMOLGUS # 1600X + LANSING POST Y-SK	1:40	2	–	–	–		–	–	–	?	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	1/8	
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
+		1	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
LANSING POST Y-SK	1:200	2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	0/8	
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		1	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
	10^{-3}	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	0/8	
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
E		1	–	–	–		D																																
		2	–	–	–		D																																
		3	–	–	–		P	P	P	D																													
	1:40	4	–	–	–		?	?	–	–	–	–		D																									
SERUM FROM CYNOMOLGUS #1606		5	–	–	–		–	–	–	–	–	–		E	P P E E	D																						6/8	
		6	–	–	–		–	–	–	–	–	–		–	–	?	P																						
+		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	:		–	–	–	–	–			–	–	WW ?	WW ?	?	?		–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–		
		1	–	?	P		D																																
LANSING		2	–	–	–		–	–	–	–	–	D																											
		3	–	–	–		–	–	–	–	–	–		–	P	D																							
	1:200	4	–	–	–		–	–	–	–	–	–		–	–	–	–	P	P	R		D																	
NORMAL		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	:	P P E	D				5/8	
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	?	?	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–		
		1	–	–	?		P	P	P	P	P	D																											
		2	–	–	–		CNS	CNS	D																														
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–		
	10^{-3}	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–	2/8	
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–	–	–	–		
F		1	–	–	?		D																																$10^{-1.5}$
		2	–	–	–		?	D																															
SERUM FROM CYNOMOLGUS #1606		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	? CNS	? CNS	CNS		(N)S	CNS	? CNS	?	?	–	–	–	–		
	1:40	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	2/8	
+		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
LANSING		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
POST X-SK		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		

JAN 10 1951

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
F (CONT.) SERUM FROM CYNOMOLGUS #1606 + LANSING POST Y-SK	1:200	1	– D	1/8	
		2	– – –

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
G		1	–	D																																			
		2	–	PR	D																																		
SERUM FROM CYNOMOLGUS #1607		3	–	?	D																																		
	10^{-3}	4	–	?	PR	D																																	
+		5	–	–	CNS	CNS	CNS	D																																8/8	
LANSING		6	–	–	–	–	–	–	–	–				D																									
		7	–	–	–	–	–	–	–	–				PR	D																								
NORMAL		8	–	–	–	–	–	–	–	–				–	–	–	–	–		D																			
H		1	–	# TY		D	TYPHOID																																$10^{-1.4}$
		2	–	–	?	D																																	
		3	–	–	–	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	1:40	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
SERUM FROM CYNOMOLGUS # 1607		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1/7	
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
+		1	–	–	–	D																																	
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	?	–	–	–	–	–	?	–	–	?	?	?	–			
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
LANSING	1:200	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	10^{-3}	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

STANDARD B & P "NOTEAR"
STANDARD B & P "NOTEAR"

JAN 10 1951

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
I		1	– D		$10^{-3.3}$
		2	– D		
		3	– PP D		
	1:70	4	– P D		
SERUM FROM CYNOMOLGUS #1608		5	– P PP D	8/8	
		6	– – – – ? PP EE D		
		7	– – – – – – – – – – – – PPP D		
		8	– ? PP PP D		
+		1	– P D		
		2	– P PP D		
		3	– ? P D		
LANSING	1:200	4	– – CNS D	8/8	
		5	– – – P P D		
NORMAL		6	– – – – – ? E D		
		7	– – – – – – – – ? D		
		8	– – – – – – – – – – – – – – – – ? ? P P EE D		
		1	(D)		
		2	– D		
		3	– P D		
	10^{-3}	4	– – P D	5/7	
		5	– – – D		
		6	– – – ? CNS CNS CNS CNS ? CNS ? CNS D		
		7	– – – – – – – – – – – – – – – – – – –

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
J (CONT.) SERUM FROM CYNOMOLGUS #1608 + LANSING POST Y-SK	1:200	1	–	?	S		(S)	D																														0/7	
		2	–	–	–		–	–	–	–	↓	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
	10^{-3}	1	–	–	–		–	–	–	–	–	–		?	PP	EE	D												EE	D								
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–			
K CONTROL SALINE + LANSING	1:20	1	⊖																																		7/7	$10^{-4.3}$
		2	–	PP	D																																		
		3	–	–	?	D																																	
		4	–	–	–	D																																	
		5	–	–	–		–	–	–	–	–	–		–	?	D																							
		6	–	–	–		–	–	–	–	–	–		–	–	?	?	EE	D																				
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	?	D																				
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	EE	D																	
	10^{-3}	1	PP	D																																			
		2	–	PP CNS	D																																		
		3	–	PP	D																																		
		4	–	P	D																																		
		5	–	?	PP	D																																	
		6	–	–	PD	D																																	
		7	–	–	PP	D																																	
		8	–	–	–	CNS	CNS	CNS	CNS	D																													

JAN 10 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
K (CONT.) CONTROL		1	–	?	?		D																																
		2	–	–	–		D																																
		3	–	–	–		PP	D																															
	10⁻⁴	4	–	–	–		–	–			–	D																										
SALINE + LANSING		5	–	–	–		–	–	–	–	–	–		–	–	PP	D																					5/7
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	H	H	H	H	D										
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	

SUMMARY OF TEST OF JANUARY 11, 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGI GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS # 1611	NORMAL	8/8	7/7	2/7	—	2.8	8
	POST Y-SK	3/8	3/8	1/7	—	1.8	80
CYNOMOLGUS # 1613	NORMAL	8/8	8/8	6/8	—	3.3	2
	POST Y-SK	2/8	0/8	1/8	—	1.4	200
CYNOMOLGUS # 1614	NORMAL	8/8	7/7	7/8	—	3.4	2
	POST Y-SK	6/8	0/7	1/8	—	1.9	63
CYNOMOLGUS # 1615	NORMAL	8/8	8/8	5/8	—	3.2	3
	POST Y-SK	2/8	1/8	0/8	—	1.4	200
CYNOMOLGUS # 1616X	NORMAL	7/8	8/8	5/8	—	3.1	4
	POST Y-SK	0/8	1/8	0/8	—	1.3	250
CONTROL		—	8/8	8/8	2/8	3.7	

JAN 11 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk (which neutralizes polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus.

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500 giving final dilutions of virus 1:40, 1:200, 10^{-3}. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixtures were shaken and incubated at room temperature for 1 hour.

VIRUS: Lansing virus: Pool V of 6/6/50. 10% suspension in saline. Centrifuged 2000 rpm for 10 minutes.

MICE: 18-20 gram ♀ Maxfields 8 mice per dilution

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	1611 - NORMAL	8/8	7/8	2/7	—
B	1611 - POST Y-SK	3/8	3/8	1/7	—
C	1613 - NORMAL	8/8	8/8	6/8	—
D	1613 - POST Y-SK	2/8	0/8	1/8	—
E	1614 - NORMAL	8/8	7/7	7/8	—
F	1614 - POST Y-SK	6/8	0/7	1/8	—
G	1615 - NORMAL	8/8	8/8	5/8	—
H	1615 - POST Y-SK	2/8	1/8	0/8	—
I	1616X - NORMAL	7/8	8/8	5/8	—
J	1616X - POST Y-SK	0/8	1/8	0/8	—
K	CONTROL	—	8/8	8/8	2/8

JAN 11 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
A		1	–	P		D																																	
		2	–	?		D																																	
		3	–	–		D																																	
	1:40	4	–	–		D																																8/8	$10^{-2.8}$
		5	–	–		D																																	NI
		6	–	–		D																																	=
SERUM FROM		7	–	–		?	?	D																															8
CYNOMOLGOS		8	–	–		–	–	–	–	–		–	–	–	–	–	P		D																				
# 1611																																							
+		1	D																																				
		2	P	P		D																																	
		3	–	CNS		D																																	
	1:200	4	–	–		PR	D																															7/7	
LANSING		5	–	–		CNS	CNS	CNS	CNS	CNS	CNS		D																										
		6	–	–		–	P	D																															
NORMAL		7	–	–		–	–	–	–	–		?	?	?	?	–	–		–	?	P EE	PP EE	PP PP	D														
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	?	?		3/4	2/3	D	TYPHOID									
		1	D																																				
		2	–	–		?	?	D																															
		3	–	–		–	–	PP	D																														
	10^{-3}	4	–	–		–	–	–	–	–		?	?	–	–	?	?		–	–	–	–	–		–	–	–	–	?		?	?	–	–				2/7	
		5	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–					
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–					
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–					
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–					
B		1	–	?		?	PP	D																															$10^{-1.8}$
		2	–	–		–	P PP	D																															NI
		3	–	–		–	P PP	PR	D																														=
SERUM FROM		4	–	–		–	?	?	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–			3/8	80
CYNOMOLGOS #1611	1:40	5	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
+		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
LANSING		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				
POST X-SK		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–				

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
B (CONT.) SERUM FROM CYNOMOLGUS #1611 + LANSING POST Y-SK	1:200	1	?	CNS		? CNS	CNS	D																														3/8	
		2	—	?		—	?	P	D																														
		3	—	—		—	—	—	—	—		D																										
		4	—	—		—	—	—	—	—		—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		5	—	—		—	—	—	—	—		—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		6	—	—		—	—	—	—	—		—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		7	—	—		—	—	—	—	—		—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
		8	—	—		—	—	—	—	—		—	—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
LANSING POST Y-SK	10^{-3}	1	—	—		—	—	—	TY	TY	TY		D	TY	PHOID																							1/7	
		2	—	—		—	—	—	—	TY	TY		TY	TY	TY	TY	TY	?		—	—	—	TY	TY	TY	TY	TY	TY	TY	?	?	—	—	—	—				
		3	—	—		—	—	—	—	—	—		?	?	D																							
		4	—	—		—	—	—	—	—	—		—	—	—	—	—			—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	
		5	—	—		—	—	—	—	—	—		—	—	—	—	—			—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	
		6	—	—		—	—	—	—	—	—		—	—	—	—	—			—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	
		7	—	—		—	—	—	—	—	—		—	—	—	—	—			—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	
		8	—	—		—	—	—	—	—	—		—	—	—	—	—			—	—	—	—	—			—	—	—	—	—	—	—	—	—	—	—	
C SERUM FROM CYNOMOLGUS #1613 + LANSING NORMAL	1:40	1	—	P		D																																$10^{-3.3}$
		2	—	P		D																																NI
		3	—	P		D																																1
		4	—	—		D																																2
		5	—	—		?	?	PP	D																													
		6	—	—		—	—	?	PP	D																												
		7	—	—		—	—	—	—	—	—		D																									
		8	—	—		—	—	—	—	—	—		—	—	—	—	D																					
	1:200	1	—	P		D																																8/8	
		2	—	—		PP	D																																
		3	—	—		—	—	—	PP	D																												
		4	—	—		—	—	—	—	—	?		D																									
		5	—	—		—	—	—	—	—	—		P	P	D																							
		6	—	—		—	—	—	—	—	—		—	—	D																							
		7	—	—		—	—	—	—	—	—		—	—	—	—	—	—		P	P	D																
		8	—	—		—	—	—	—	—	—		—	—	—	—	—	—		n→	D																	

JAN 11 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C (CONT.)		1	–	P		D																																	
		2	–	–		D																																	
SERUM FROM		3	–	–		–	–	–	–		D																												
CYNOMOLGUS #1613	10^{-3}	4	–	–		–	–	–	–		?		–	–	–	–	–	–		P	D																		
+		5	–	–		–	–	–	–		–		–	–	–	–	–	–		–	–	–	–	–			–	W E	D										6/8	
LANSING		6	–	–		–	–	–	–		–		–	–	–	–	–	–		–	–	–	–	–			–	–	P E E	P E E	D								
		7	–	–		–	–	–	–		–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	?		?	?	–	–		
NORMAL		8	–	–		–	–	–	–		–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
D		1	–	–		?	PP	D																															
		2	–	–		–	P	D																															
		3	–	–		–	?	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	?	–	–		–	–	–	–		
	1:40	4	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	2/8	$10^{-1.7}$
SERUM FROM		5	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		NI
CYNOMOLGUS		6	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		=
# 1613		7	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		200
		8	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
+		1	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		2	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
LANSING	1:200	4	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	0/8	
		5	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
POST Y-5K		6	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		1	–	CNS		CNS	CNS	CNS	CNS	D																													
		2	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
	10^{-3}	4	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	1/8	
		5	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
E		1	–	D																																			
		2	–	D																																			
		3	–	D																																			
	1:40	4	–	P		D																																8/8	NI
		5	–	P		P																																	"
SERUM FROM CYNOMOLGUS # 1614		6	–	P		D																																	2
		7	–	–		D																																	
		8	–	–		–	–	–	–	P E E	D																												
+		1	Ⓓ																																				
		2	–	D																																			
		3	–	D																																			
	1:200	4	–	P		D																																7/7	
LANSING		5	–	?		D																																	
		6	–	–		P P D																																	
NORMAL		7	–	–		–	–	–	P	P	D																											
		8	–	–		–	–	–	–	–	?	D																											
		1	–	P		D																																	
		2	–	?		D																																	
		3	–	–		P R D																																	
	10^{-3}	4	–	–		?	?	–	–	–	–	–	–	–	CNS	CNS	CNS	CNS	CNS	? CNS	? CNS	?	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7/8	
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–	P	D																				
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	P	D																		
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	W	D														
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P P P	D												
F		1	–	D																																		
		2	–	D																																			
		3	–	P P		D																																	
SERUM FROM CYNOMOLGUS #1614	1:40	4	–	?		P P D																																6/8	NI
+		5	–	–		–	P R	P R	D																															"
LANSING		6	–	–		–	?	?	?	?	–	–	–	D																									63
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

JAN 11 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
F (CONT.)		1	–	TY		TY	D	TYPHOID																															
		2	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
	1:200	4	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	0/7	
SERUM FROM CYNOMOLGUS #1614		5	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
+		1	–	?		?	–	–	–	–		–	–	?	D																							
LANSING		2	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
POST Y-SK	10^{-3}	4	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	1/8	
		5	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
G		1	–	D																																		$10^{-3.2}$
		2	–	D																																		
		3	–	D																																		
	1:40	4	–	D																																		NI
SERUM FROM CYNOMOLGUS #1615		5	–	D																																	8/8	"
		6	–	?		D																																
		7	–	–		D																																3
		8	–	–		–	–	–	–	–	?		PP EE	D																								
+		1	–	D																																		
		2	–	PP		D																																
LANSING		3	–	PP		D																																
		4	–	P		D																																
NORMAL	1:200	5	–	?		D																															8/8	
		6	–	–		?	?	–	–	–			PP EE	D																								
		7	–	–		–	–	–	–	–			?	D																								
		8	–	–		–	–	–	–	–			–	–	–	–	–			?	P EE	D																

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
G (CONT.) SERUM FROM CYNOMOLGUS #1615 + LANSING NORMAL	10^{-3}	1	–	D																																		5/8	
		2	–	AD		D																																	
		3	–	CNS		D																																	
		4	–	? CNS		AD	D																																
		5	–	–		–	–	–	–	–			?	D																								
		6	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	?	?	–		–	?	?	?	–	–		–	–	–			
		7	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		8	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
H SERUM FROM CYNOMOLGUS #1615 + LANSING POST Y-SK	1:40	1	–	?		P																															$10^{-1.4}$ NI = 200
		2	–	–		–	–	D																														
		3	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		4	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	2/8		
		5	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		6	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		7	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		8	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
+ LANSING POST Y-SK	1:200	1	?	CNS		CNS	CNS	CNS	CNS	CNS	D																											
		2	–	–		?	?	?	–	–			?	?	TY	?	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		3	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		4	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	1/8		
		5	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		6	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		7	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		8	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		1	–	–		–	–	–	–	–			–	–	–	–	–	–		TY	TY	TY	TY	TY		TY	TY	TY	TY	TY	TY		TY	TY	TY	TY		
		2	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		3	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
	10^{-3}	4	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	0/8		
		5	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		6	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		7	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			
		8	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–			

JAN 11 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
I		1	?	PP		D																																	
		2	–	PP		D																																	
		3	–	PP		D																																	
	1:40	4	–	?		D																																7/8	$10^{-3.1}$
		5	–	–		?	–	P	D																													NI
SERUM FROM		6	–	–		–	–	P	D																														"
CYNOMOLGUS		7	–	–		–	–	–	P	D																													4
#1616X		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	?	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		1	–	–		D																																	
+		2	–	–		D																																	
		3	–	–		PP	D																																
	1:200	4	–	–		P	D																																
LANSING		5	–	–		?	PR	P	R	D																												8/8	
		6	–	–		–	–	–	–	–	–	?	P E	P E	P	D																							
NORMAL		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P	D																	
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P P	D															
		1	–	–		P	P	P	D																														
		2	–	–		–	P	P	D																														
		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	D																			
	10^{-3}	4	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E		D		(A)							5/8	
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
J		1	–	–		?	?	–	–	–	–	–	–	–	–	–	–	–	–	–	? TY	? TY	? TY	TY	TY		? TY	TY	TY	TY	? TY	?		?	?	–	–		$10^{-1.3}$
		2	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	?	–	–		–	–	–	–		
SERUM FROM		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		NI
CYNOMOLGUS #1616X	1:40	4	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		"
+		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
LANSING		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		250
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
POST Y-SK		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
J (CONT.)		1	–	–		PP	PP	D																															
		2	–	–		?	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
SERUM FROM CYNOMOLGUS #1616X	1:200	4	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1/8	
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
+		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
LANSING		1	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		2	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	10^{-3}	4	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	9/8	
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
K		1	–	PP		D																																$10^{-3.7}$
		2	–	P		D																																
		3	–	?		D																																
	1:200	4	–	–		D																															8/8	
CONTROL		5	–	–		P	D																															
		6	–	–		–	–	–	–	P	D																											
		7	–	–		–	–	–	–	–	–	D																										
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	PP EE	D																
SALINE		1	–	?		D																																
		2	–	–		D																																
+		3	–	–		D																																
LANSING	10^{-3}	4	–	–		D																															8/8	
		5	–	–		P	PW	D																														
		6	–	–		–	–	P	D																													
		7	–	–		–	–	–	–	–	–		:	PE	D																							
		8	–	–		–	–	–	–	–	–	–	–	–	?	?	?	?	?	?	?	?	–	–	–	WEE		D										

STANDARD B & P "NOTEAR"
STANDARD B & P "NOTEAR"

JAN 11 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
K (CONT.) CONTROL SALINE + LANSING	10^{-4}	1	–	–	:	–	–	–	–	–	–		–	–	–	PP	D																						
		2	–	–	–	–	–	–	–	–			–	–	–	–	–	–		PP EE	D																		
		3	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	2/8	
		4	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		5	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
			–																																				

SUMMARY OF TEST OF JANUARY 16, 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS #1628X	NORMAL	7/8	7/8	5/8	—	3.0	3
	POST Y-SK	1/8	0/8	0/8	—	1.3	160
CYNOMOLGUS #1629	NORMAL	8/8	7/8	6/8	—	3.2	2
	POST Y-SK	5/6	5/7	2/7	—	2.6	8
CYNOMOLGUS #1630	NORMAL	7/8	4/8	5/8	—	2.7	6
	POST Y-SK	6/8	4/7	3/8	—	2.5	10
CYNOMOLGUS #1631	NORMAL	8/8	7/8	4/8	—	2.9	4
	POST Y-SK	5/8	2/8	0/8	—	1.9	40
CYNOMOLGUS #1632	NORMAL	7/8	7/8	4/8	—	2.9	4
	POST Y-SK	8/8	8/8	7/7	—	3.4	1
CONTROL		—	8/8	5/8	3/8	3.5	

JAN 16 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral found in human milk (which neutralize polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus.

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:400, 1:500; giving final dilutions of virus 1:40, 1:200, 1:1000. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixtures were shaken and inculated at room temperature for 1 hour. Inoculation time the tubes were in an ice bath.

VIRUS: Lansing virus: Pool II 6/6/50. 10% suspension in saline. Centrifuged 2000 rpm for 10 minutes.

MICE: 18-20 gram Maxfield albino ♀ 8 mice per dilution

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	1628X - NORMAL	7/8	7/8	5/8	—
B	1628X - POST Y-SK	1/8	0/8	0/8	—
C	1629 - NORMAL	8/8	7/8	6/8	—
D	1629 - POST Y-SK	5/6	5/7	2/7	—
E	1630 - NORMAL	7/8	4/8	5/8	—
F	1630 - POST Y-SK	6/8	4/7	3/8	—
G	1631 - NORMAL	8/8	7/8	4/8	—
H	1631 - POST Y-SK	5/8	2/8	0/8	—
I	1632 - NORMAL	7/8	7/8	4/8	—
J	1632 - POST Y-SK	8/8	7/8	7/7	—
K	CONTROL	—	8/8	5/8	3/8

JAN 16 1951

SPECIMEN	VIRUS	No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
A		1	–	D																																			
		2	–	D																																			
		3	–	D																																			
	1:40	4	–	PP	D																																		
SERUM FROM		5	–	CNS	CNS	PR		D																															
CYNOMOLGUS		6	–	–	–	?		?	?	D																													
#1628X		7	–	–	–	–		–	–	CNS	CNS	CNS	D																											
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–		–	–	–	–	–		–	–		
+		1	–	P	D																																		
		2	–	CNS	D																																		
		3	–	–	PP CNS	D																																	
LANSING	1:200	4	–	–	–	?		D																														7/8	
		5	–	–	–	–		P	D																														
		6	–	–	–	–		–	–	–	–	P	D																									
NORMAL		7	–	–	–	–		–	–	–	–	–	–	D																									
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–		–	–		–	–	–	–	–		–	–		
		1	–	CNS	P CNS	D																																	
		2	–	–	PP	D																																	
		3	–	–	–	D																																	
	10^{-3}	4	–	–	–	CNS		D																														5/8	
		5	–	–	–	–		–	–	–	–	–		–	–	–	?	?	–		–	–	–	CNS	CNS	CNS	? CNS	? W	EE P	PE PP	D								
		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		–	–	–	–	?		?	–		
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		–	–	–	–	–		–	–		
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–		–	–	–	–	–		–	–		
B		1	–	–	–	TY		TY	? TY	? TY	?		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–		–	–	–	–	–		–	–		
		2	–	–	–	–		D																															
SERUM FROM		3	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–		
CYNOMOLGUS #1628X	1:40	4	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–		
+		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–		
LANSING		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–		
POST Y-SX		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–		

1/8

$10^{-1.3}$

N.I.

11

160

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
B (CONT.)		1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	1:200	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	0/8	
SERUM FROM CYNOMOLGUS #1628 X		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
+																																							
		1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
LANSING		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	10^{-3}	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	0/8	
POST Y-SK		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
C		1	–	D																																			$10^{-3.2}$
		2	–	D																																			
		3	–	D																																			
	1:40	4	–	–	–	PP		D																														8/8	N.F.
SERUM FROM CYNOMOLGUS #1629		5	–	–	–	P		D																															"
		6	–	–	–	–		D																															2
		7	–	–	–	–		–	–	E	D																												
		8	–	–	–	–		–	–	–	E	D																											
+																																							
		1	–	–	D																																		
		2	–	–	–	?		–	–	–	–	–			D																								
LANSING		3	–	–	–	–		–	–	–	–	–			–	P n→	D																						
		4	–	–	–	–		–	–	–	–	–			–	–	E E	P E	D																				
NORMAL	1:200	5	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		D																	7/8	
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	E	P E E	D														
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	P E		D											
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		

JAN 16 1957

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C (CONT.) SERUM FROM CYNOMOLGUS #1629 + LANSING NORMAL	10^{-3}	1	–	P	PP	D																																6/8	
		2	–	–	?	D																																	
		3	–	–	–	P		D																															
		4	–	–	–	P		D																															
		5	–	–	–	–		P D																															
		6	–	–	–	–		–	–	–	?	EE	P D																									
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
D SERUM FROM CYNOMOLGUS #1629 + LANSING POST Y-SK	1:40	1	D																																		
		2	S	S	S	S		D																														
		3	–	?	–	–		?	?	–	–	–	–		?		P E D																					
		4	–	–	–	–		–	–	–	–	–	–		–	–	PP EE D																					
		5	–	–	–	–		–	–	–	–	–	–		–	–	–	P E D																				
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	P	P	P	aw	D										
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	P D							
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
+ LANSING POST Y-SK	1:200	1	?	?	INC INJ	D																															
		2	–	–	PP	PR		D																														
		3	–	–	–	PP		D																														
		4	–	–	–	P		D																														
		5	–	–	–	–		D																														
		6	–	–	–	–		?	–	–	–	–	–		h→	h→	h→	"	"	"		h→	h→	h→	h→	h→	?		?	?	–	–	–	–	–			5/7	
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	?		D									
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	
	10^{-3}	1	–	?	FY	TY		D	TYPHOID																												
		2	–	–	–	–		D																														
		3	–	–	–	–		?	–	–	–	–	–		–	–	–	–	–	–		–	–	–	D													
		4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	?		–	–	–	–	–	–	–	–	2/7	
		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	

$10^{-2.6}$ N.D. 4 8

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
E		1	–	D																																			
		2	–	PP	D																																		
		3	–	:	D																																		
	1:40	4	–	–	–	D																																	
SERUM FROM		5	–	–	–	?		PP	D																													7/8	N.I.
CYNOMOLGUS		6	–	–	–	–		–	–	–	–	P		EE PP	PR	D																							11
#1630		7	–	–	–	–		–	–	–	–	–		–	–	?	?	?	?			?	E	D																6
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	?	?	?	?	–	–	–	–	–	–		–	–			
+		1	–	?	D																																		
		2	–	?	PP	D																																	
		3	–	–	–	PP P		D																															
LANSING	1:200	4	–	–	–	?		?	?	–	–	P	PP P		D																							4/8	
		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–			
NORMAL		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–			
		1	–	?	D																																		
		2	–	?	PP	D																																	
		3	–	–	P	D																																	
	10-3	4	–	–	P	D																																	
		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–	D																			5/8	
		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–			
F		1	–	?	PR	D																																	
		2	–	–	PP	D																																	
SERUM FROM		3	–	–	–	?		P	D																													6/8	
CYNOMOLGUS #1630	1:40	4	–	–	–	–		–	–	–	–		P		D																								10-2.5
+		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	P EE	D												
LANSING		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	:	P	P EE	PP EE	PP EE	D							
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–			
POST X-SK		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–			

JAN 1 8 1951

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
F (CONT.)		1	– PP D		
		2	– – P D		
		3	– – P D		
	1:200	4	– – – – – – TY (D) TYPHOID	4/7	$10^{-2.5}$
SERUM FROM CYNOMOLGUS #1630		5	– P EE D		N.I.
		6	– – – – – – – – – – – – – – – – – – –

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
G (CONT.)		1	–	–	D																																		
		2	–	–	P	D																																	
SERUM FROM		3	–	–	?	P[N]		D																															
CYNOMOLGUS #631	10^{-3}	4	–	–	–	CNS		D																														4/8	
+		5	–	–	–	–		–	–	–	–	–		–	–	–	(CNS)	(CNS)	?			–	–	–	–	–		–	–	–	–	CNS		(CNS)	(CNS)			
LANSING		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
NORMAL		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
H		1	?	D																																		
		2	–	D																																		
		3	–	?	CNS	CNS		D																														5/8	$10^{-1.9}$
	1:40	4	–	?	?	PR		D																															N.I.
SERUM FROM		5	–	–	?	–		D																															4
CYNOMOLGUS		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			TO
#1631		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
+		1	–	D																																		
		2	–	–	–	?		?	D																													
		3	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
LANSING	1:200	4	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–		2/8	
		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
POST Y-SK		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		1	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	?	?	?	?		–	–	–	–	–		–	–			
		2	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		3	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
	10^{-3}	4	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–		0/8	
		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–		–	–			

JAN 16 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
I		1	–	–	–	–		PP	D																															
		2	–	–	–	–		PP	PP	D																														
		3	–	–	–	–		–	–	P	D																												
SERUM FROM CYNOMOLGUS #1632	1:40	4	–	–	–	–		–	–	–	MW	D																										7/8	N.I.
		5	–	–	–	–		–	–	–	?	P	D																										4
		6	–	–	–	–		–	–	–	–	P	PP		D																								
		7	–	–	–	–		–	–	–	–	:	P		D																								
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–		
+		1	–	PP	D																																		
		2	–	CNS	CNS	D																																	
		3	–	–	?	PR	P	D																															
LANSING	1:200	4	–	–	–			D																														7/8	
		5	–	–	–	–		D																															
NORMAL		6	–	–	–	–		–	–	–	–	P	D																										
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			D										
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–		
		1	–	–	–	P		D																															
		2	–	–	–	–		P	D																														
		3	–	–	–	–		–	P	PR	D																												
	10^{-3}	4	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			D									4/8	
		5	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			?	?	–	–	–	–		–	–		
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–		
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–		
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–		
J		1	–	D																																			
		2	–	?	D																																		
SERUM FROM CYNOMOLGUS #1632		3	–	–	?	P		D																															
	1:40	4	–	–	–	?		?	P	D																												8/8	$10^{-3.4}$
+		5	–	–	–	–		–	P	D																													N.I.
LANSING		6	–	–	–	–		–	–	–	–	–			WP	D																							4
		7	–	–	–	–		–	–	–	–	–			:	PP	D																						
POST Y-SK		8	–	–	–	–		–	–	–	–	–			–	RE	PR	D																					1

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
J (CONT.)		1	–	W	D																																		
		2	–	–	D																																		
		3	–	–	?	D																																	
	1:200	4	–	–	–	–		D																														7/8	
SERUM FROM		5	–	–	–	–		–	–	–	–	P EE	D																										
CYNOMOLGUS		6	–	–	–	–		–	–	–	–	–	?	D																									
#1632		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P	D												
+		8	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	?	–	–	–		–	–				
		1	Ⓞ																																			
LANSING		2	–	–	PP	D																																	
		3	–	–	–	P		D																															
POST Y-SK	10^{-3}	4	–	–	–			P	P	D																												7/7	
		5	–	–	–	–		–	–	–	–	E E	D																									
		6	–	–	–			–	–	–	–	P P	D																									
		7	–	–	–			–	–	–	–	–		–	–	P	D																					
		8	–	–				–	–	–	–	–		–	–	–	?	P E E	D																			
K		1	–	–	W	D																																	$10^{-3.5}$
		2	–	–	–	D																																	
		3	–	–	–			?	D																													
	1:200	4	–	–	–			–	P	D																												8/8	
CONTROL		5	–	–	–			–	–	–	–	P		D																								
		6	–	–	–			–	–	–	–	–		D																								
SALINE		7	–	–	–			–	–	–	–	–		W ?	D																							
		8	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	?	E E	P E E	D													
+		1	–	P	D																																	
		2	–	–	P	D																																	
LANSING		3	–	–	–	?		?	?	–	–	–	?		?	P	P P	D																					
	10^{-3}	4	–	–	–	–		–	–	–	–	–		–	–	?	D																					5/8	
		5	–	–	–			–	–	–	–	–		–	–	–	–	–	–		D																	
		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

STANDARD B & P "NOFEAR"

JAN 18 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	L D 50
K (CONT.) CONTROL		1	–	–	–	:		PP	D																														
		2	–	–	–	–		–	–	–	–		P		D																								
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	D					3/8	
	10^{-4}	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
SALINE + LANSING		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		

SUMMARY OF TEST OF JANUARY 17, 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS #1633	NORMAL	8/8	6/8	4/8	—	2.8	5
	POST Y-SK	2/8	0/8	1/8	—	1.4	130
CYNOMOLGUS #1634X	NORMAL	8/8	7/8	7/8	—	3.4	1
	POST Y-SK	3/7	0/8	0/8	—	1.5	100
CYNOMOLGUS #1635	NORMAL	8/8	8/8	6/8	—	3.3	2
	POST Y-SK	2/8	1/8	1/8	—	1.5	100
CYNOMOLGUS #1636	NORMAL	8/8	8/8	7/8	—	3.4	1
	POST Y-SK	3/8	0/8	1/8	—	1.5	100
CYNOMOLGUS #1637	NORMAL	8/8	6/8	5/8	—	3.0	3
	POST Y-SK	0/8	1/8	0/8	—	1.3	160
CONTROL		—	7/8	5/8	3/8	3.5	

JAN 17 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTI BODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk (which neutralizes polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus.

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100 1:500; giving final dilutions of virus 1:40, 1:200, 1:1000. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixture were shaken and incubated at room temperature for 1 hour.

VIRUS: Lansing virus: Pool II of 6/16/50. 10% suspension in saline. Centrifuged 2000 rpm. for 10 minutes.

MICE: 18-20 gram ♀ Mayfield 8 mice per dilution

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	1633 - NORMAL	8/8	6/8	4/8	—
B	1633 - POST Y-SK	2/8	0/8	1/8	—
C	1634X - NORMAL	8/8	7/8	7/8	—
D	1634X - POST Y-SK	3/7	0/8	0/8	—
E	1635 - NORMAL	8/8	8/8	6/8	—
F	1635 - POST Y-SK	2/8	1/8	1/8	—
G	1636 - NORMAL	8/8	8/8	7/8	—
H	1636 - POST Y-SK	3/8	0/8	1/8	—
I	1637 - NORMAL	8/8	6/8	5/8	—
J	1637 - POST Y-SK	0/8	1/8	0/8	—
K	CONTROL	—	7/8	5/8	3/8

JAN 17 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
A		1	–	?	D																																		
		2	–	–	D																																		
		3	–	–	D																																		
	1:40	4	–	–	?		:	:	:	–	PP	D																										
SERUM FROM CYNOMOLGUS #1633		5	–	–	–		–	–	–	–	–	–			–	–	P	D																				8/8	N.I. 11 5
		6	–	–	–		–	–	–	–	–	–			–	–	–	D																					
		7	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–	P EE	D																	
		8	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–	–	EP	D																
+		1	–	–	D																																		
		2	–	–	D																																		
		3	–	–	P		D																																
LANSING	1:200	4	–	–	?		D																																6/8
		5	–	–	–		?	–	–	–	–				–	–	P EE	D																				
NORMAL		6	–	–	–		–	–	–	–	–	–			–	–	–	?	?	NW EG	D																	
		7	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–		–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		1	–	–	–		D																																
		2	–	–	–		–	–	–	PP P	D																												
		3	–	–	–		–	–	–	–	PE	D																										
	10-3	4	–	–	–		–	–	–	–	–	–			–	–	–	–	–		D																	4/8
		5	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		6	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
B		1	–	–	–		–	–	:	–	–	–			–	–	–	–	–		–	–	D															
		2	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	D								
SERUM FROM CYNOMOLGUS #1633		3	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		2/8	N.I. 11 130
+	1:40	4	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
LANSING		5	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK		7	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
B (CONT.)		1	–	–	–		–	–	–	–	–			–	–	–	~	~	–		–	–	~	–	–	–		–	–	~	–	–	–		–	–	–		
		2	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	~	–	–		–	–	~	–	–	–		–	–	–		
		3	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	~	–	–		–	–	~	–	–	–		–	–	–		
	1:200	4	–	–	–		–	–	~	–	–			–	–	–	~	–	–		–	–	–	~	~	–		–	–	~	~	–	–		–	–	–	0/8	
SERUM FROM CYNOMOLGUS #1633		5	–	–	–		–	–	–	–	–			–	–	–	–	–	–		~	–	–	–	–	~		–	–	–	–	~	–		~	–	–		
		6	–	–	~		–	–	–	–	~			~	–	–	–	–	–		–	–	–	–	~	~		–	–	–	–	~	~		–	–	–		
		7	–	–	–		–	–	~	–	–			~	–	–	~	–	~		–	–	–	~	~			–	–	–	–	~	–		–	–	–		
		8	–	–	–		–	~	–	–	–			~	–	~	–	–	–		–	~	–	–	~	–		~	–	–	–	–	–		–	~	–		
+																																							
		1	?	?	–		–	D																															
		2	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	~		–	~	–	–	~	–		–	–	–		
LANSING		3	–	–	–		–	–	–	–	–			~	–	–	–	–	–		–	–	–	~	–	–		–	~	–	–	~	–		–	–	–		
		4	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	~	–	–	~		–	–	–		
POST Y-SK	10^{-3}	5	–	–	–		–	–	–	–	–			–	–	–	~	–	–		–	~	–	–	–	–		–	–	–	–	–	–		–	~	–	1/8	
		6	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–			~	–	–	–	–	–		~	–	~	–	–	–		–	–	~	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–			–	–	–	~	–	–		–	–	–	–	–	–		~	–	–	–	–	–		–	–	–		
C		1	–	D																																			
		2	–	?	?		?	?	T	P	D																											
		3	–	–	–		–	–	–	–	–	P		D																								
		4	–	–	–		–	–	–	–	–			P	D																							
SERUM FROM CYNOMOLGUS #1634X	1:40	5	–	–	–		–	–	–	–	–			P E	D																							
		6	–	–	–		–	–	–	–	–			WW E	D																							
		7	–	–	–		–	–	–	–	–			E E	D																							
		8	–	–	–		–	–	–	–	–			–	–	–	–	–	P	D																			8/8	$10^{-3.4}$
+																																							
		1	–	P	D																																		
		2	–	P	PR		D																																
LANSING		3	–	PP	PP		D																																
		4	–	–	P		D																																
NORMAL	1:200	5	–	–	E E T		D																															7/8	
		6	–	–	–		D																																
		7	–	–	–		–	–	–	–	–	–		–	–	–	EE	WW PP	D																				
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		?	?	?	?	–	–		–	–	–	–	–	–		–	–	–		

N.D.
4
1
1

JAN 17 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C (CONT.) SERUM FROM CYNOMOLGUS #1634X + LANSING NORMAL	10^{-3}	1	:	?	D																																	7/8	
		2	–	–	AP		D																																
		3	–	–	?		D																																
		4	–	–	–		D																																
		5	–	–	–		–	–	–	P PD	D																												
		6	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	: P		D						
		7	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		EE		P EE	P EE	P EE		
		8	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
D SERUM FROM CYNOMOLGUS #1634X + LANSING POST Y-SK	1:40	1	–	D																																		3/7	$10^{-1.5}$ N.I. 4 100
		2	–	:	?		D																																
		3	–	TY	TY		TY	TY	TY	?TY	D	TYPHOID																											
		4	–	–	–		P	D																															
		5	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		6	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		7	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		8	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
	1:200	1	–	–	–		–	–	–	?TY	TY	TY		?TY	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–	0/8	
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
	10^{-3}	1	–	–	–		–	?CNS	?CNS	?CNS	?CNS	?		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–	0/8	
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
E		1	–	D																																			
		2	–	PP	D																																		
		3	–	P	PP		D																																
SERUM FROM	1:40	4	–	?	PP		D																																
CYNOMOLGUS		5	–	–	PP		D																																
#1635		6	–	–	–		?	?	?	N	P EE	D																										
		7	–	–	–		–	–	–	–	–	P E	D																										
		8	–	–	–		–	–	–	–	P EE	D																										
+		1	–	CNS	D																																		
		2	–	EN	PP CNS		D																																
		3	–	?	D		D																																
LANSING	1:200	4	–	–	PP		D																																
		5	–	–	PP		D																																
NORMAL		6	–	–	?		D																																
		7	–	–	–		–	–	–	–	–	–		P	D																							
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	E	EE		D																	
		1	–	CNS	CNS	D																																	
		2	–	–	–		D																																
		3	–	–	–		–	–	PP	D																												
	10⁻³	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		D																	
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	P E	D															
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	P	P EE	PP GE	D												
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
F		1	–	D																																		
		2	–	–	–		–	P	D																													
SERUM FROM		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
CYNOMOLGUS #1635	1:40	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
+		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
LANSING		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
POST Y-SK		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

MORTALITY: 8/8; 8/8; 4/8; 2/8

LD50: $10^{-3.3}$ N.I. 11 2; $10^{-1.5}$ N.I. 11 100

STANDARD B & P "NOTEAR"

JAN 17 1957

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
F (CONT.)		1	–	?	–		–	–	–	–	–	–		–	–	–	P	D																					
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	?	?	–	?	?		–	–	–		
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
	1:200	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–	1/8	
SERUM FROM CYNOMOLGUS #1635 + LANSING POST Y-SK		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
		1	–	–	–		–	–	–	–	–	D																											
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
	10^{-3}	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–	1/8	
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–		
G		1	–	–	–	D																																	
		2	–	–	–		–	–	?	D																												
		3	–	–	–		–	–	–	–	P	D																											
	1:40	4	–	–	–		–	–	–	–	–	–		PP E P	E D																								
SERUM FROM CYNOMOLGUS #1636 + LANSING NORMAL		5	–	–	–		–	–	–	–	–	–		P	P RE	D																							
		6	–	–	–		–	–	–	–	–	–		–	–	?	D																							
		7	–	–	–		–	–	–	–	–	–		–	–	–	P	P	D																					
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	?		P E	P P E	D																	
		1	–	?	D																																		
		2	–	–	D																																		
		3	–	–	D																																		
	1:200	4	–	–	P	D																																8/8	
		5	–	–	P	D																																	
		6	–	–	–	←W	D																																
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	E		D																		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	? E	D																

$10^{-3.4}$

N.I.
4
1

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
G (CONT.) SERUM FROM CYNOMOLGUS #1636 + LANSING NORMAL	10^{-3}	1	–	D																																		7/8	
		2	–	–	PP	D																																	
		3	–	–	–	PP	D																															
		4	–	–	–	?	–	–	–	–	→	→	→	→	→	→	→	→	PP		D																	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		P	P	D	P	D														
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–		P	D															
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–		P	D														
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
H SERUM FROM CYNOMOLGUS #1636 + LANSING POST Y-SK	1:40	1	–	–	–	D																																3/8	$10^{-1.5}$ N.D. 4 100
		2	–	–	–	?	?	P	D																														
		3	–	–	–	–	–	–	?	E	D																													
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	1:200	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0/8	
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	10^{-3}	1	–	D																																		1/8	
		2	–	–	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

JAN 17 1951

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
I		1	– P D		
		2	– – P D		$10^{-3.0}$
		3	– – P D		
	1:40	4	– – – P P D		N.I. 4
SERUM FROM CYNOMOLGUS #1637		5	– – – ? ? CNS CNS D	8/8	
		6	– – – – – – – – ? P P EE EE D		3
		7	– – – – – – – – – CL CL PR D		
		8	– – – – – – – – – – ? PR D		
+		1	? CNS CNS D		
		2	? ? CNS D		
		3	– – – D		
LANSING	1:200	4	– – – – – – – – W EE D	6/8	
		5	– – – – – – – – ? EE D		
NORMAL		6	– – – – – – – – – – P EE D		
		7	– – – – – – – – – – – – – – – WW WW ? ? ? – – – – – – –		
		8	– –		
		1	– – – – – P D		
		2	– – – – – – P D		
		3	– – – – – – – – – – – ? P P D		
	10^{-3}	4	– D	3/8	
		5	– P D		
		6	– –		
		7	– –		
		8	– –		
J		1	– – – – – – – ? – – – – – – – – – – – – – – – – – – –		
		2	– –		
SERUM FROM CYNOMOLGUS #1637 + LANSING		3	– –	0/8	$10^{-1.3}$
	1:40	4	– –		N.D. 4
		5	– –		
		6	– –		160
		7	– –		
POST Y-SK		8	– –		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
J (CONT.) SERUM FROM CYNOMOLGUS #1637 + LANSING POST Y-SK	1:200	1	–	–	:		D																															1/8	
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	(	–	–		–	–	–	–	–	–		–	–	–		
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	~	–	–	–		–	–	–	–	–	–		–	–	–		
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	\	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	\	\	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	\		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		1	–	–	\		–	–	–	–	–	–		–	–	–	–	–	–		–	\	–	–	–	–		–	–	–	–	–	–		–	–	–		
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	\		
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
	10^{-3}	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	0/8	
		5	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		1	–	D																																			
		2	–	P	P																																		
		3	–	–	PP		D																																
K	1:200	4	–	–	?		:	:	–	–	–			T	T	P_T	D																						$10^{-3.5}$
CONTROL		5	–	–	–		–	–	–	–	–			–	–	P	D																					7/8	
		6	–	–	–		–	–	–	–	–			–	–	–	D																						
		7	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		E_T^E	D			
SALINE		8	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		1	–	:	?		P_P	D																															
+		2	–	–	–		–	PPP	D																															
		3	–	–	–		–	–	–	–	–			D																									
LANSING	10^{-3}	4	–	–	–		–	–	–	–	–			D																								7/8	
		5	–	–	–		–	–	–	–	–			–	–	–	P	PP	D																				
		6	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		

JAN 17 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
K CONTROL		1	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	D																
		2	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	D																
		3	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	D								
	10^{-4}	4	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	:	–	–	–		–	–	–	3/8
SALINE + LANSING		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	

SUMMARY OF TEST OF JANUARY 18, 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS #1617X	NORMAL	7/8	7/8	8/8	—	3.4	−2
	POST Y-SK	4/8	2/8	0/8	—	1.8	20 (50)
CYNOMOLGUS #1618	NORMAL	8/8	8/8	7/8	—	3.4	−2
	POST Y-SK	1/8	1/8	0/8	—	1.3	63
CYNOMOLGUS #1622	NORMAL	8/8	6/8	7/8	—	3.3	−2
	POST Y-SK	8/8	8/8	8/8	—	3.5	−2
CYNOMOLGUS #1623	NORMAL	8/8	7/8	6/8	—	3.2	−1
	POST Y-SK	5/8	3/8	1/8	—	2.0	13 (32)
CYNOMOLGUS #1624X	NORMAL	8/8	8/8	6/8	—	3.3	−2
	POST Y-SK	5/8	1/8	1/7	—	1.9	16 (40)
CYNOMOLGUS #1625	NORMAL	8/8	8/8	5/8	—	3.2	−1
	POST Y-SK	3/7	1/8	2/8	—	1.8	20 (50)
CYNOMOLGUS #1627	NORMAL	8/8	8/8	7/8	—	3.4	−2
	POST Y-SK	0/8	0/8	0/8	—	1.2	80 (200)
CONTROL		—	8/8	3/8	3/8	3.1	

Cum. 3.5

JAN 18 1951

TEST FOR DEVELOPMENT OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus. These animals were part of an experiment in which an attempt was made to determine if the antiviral factor found in human milk (which neutralizes polio virus) would effectively neutralize Y-SK if the milk was fed before and after administration of the virus.

PROCEDURE: 0.2 ml of undiluted normal or post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500; giving final dilutions of virus of 1:40, 1:200, 10^{-3}. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixtures were shaken and incubated at room temperature for 1 hour.

VIRUS: Lansing virus: Pool V of 6/16/50. 10% suspension in saline. Centrifuged 2000 rpm. for 10 minutes.

MICE: 18-20 grams ♀ Mayfield albino 8 mice per dilution

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	1617 X - NORMAL	7/8	7/8	8/8	—
B	1617 X - POST Y-SK	4/8	2/8	0/8	—
C	1618 - NORMAL	8/8	8/8	7/8	—
D	1618 - POST Y-SK	1/8	1/8	0/8	—
E	1622 - NORMAL	8/8	6/8	7/8	—
F	1622 - POST Y-SK	8/8	8/8	8/8	—
G	1623 - NORMAL	8/8	7/8	6/8	—
H	1623 - POST Y-SK	5/8	3/8	1/8	—
I	1624X - NORMAL	8/8	8/8	6/8	—
J	1624X - POST Y-SK	5/8	1/8	4/7	—
K	1625 - NORMAL	8/8	8/8	5/8	—
L	1625 - POSK Y-SK	3/7	1/8	2/8	—
M	1627 - NORMAL	8/8	8/8	7/8	—
N	1627 - POST Y-SK	0/8	0/8	0/8	—
O	CONTROL	—	8/8	3/8	3/8

JAN 18 1951

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	WD50
A		1	? D		$10^{-3.4}$
		2	– D		
		3	– PP D		
	1:40	4	– ? D		N.I. 4
SERUM FROM CYNOMOLGUS #1617X		5	– – – – – – P E PR D	7/8	-2
		6	– – – – – – – ? P D		
		7	– – – – – – – – – ? P EE D		
		8	– – – – – – – – – – ? ? ? ? ? E E EE EE ? ? ? ? ? ? – – – –		
+		1	– PP D		
		2	– PP D		
		3	– ? D		
LANSING	1:200	4	– – D		
		5	– – – ? CNS CNS CNS CNS CNS PP CNS D	2/8	
NORMAL		6	– – – – – – – P D		
		7	– – – – – – – – – – ? – ? W E W D		
		8	– – – – – – – – – – – – – ? ? – – – – – – – – – – –		
		1	– – PP D		
		2	– – – P P D		
		3	– – – – – D		
	10^{-3}	4	– – – – – – P D		
		5	– – – – – – EE PR D	8/8	
		6	– – – – – – – – ? W E D		
		7	– – – – – – – – – – – – P P D		
		8	– – – – – – – – – – – – – P P P E E D		
B		1	– D		$10^{-1.8}$
		2	– D		
		3	– ? ? PP PP D		
SERUM FROM CYNOMOLGUS #1617X	1:40	4	– – – – – – – – P D	4/8	N.I. 11
+		5	– – – – – – – – – – – – –

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
B (CONT.)		1	–	CNS		D																																	
		2	–	–		?	?	TY	TY	?	?		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–	–		D							–																		
	1:200	4	–	–		–	–	–	–	–	–		–	–	–	?	?	–		–	–	?	?	?	–		–	–	–	–	–		–	–	–	–		2/8	
SERUM FROM CYNOMOLGUS #1617 X		5	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
+																																							
		1	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
LANSING		2	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
		3	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
POST Y-SK	10^{-3}	4	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–		0/8	
		5	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
C		1	–	D																																			
		2	–	D																																			
		3	–	–		D																																	
	1:40	4	–	–		D																																8/8	
SERUM FROM CYNOMOLGUS #1618		5	–	–		–	–	–	PP	D																													
		6	–	–		–	–	–	–	←th	EP EE		D																											
		7	–	–		–	–	–	–	–	–		D																											
		8	–	–		–	–	–	–	–	–		–	–	–	–	←th	PP EE	D																					
+																																							
		1	–	D																																			
LANSING		2	–	D		D																																	
		3	–	?		D																																	
NORMAL	1:200	4	–	–		?	PR	D																														8/8	
		5	–	–		–	–	–	–	–	–		?	D																									
		6	–	–		–	–	–	–	–	–		–	PE	D																								
		7	–	–		–	–	–	–	–	–		–	–	–	P	D																						
		8	–	–		–	–	–	–	–	–		–	–	–	–	~	WW	D																				

$10^{-3.4}$
N.I.
"
-2

STANDARD B & P "NOTEAR"
STANDARD B & P "NOTEAR"

JAN 18 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C (CONT.) SERUM FROM CYNOMOLGUS #1618 + LANSING NORMAL	10^{-3}	1	–	–		PP	D																															7/8	
		2	–	–		PP	D																																
		3	–	–		–	–	–	–	–	D																												
		4	–	–		–	–	–	–	–	P		D																										
		5	–	–		–	–	–	–	–	–		P	D																									
		6	–	–		–	–	–	–	–	–		:	:	–	WW :	PR	PR	D																				
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–	:	WW E	PR	D																	
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
D SERUM FROM CYNOMOLGUS #1618 + LANSING POST Y-SK	1:40	1	–	–		–	–	P	D																												1/8	$10^{-1.3}$ N.I. 1 63
		2	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		4	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		5	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
+ LANSING POST Y-SK	1:200	1	:	:		PR	PR	D																														1/8	
		2	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		H	H		H	H	H	:	:	–		–	–	–	–		
		3	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		4	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		5	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
	10^{-3}	1	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–	0/8	
		2	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		4	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		5	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		–	–		–	–	–	–	–	–		–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
F		1	?	D																																			
		2	–	D																																			
		3	–	D																																			
	1:40	4	–	PP		D																																8/8	$10^{-3.3}$
SERUM FROM		5	–	W		D																																	N.I.
CYNOMOLGUS		6	–	–		–	–	EE P	D																														"
#1622		7	–	–		–	–	P	D																														~
		8	–	–		–	–	–	–	EE P	D																													
+		1	–	?		D																																	
		2	–	–		D																																	
		3	–	–		D																																	
LANSING	1:200	4	–	–		?	?	?	E	P	D																											6/8	
		5	–	–		–	–	–	–	–	–			PP	PP	D																							
NORMAL		6	–	–		–	–	–	–	–	–			PP	PP	D																							
		7	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	?	?	?	–		–	–	–	–	–		–	–	–	–			
		8	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
		1	O																																			
		2	–	–		D																																	
		3	–	–		–	P	D																															
	10^{-3}	4	–	–		–	–	–	–	–			–	–	–	P	PP PP	D																				7/8	
		5	–	–		–	–	–	–	–	–			–	–	–	?	PP	PR	D																			
		6	–	–		–	–	–	–	–	–			–	–	–	–	–		–	W D																		
		7	–	–		–	–	–	–	–	–			–	–	–	–	–		–	? PP	D																	
		8	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–			
F		1	?	D																																			$10^{-3.5}$
		2	–	PR		D																																	
SERUM FROM		3	–	PP		D																																	
CYNOMOLGUS #1622	1:40	4	–	P		EE P	D																															8/8	N.I.
+		5	–	?		?	D																																"
LANSING		6	–	–		–	–	–	–	D																														-2
		7	–	–		–	–	–	–	–				EE P	D																								
POST Y-SK		8	–	–		–	–	–	–	–				–	–	–	–	–		–	–	EE P	EE PP	D															

JAN 18 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
F (CONT.)		1	—	PP		D																																	
		2	—	?		D																																	
		3	—	—		D																																	
	1:200	4	—	—		PP	D																																
SERUM FROM CYNOMOLGUS #1622		5	—	—		?	?	CNS	CNS	P P P	D																												
		6	—	—		—	—	—	—	PP			D																										
		7	—	—		—	—	—	—	—		—	—	—	—	—	—			—	?	PP EE	D																
		8	—	—		—	—	—	—	—		—	—	—	—	—	—			—	—	—	EE	P D															
+																																							
		1	—	—		D																																	
		2	—	—		D																																	
LANSING		3	—	—		D																																	
		4	—	—		?	—	—	—	—	PP		D																										
POST Y-5K	10^{-3}	5	—	—		—	—	—	—	P			PR D																											
		6	—	—		—	—	—	—	—	—		—	—	—	—	WW PP	D																					
		7	—	—		—	—	—	—	—	—		—	—	—	—	—			—	—	—		W PP		D													
		8	—	—		—	—	—	—	—	—		—	—	—	—	—			—	—	—	—	—		D													
G		1	—	D	P	D																																	
		2	—	D	P	D																																	
		3	—	?		D																																	
	1:40	4	—	—		D																																	
SERUM FROM CYNOMOLGUS #1623		5	—	—		PP	D																																
		6	—	—		P	PP	D																															
		7	—	—		—	—	?	D																														
		8	—	—		—	—	—	—	EEPC			D																											
+																																							
		1	—	D																																			
		2	—	D																																			
LANSING		3	—	?		D																																	
		4	—	—		D																																	
NORMAL	1:200	5	—	—		D																																	
		6	—	—		CNS	CNS	CNS	D																															
		7	—	—		CNS	CNS	CNS	D																															
		8	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—		—		—	—	—	—	—		—	—	—	—		

8/8

8/8

8/8

7/8

LD50: $10^{-3.2}$ N.I. " -1

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
G (CONT.) SERUM FROM CYNOMOLGUS #1623 + LANSING NORMAL	10^{-3}	1	?	?		D																																	
		2	–	–		D																																	
		3	–	–		PP	D																																
		4	–	–		–	–	P	D																														
		5	–	–		–	–	P	P	PP PP	D																												6/8
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	PP EE	PP EE	D										
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
H SERUM FROM CYNOMOLGUS #1623 + LANSING POST Y-SK	1:40	1	–	–		D																															$10^{-2.0}$
		2	–	–		?	?	? TY	TY	TY	TY	(D) TYPHOID																									
		3	–	–		–	–	–	–	–	CNS	CNS	D																										
		4	–	–		–	–	–	–	–	–	CNS	CNS	CNS	CNS	?	–	–	D																			5/8	N.I.
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	:	D																4
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	D																13.
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	:	:	eth	eth			
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	1:200	1	–	–		D																																
		2	–	–		D																																
		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	PP	PP	PP	PP	PR	D											
		4	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3/8
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	10^{-3}	1	?	CNS		D																																
		2	–	–		–	–	–	–	–	–	–	–	–	–	?	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		3	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		4	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1/8
		5	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		6	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

JAN 18 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
I		1	?	D																																			
		2	?	D																																			
		3	–	D																																			
	1:40	4	–	PR	D																																	8/8	$10^{-3.3}$
SERUM FROM		5	–	CNS	D																																		N.I.
CYNOMOLGUS		6	–	–	D																																		4
#1624X		7	–	–	–	–	–	P	PP	D																													-2
		8	–	–	–	–	–	–	–	–	–	–	–	–	P	D																							
+		1	–	P	D																																		
		2	–	CNS	D																																		
		3	–	?	D																																		
LANSING	1:200	4	–	–	PP	D																																	
		5	–	–	?	PP	PP PP	D																														8/8	
NORMAL		6	–	–	–	–	?	CNS	? CNS	CNS			CNS	CNS	CNS	CNS	CNS	? CNS	? CNS			? CNS	? CNS	? CNS	?	?	?	D											
		7	–	–	–	–	–	–	–	?	D																												
		8	–	–	–	–	–	–	–	–	–		–	–	–	EPE	PR	D																					
		1	–	–	–	D																																	
		2	–	–	–	–	–	–	P	D																													
		3	–	–	–	–	–	–	–	?		?	P	PR	D																								
	10^{-3}	4	–	–	–	–	–	–	–	–		–	–	–	E	P EE	P EE	D																				6/8	
		5	–	–	–	–	–	–	–	–		–	–	–	–	–	–	W.	PP	D																			
		6	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	? W	? W	? W	P	D															
		7	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
J (CONT.)		1	–	CNS	D																																		$10^{-1.9}$
		2	–	?	D																																		
SERUM FROM		3	–	–	P	P	D																																N.I.
CYNOMOLGUS #1624X	1:40	4	–	–	?	?	?	D																														5/8	11
+		5	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	WW	D															
LANSING		6	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		16
		7	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK		8	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
J (CONT.)		1	– CNS			CNS	CNS		? CNS	D																													
		2	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	1:200	4	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
SERUM FROM CYNOMOLGUS #1624X		5	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1/8	
		6	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
+		7	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		1	–	–		H	P																																
LANSING		2	–	–		–	–	–	–	–	–			–	–	–	–	–		–	D																		
		3	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK	10^{-3}	4	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1/7	
		5	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
K		1	– D																																				
		2	– P	D																																			
		3	– P	D																																			
	1:40	4	– ?	D																																			
SERUM FROM CYNOMOLGUS #1625		5	– –	?	P	PP	D																															8/8	$10^{-3.2}$ N.I. -1^{11}
		6	– –	–	–	–	P	D																															
		7	– –	–	–	–	W	D																															
		8	– –	–	–	–	?	PP	D																														
+		1	– D																																				
		2	– PPS	D																																			
LANSING		3	– –	PP	D																																		
	1:200	4	– –	?	?	–	–	–	EE	P			D																										
NORMAL		5	– –	–	–	–	–	–	–				PP	D																									8/8	
		6	– –	–	–	–	–	–	–				§	D																									
		7	– –	–	–	–	–	–	–				–	?	?	?	–	–		–	–	–	PP	D															
		8	– –	–	–	–	–	–	–				–	–	–	–	–		–	–	–	?	P EE	D															

JAN 18 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
K (CONT.)		1	–	D																																			
		2	–	?		D																																	
SERUM FROM		3	–	–		?	–	–	CNS	P	CNS		CNS	CNS	CNS	CNS	CNS?	CNS?		?	?	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
CYNOMOLGUS #1625	10^{-3}	4	–	–		–	–	–	–	P	D																												
+		5	–	–		–	–	–	–	–	–		–	–	E	D																							
LANSING		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	E	P	D													5/8	
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
NORMAL		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		1	?	CNS		D																																$10^{-1.8}$
		2	–	–		D																																
		3	–	–		?	?	?	?	S?	D																											
	1:40	4	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	?	–		D											3/7	N.I.
SERUM FROM		5	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		H
CYNOMOLGUS		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
#1625		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		20
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		1	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	D																	
+		2	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	?	?	?	–		–	–	–	–	–	–		–	–	–	–		
		3	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
LANSING	1:200	4	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	1/8	
		5	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
POST Y-SK		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		1	–	D																																		
		2	–	?		?	–	–	–	–	–		CNS	CNS	?	?	–	–		–	–	–	–	–	–		–	–	–	–	?	?		–	–	–	D		
		3	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
	10^{-3}	4	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	2/8	
		5	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		6	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		7	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		
		8	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
M		1	–	D																																			
		2	–	D																																			
		3	–	D																																			
	1:40	4	–	PP	D																																	8/8	$10^{-3.7}$
SERUM FROM CYNOMOLGUS #1627		5	–	–	?	–	P	D																														N.D.
		6	–	–	–	–	–	EPP	D																														4
		7	–	–	–	–	–	–	–	–				EE	PP EE	D																							
		8	–	–	–	–	–	–	–	–				–	–	–	EE	D																					– 2
+		1	–	D																																			
		2	–	D																																			
		3	–	PP	D																																		
LANSING	1:200	4	–	PP	D																																	8/8	
		5	–	–	PP	D																																	
NORMAL		6	–	–	–	–	–	P	PP	D																													
		7	–	–	–	–	–	–	–	–			?	?	EE	WW EE	PR	D																					
		8	–	–	–	–	–	–	–	–			–	–	–	–	–	–			–	–	–	?	?	EE P		PR	D									
		1	–	:	D																																		
		2	–	–	D																																		
		3	–	–	PR	D																																	
	10^{-3}	4	–	–	–	–	P	D																														7/8	
		5	–	–	–	–	–	–	–	–			–	–	–	–	P	P		D																		
		6	–	–	–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	EE P	PP	PR		D											
		7	–	–	–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		P EE	D										
		8	–	–	–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	
N		1	–	–	–	–	–	–	–	:			?	?	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–		$10^{-1.2}$
		2	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–		
SERUM FROM CYNOMOLGUS #1627		3	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–		
	1:40	4	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	9/8	N.D.
+		5	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–		4
LANSING		6	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–		80
		7	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK		8	–	–	–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–		

STANDARD B & P "NoTEAR"
STANDARD B & P "NoTEAR"

JAN 18 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
N (CONT.) SERUM FROM CYNOMOLGOS #1627 + LANSING POST Y-SK	1:200	1	– –			– –	– –	–	– –	– –	–		– –	– –	–	– –	– –	–		– –	?	?	?	? TY		?	–	– –	– –	–		–		– –	– –	–	0/8	
		2	– –			– –	– –	–	– –	– –	–		– –	– –	–	– –	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		3	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	–	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		4	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		5	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		6	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		7	– –			– –	– –	–	– –	–	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		8	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
	10^{-3}	1	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–	0/8	
		2	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		3	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		4	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		5	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		6	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		7	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
		8	– –			– –	– –	–	– –	– –	–		– –	– –	–	–	– –	–		– –	– –	–	–	–		–	–	– –	– –	–		–		–	– –	–		
CONTROL SALINE + LANSING	1:200	1	– –	PP		D																																0/8	$10^{-3.1}$
		2	– –			D																																	
		3	– ?			D																																	
		4	– –			D																																	
		5	– –			D																																	
		6	– –			D																																	
		7	– –			T	T	D																															
		8	– –			–	–	–	–	–			– –	:	P	D																							
	1:10^3	1	– :			?	?	?	–	?	D																											3/8	
		2	– –			–	–	–	–	?	D																												
		3	– –			–	–	–	–	–	–		– –	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			PP	D				
		4	– –			–	–	–	–	–	–		– –	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–		
		5	– –			–	–	–	–	–	–		– –	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–		
		6	– –			–	–	–	–	–	–		– –	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–		
		7	– –			–	–	–	–	–	–		– –	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–		
		8	– –			–	–	–	–	–	–		– –	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–			–	–	–	–		

SPECIMEN	VIROS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
O (CONT.) CONTROL		1	–	–		†	D																																
		2	–	–		–	–	–	–	?			(NS	?NS	?	P	D																						
		3	–	–		–	–	–	–	–			–	–	–	–	–	–			–	–	?	?	–	–	–	–		E	E	D							
	10⁻⁴	4	–	–		–	–	–	–	–			–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3/8	
SALINE + LANSING		5	–	–		–	–	–	–	–			–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–		–	–	–	–	–			–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–		–	–	–	–	–			–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–		–	–	–	–	–			–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

SUMMARY OF TEST OF FEBRUARY 19, 1951

TEST FOR NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS #1752	POST Y-SK	7/8	6/8	2/7	—	2.6	20 (40)
CYNOMOLGUS #1757	POST Y-SK	3/8	0/7	0/8	—	1.5	250 (500)
CYNOMOLGUS #1758	POST Y-SK	6/7	8/8	8/8	—	3.4	3
CYNOMOLGUS #1759	POST Y-SK	3/8	1/7	1/8	—	1.6	200
CYNOMOLGUS #1760	POST Y-SK	8/8	8/8	6/8	—	3.3	4
CYNOMOLGUS #1761	POST Y-SK	2/8	2/8	0/7	—	1.5	250
CYNOMOLGUS #1763	POST Y-SK	2/8	0/8	0/7	—	1.4	320
CYNOMOLGUS #1764	POST Y-SK	4/8	2/8	0/8	—	1.8	130
CYNOMOLGUS #1766	POST Y-SK	1/8	0/8	0/7	—	1.3	400
CYNOMOLGUS #1769	POST Y-SK	2/8	1/8	0/8	—	1.4	320
CONTROL		—	8/8	7/8	4/8	3.9	
					Cumul.	4.2	

FEB 19 1951

TEST FOR NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus.

VIRUS: Lansing virus: Pool VI of 2/5/51. 10% suspension in saline. Centrifuged 2000 rpm for 15 minutes.

MICE: 18-20 gm Mayfield albino 8 mice per dilution

PROCEDURE: 0.2 ml of undiluted post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500; giving final dilutions of virus 1:40, 1:200, 1:1000. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixtures were shaken and incubated at room temperature for 1 hr. Inoculation time the tubes were in an ice bath.

CODE	CYNOMOLGUS #		1:40	1:200	10^{-3}	10^{-4}
A	1752	POST Y-SK	7/8	6/8	2/7	—
B	1757	POST Y-SK	3/8	0/7	0/8	—
C	1758	POST Y-SK	6/7	8/8	8/8	—
D	1759	POST Y-SK	3/8	1/7	1/8	—
E	1760	POST Y-SK	8/8	8/8	6/8	—
F	1761	POST Y-SK	2/8	2/8	0/7	—
G	1763	POST Y-SK	2/8	0/8	0/7	—
H	1764	POST Y-SK	4/8	2/8	0/8	—
I	1766	POST Y-SK	1/8	0/8	0/7	—
J	1769	POST Y-SK	2/8	1/8	0/8	—
K	CONTROL		—	8/8	7/8	4/8

FEB 19 1951

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
A		1	- PP D		
		2	- P D		
		3	- W D PP		
	1:40	4	- - PP D	7/8	$10^{-2.6}$
		5	- - - D		N.I.
SERUM FROM CYNOMOLGUS #1752		6	- - - - D		"
		7	- - - - - - - - - - - - - - D		20
		8	- - - - - - - - - - - - - -

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
B (CONT.) SERUM FROM CYNOMOLGUS #1757 + LANSING POST Y-SK	1:200	1	(D)	0/7	
		2	– – –

FEB 19 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C		1	–	–	–	–	–		–	–	–	–	–	PE		D																							
		2	–	–	–	–	–		–	–	–	–	–	–		D																							
SERUM FROM		3	–	–	–	–	–		–	–	–	–	–	–		D																							
CYNOMOLGUS #1758	10^{-3}	4	–	–	–	–	–		–	–	–	–	–	–		–	–	P	D																				
+		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	PP	D	PPP			D															8/8	
LANSING		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–																				
		7		–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	PP E	D												
POST Y-5K		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	E	D											
D		1	–	–	–	–	–		–	–	–	–	–	–		–	P	D																					
		2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	P		D								
		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		E	D							
	1:40	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	3/8	$10^{-1.6}$
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		N.I.
SERUM FROM		6	–	–	–	–	–		–	–		–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		=
CYNOMOLGUS		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		200
#1759		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	
		1	–	–	–	–	–		D																													
+		2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	T_Y^3	C_Y^3	TY	(J)	CYPHOID		
		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
	1:200	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	1/7	
LANSING		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
POST Y-5K		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
		1	–	–	–	–	–		–	P	P	D																										
		2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
	10^{-3}	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	1/2	
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
E SERUM FROM CYNOMOLGUS #1760 + LANSING POST Y-SK	1:40	1	– D	8/8	$10^{-3.3}$ N.I. 11 4
		2	– PP D		
		3	– ? T PP EE D		
		4	– – EE EE EE D		
		5	– – – – – ? P PP EE D		
		6	– – – – – – – – E EE WW EE D		
		7	– – – – – – – – ? P PP E PP D		
		8	– – – – – – – – – ? ? ? ? ? – – W PP D		
	1:200	1	– P	8/8	
		2	– P D		
		3	– W ?		
		4	– – ? PP D		
		5	– – – PP D		
		6	– – – – – – P D		
		7	– – – – – – – – P P PR D		
		8	– – – – – – – – – – CNS D		
	10^{-3}	1	– – P D	6/8	
		2	– – P P D P		
		3	– – – – D		
		4	– – – – – – ? E D		
		5	– – – – – – – – – – – – – – – – D P P PP D		
		6	– – – – – – – – – – – – – – – –

FEB 19 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
F (CONT.) SERUM FROM CYNOMOLGUS #1761 + LANSING POST Y-SK	1:200	1	–	–	–	–	P P		D PP																													2/8	
		2	–	–	–	–	–			P																														
		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
LANSING POST Y-SK	10^{-3}	1	–	–	–	–	–		–	–	–	–	–	–		–	–	–	?	?	? TY		TY	D	TYPHOID												0/7	
		2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
G SERUM FROM CYNOMOLGUS #1763 + LANSING POST Y-SK	1:40	1	–	–	?	P	D PP										?	?	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	2/8	$10^{-1.4}$ N.I. 11 320
		2	–	–	–	–	–		D																													
		3	–	–	–	–	–		–	–	–	–	–	–		?	?	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
LANSING POST Y-SK	1:200	1	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	?	–		–	–	–	–	–		–	–	–	–	–	–		–	0/8	
		2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		
		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
G (CONT.) SERUM FROM CYNOMOLGUS #1763 + LANSING POST Y-SK	10^{-3}	1	–	–	–	–	–	–	–	–	–	–	?	–	–	–	–	–	–	H	H		?	ww	nails chewed off	D											0/7	
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	?	–	–	–	–	–	–	–			
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–			
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–			
H SERUM FROM CYNOMOLGUS #1764	1:40	1	E.	.	EE Cos PP	D																																4/8	$10^{-1.8}$ N.I. 11 130
		2	–	–	PP	D																																	
		3	–	–	–	–	–	–	–	–	–	P	D																										
		4	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	P		D																
		5	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	?	?	–	–		–			
		6	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		7	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		8	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
+ LANSING POST Y-SK	1:200	1	–	–	D																																	2/8	
		2	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		P			
		3	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		4	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		5	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		6	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		7	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		8	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
	10^{-3}	1	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	0/8		
		2	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		3	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		4	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		5	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		6	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		7	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			
		8	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–			

STANDARD B & P "NoFEAR"
STANDARD B & P "NoFEAR"

FEB 19 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
I		1	–	–	–	D																																	
		2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	?	–	–	–	–		–	–	–	–	–	–	–	–		
		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
	1:40	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	1/8	$10^{-1.3}$
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	N.I.	
SERUM FROM CYNOMOLGUS #1766		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	1	
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	400	
		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		1	?	?	?	?	CNS		CNS	CNS	CNS	? CNS	?	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
+		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
	1:200	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	0/8	
LANSING		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
POST Y-SK		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		1	(D)																																			
		2	–	–	–	–	–		–	?	?	–	–	?		?	?	!	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
	10^{-3}	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	0/7	
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		1	–	–	–	PRP			D																													
		2	–	–	–	–	–		–	–	–	–	–	PP		D																						
J		3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
		4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–		
SERUM FROM CYNOMOLGUS #1769	1:40	5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	2/8	$10^{-1.4}$
		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	N.T.	
+		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	4	
LANSING		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	320	
POST 4-SK																																							

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
J (CONT.) SERUM FROM CYNOMOLGUS #1769 + LANSING POST Y-SK	1:200	1		1/8	
		2			
		3			
		4			
		5			
		6			
		7			
		8			
	10^{-3}	1		0/8	
		2			
		3			
		4			
		5			
		6			
		7			
		8			
K CONTROL SALINE + LANSING	1:200	1		8/8	$10^{-3.9}$
		2			
		3			
		4			
		5			
		6			
		7			
		8			
	10^{-3}	1		7/8	
		2			
		3			
		4			
		5			
		6			
		7			
		8			

FEB 19 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
K (CONT.)		1	–	PP	D																																		
		2	–	–	–	D																																	
		3	–	–	–	?	?		–	–	–	–	ww	pw		D																						
SALINE	10^{-4}	4	–	–	–	–	–		–	–	–	–	–	–		–	–	p	D																				4/8	
		5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–		
+		6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–		
LANSING		7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–		
		8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–		

SUMMARY OF TEST OF FEBRUARY 20, 1951

TEST FOR NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-5K BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS # 1746	POST Y-5K	6/8	4/8	2/6	—	2.3	50 (80)
CYNOMOLGUS # 1747	POST Y-5K	1/7	1/8	0/8	—	1.4	400 (630)
CYNOMOLGUS #1750	POST Y-5K	7/8	5/8	3/7	—	2.6	25
CYNOMOLGUS #1754	POST Y-5K	2/8	1/8	0/8	—	1.4	400
CYNOMOLGUS #1755	POST Y-5K	2/8	0/8	1/8	—	1.4	400
CYNOMOLGUS #1767	POST Y-5K	8/8	8/8	8/8	—	3.5	3 (5)
CYNOMOLGUS #1770	POST Y-5K	4/8	3/8	1/8	—	~~2.6~~ 2.0	~~25~~ 400 (160)
CYNOMOLGUS #1771	POST Y-5K	5/8	1/8	1/8	—	1.9	130
CYNOMOLGUS #1772	POST Y-5K	3/8	3/8	1/8	—	1.9	130
CYNOMOLGUS #1773	POST Y-5K	2/8	4/8	0/8	—	1.6	250
CONTROL		—	8/8	8/8	4/8	4.0	
						4.2	

FEB 20 1951

TEST FOR NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus.

VIRUS: Lansing virus: Pool VI of 2/5/51. 10% suspension in saline. Centrifuged 2000 rpm for 10 minutes.

PROCEDURE: 0.2 ml of undiluted post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500; giving final dilutions of virus 1:40, 1:200, 1:1000. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixtures were shaken and incubated at room temperature for 1 hr. Inoculation time the tubes were in an ice bath.

MICE: 18-20 gm Maxfield albino 8 per dilution

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	1746 POST Y-SK	6/8	4/8	2/6	—
B	1747 POST Y-SK	1/7	1/8	0/8	—
C	1750 POST Y-SK	7/8	5/8	3/7	—
D	1754 POST Y-SK	2/8	1/8	0/8	—
E	1755 POST Y-SK	2/8	0/8	1/8	—
F	1767 POST Y-SK	8/8	8/8	8/8	—
G	1770 POST Y-SK	4/8	3/8	1/8	—
H	1771 POST Y-SK	5/8	4/8	1/8	—
I	1772 POST Y-SK	3/8	3/8	1/8	—
J	1773 POST Y-SK	2/8	4/8	0/8	—
K	CONTROL	—	8/8	8/8	4/8

FEB 20 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
A		1	–	?	P	D																																	
		2	–	–	–	–		–	?	P	P	PR	D																										
		3	–	–	–	–		–	–		PP	PP EE	D																										
	1:40	4	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	P	D														6/8	N.I.
		5	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P		PP	D									4
SERUM FROM CYNOMOLGUS #1746		6	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		P P P P	D									50
		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
+		1	–	E	D																																		
		2	–	–	PP ENS	PR		D																															
		3	–	–	–	–		P CNS	PR	D																													
LANSING	1:200	4	–	–	–	–		–	–	P EE	D																											4/8	
		5	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E ?	?	–				
		6	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
POST Y-SK		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–				
		1	D																																			
		2	–	–	–	P		D																															
		3	–	–	–	? TY		D	TYPHOID																														
	10^{-3}	4	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P P P P	P P P P	D														2/6	
		5	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
B		1	–	D																																		
		2	–	–	TY	TY		D	TYPHOID																														
SERUM FROM CYNOMOLGUS #1747		3	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	1:40	4	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1/7	N.I.
+		5	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		11
LANSING		6	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		400
		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
POST Y-SK		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
B (CONT.)		1	–	–	–	–		–	–	–	–	–	–		–	–	–	W	PP	D																		
		2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	1:200	4	–	–	–	–		–	–		–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	1/8	
SERUM FROM CYNOMOLGUS #1747		5	–	–	–	–		–	–		–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		7	–	–	–	–		–	–		–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		8	–	–	–	–		–	–		–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
+																																							
		1	–	–	–	–		?	?	?	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
LANSING		2	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		3	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
POST Y-SK	10^{-3}	4	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	0/8	
		5	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
C		1	–	D																																			
		2	–	D																																			
		3	–	D																																			
	1:40	4	–	P	D																																	7/8	
SERUM FROM CYNOMOLGUS #1750		5		–	–	–		–	–	–	–	–	EE	D																								$10^{-2.6}$
		6		–	–	–		–	–	–	–	–	–			–	?	W	PP	E D																			NI
		7		–	–	–		–	–	–	–	–	–			–	–	eb	PP	E D																			11
		8	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		25
+																																							
		1	–	P	D																																		
LANSING		2	–	–	?	?		–	–	–	P P	D																											
		3	–	–	–	–		–	–	–	–	E D																											
POST Y-SK	1:200	4	–	–	–	–		–	–	–	–	–			–	–	?	WW	D																			5/8	
		5	–	–	–	–		–	–	–	–	–			–	–	–	–	–			P	D																
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		

FEB 20 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
C (CONT.) SERUM FROM CYNOMOLGUS #1750 + LANSING POST Y-SK	10^{-3}	1	–	–	P	PP		D									D																					3/7	
		2	–	–	–	–		–	–	–	–	–			–	–	P																						
		3	–	–	–	–		–	–	–	–	–			–	–	D																						
		4	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		?	?	TY	TY	TY	D	TY	PHOID										
		5	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	?	?	–	–		–	–			
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
D SERUM FROM CYNOMOLGUS # 1754 + LANSING POST Y-SK	1:40	1	–	–	–	?		D																													2/8	$10^{-1.4}$ N.I. = 400
		2	–	–	–	–		PP	PP	D																												
		3	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		4	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		5	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
	1:200	1	–	–	–	–		D																														
		2	–	–	–	–		–	–	?	?	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		3	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		4	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		5	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
	10^{-3}	1	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		2	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		3	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		4	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		5	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–		–	–			

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
E		1	—P	P	P			INJ. P	INJ P	INJ P	INJ P	INJ P	INJ P		INJ P	INJ P	INJ P	INJ P	INJ P	?		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	$10^{-1.4}$
		2	—	—	—	PP		D																															
		3	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	? CNS		? CNS	?	?	—	—	—		—	—	—	D							
	1:40	4	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	2/8	N.I.
		5	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—		4
SERUM FROM CYNOMOLGUS # 1755		6	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—		400
		7	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		8	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
+		1	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		2	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		3	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
LANSING	1:200	4	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	9/8
		5	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		6	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
POST Y-SK		7	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		8	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		1	?	?	?	—		— CNS	CNS	CNS	CNS	EE CNS	D																									
		2	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		3	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
	10^{-3}	4	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	1/8
		5	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		6	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		7	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
		8	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—	—	—	—	
F		1	—	PP	PR WP	D PP																																	
		2	—	—	—	—		D																															
		3	—	—	—	—		— P	D																														
SERUM FROM CYNOMOLGUS #1767	1:40	4	—	—	—	—		—	—	—	P	D																										8/8	N.I.
		5	—	—	—	—		—	—	—	E?	P E EE	D																										4
+		6	—	—	—	—		—	—	—	—	EE	PP EE		D																									3.
LANSING		7	—	—	—	—		—	—	—	—	—	—		—	EE	P E	D																					
		8	—	—	—	—		—	—	—	—	—	—		—	E		D																					
POST Y-SK																																							

FEB 20 1951

SPECIMEN	VIRUS	NO.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
F (CONT.) SERUM FROM CYNOMOLGUS #1767 + LANSING POST Y-5K	1:200	1	— PP D	8/8	$10^{-3.5}$
		2	— ? P D		
		3	— — 2 PP D		
		4	— — — PP D		
		5	— — — — — ? D		
		6	— — — — — — — — — EPE D		
		7	— — — — — — — — — — — — P E D		
		8	— — — — — — — — — — — —

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
G (CONT.) SERUM FROM CYNOMOLGUS # 1770 + LANSING POST Y-SK	10^{-3}	1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	P	D												1/8	
		2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
H SERUM FROM CYNOMOLGUS # 1771 + LANSING POST Y-SK	1:40	1	–	–	P	D																																5/8	$10^{-1.9}$
		2	–	–	PP	D																																	N.I.
		3	–	–	–	–		–	–	–	–	–		D																									1
		4	–	–	–	–		–	–	–	–	–			–	–	–	D																					130
		5	–	–		–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	PPP E	E			
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		7	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		1	–	–	(NS	(NS		D																															
		2	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		3	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
LANSING	10^{-2}	4	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	1/8	
		5	–	–	–			–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
POST Y-SK		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		1	–	–	P	PP		D																															
		2	–	–	–	–		–	–	–	–	–			–	–	–	E1	E2	E		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		3	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
	10^{-3}	4	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	1/8	
		5	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		6	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		7	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–		

FEB 20 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
I		1	–	?	?	P		D																															
		2	–	–	–	P		D																															
		3	–	–	–	P		D																															
	1:40	4	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	3/8	$10^{-1.9}$
		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	N.F.	
SERUM FROM CYNOMOLGUS #1772		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	"	
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		130
+		1	–	–	–	–		D																															
		2	–	–	–	–		CNS	? CNS	?	:	–	–	–	–	–	–	P	P	P		D																	
		3	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	?		?	E	E	P	P	E	D											
LANSING	1:200	4	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	CNS	CNS	CNS		?	?	:	–	–	–		–	–	3/8	
		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
POST Y-SK		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		1	–	–	–	–		–	P P P	D																												
		2	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		3	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
	10-3	4	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	1/8	
		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
J		1	–	E E CNS	E E CNS	E E CNS		P CNS	D																													
		2	–	–	–	–		–	–	–	–	–		–	–	–	P	D																				
		3	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	2/8	$10^{-1.6}$
SERUM FROM CYNOMOLGUS #1773	1:40	4	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	N.F.	
+		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	"	
LANSING		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
POST Y-SK		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		250

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
J (CONT.) SERUM FROM CYNOMOLGUS #1773 + LANSING POST Y-5K	1:200	1	–	–	D																																		
		2	–	–	P	PP WW		D																															
		3	–	–	–	–		P EE	D																														
		4	–	–	–	–		–	–	–	–	–	EE	D																								4/8	
		5	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	10^{-3}	1	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		2	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		4	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0/8	
		6	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
K CONTROL SALINE + LANSING	1:200	1	D																																				
		2	–	D																																			
		3	–	?	PP	D																																	
		4	–	–	–	–		–	–	–	P	D																										8/8	
		5	–	–	–	–		–	–	–	–	P	D																										
		6	–	–	–	–		–	–	–	?	P		P EE	PP EE	D																							
		7	–	–	–	–		–	–	–	–	–	–	EE	P PP EE	D																							
		8	–	–	–	–		–	–	–	–	–	–	–	–	?	PP	E PP PP	PR	D																			
	10^{-3}	1	–	P	D																																		
		2	–	–	–	–		P	D																														
		3	–	–	–	–		–	–	P	D																												
		4	–	–	–	–		–	–	P	PR	D																										8/8	
		5	–	–	–	–		–	–	WW EE	P EE E	D																											
		6	–	–	–	–		–	–	–	E	E PP EE		D																									
		7	–	–	–	–		–	–	–	–	–	–	PP	D ?E	E	E E	D																					
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

$10^{-4.0}$

FEB 20 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
K (CONT.) CONTROL		1	–	–	–	D																																	
		2	–	–	–	P		D																															
		3	–	–	–	–		D																															
	10^{-4}	4	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	?	?	D											4/8	
SALINE + LANSING		5	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		6	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		7	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–	–	–		
			–		–																																	

SUMMARY OF TEST OF FEBRUARY 21, 1951

TEST FOR NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS # 1748	POST Y-SK	0/8	1/8	4/7	—	1.3	200 (800)
CYNOMOLGUS # 1749	POST Y-SK	8/8	8/8	6/8	—	3.3	2
CYNOMOLGUS # 1753	POST Y-SK	5/8	2/8	4/8	—	2.1	32 (80)
CYNOMOLGUS # 1756	POST Y-SK	6/8	4/8	0/8	—	1.9	50 200
CYNOMOLGUS # 1762	POST Y-SK	7/7	6/8	2/8	—	2.6	10 40
CYNOMOLGUS # 1765	POST Y-SK	5/8	0/8	0/8	—	1.7	80 320
CYNOMOLGUS # 1768	POST Y-SK	7/8	8/8	3/8	—	2.8	6 25
CYNOMOLGUS # 1774	POST Y-SK	2/8	0/8	0/8	—	1.3	200
CONTROL		—	8/8	7/8	2/8	3.6	
					Cum.	4.2	

FEB 21 1951

TEST FOR NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus.

VIRUS: Lansing virus: Pool VI of 2/15/51. 10% suspension in saline. Centrifuged 2000 rpm for 10 minutes.

PROCEDURE: 0.2 ml of undiluted post Y-SK serum was added to 1.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:160, 1:500, giving final dilutions of virus 1:40, 1:200, 1:800. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made at saline. The mixtures were shaken and incubated at room temperature for 1 hr. Inoculation time the tubes were in an ice bath.

MICE: 18-20 gm. Maxfield albino 8 per dilution

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	1748 POST Y-SK	0/8	1/8	1/7	—
B	1749 POST Y-SK	8/8	8/8	6/8	—
C	1753 POST Y-SK	5/8	2/8	4/8	—
D	1756 POST Y-SK	6/8	1/8	0/8	—
E	1762 POST Y-SK	7/7	6/8	2/8	—
F	1765 POST Y-SK	5/8	0/8	0/8	—
G	1768 POST Y-SK	7/8	8/8	3/8	—
H	1774 POST Y-SK	2/8	0/8	0/8	—
I	CONTROL	—	8/8	7/8	2/8

FEB 21 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
A		1	–	?	?		–	?	?	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		$10^{-1.3}$
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
	1/40	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	0/8	
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		N.I.
SERUM FROM CYNOMOLGUS #1748		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		4
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		200
		1	–	–	–		D																																
		2	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
+		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
	1:200	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	1/8	
LANSING		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
POST Y-SK		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		1	–	–	–		–	–	–	–	–	–		–	D																								
		2	–	–	–		–	–	–	–	–	–		–	–	TY	TY	D	TYPHOID																				
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
	10^{-3}	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	1/7	
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
B		1	–	D																																			
		2	–	D																																			
		3	–	D																																			
SERUM FROM CYNOMOLGUS #1749	1:40	4	–	PP	D																																	8/8	N.I.
		5	–	PP	D																																		4
+		6	–	–	–		–	–	–	D																													2
LANSING		7	–	–	–		–	–	–	–	P	PP		PP	PP	D																							
														E		P																							
POST Y-SK		8	–	–	–		–	–	–	–	–	–				E	D																						

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
B (CONT.)		1	–	PP	D																																		
		2	–	P	D																																		
		3	–	WW	D																																		
SERUM FROM CYNOMOLGUS #1749 + LANSING POST Y-SK	1:200	4	–	?	PP	D																																8/8	
		5	–	–	PP	D																																	
		6	–	–	P	D																																	
		7	–	–	–	CNS	CNS	?	?	–	–			D																								
		8	–	–	–	–	–	–	–	–	–			–	–	–	–	–	P	P	PP	D																	
		1	–	WWE	PE	D																																	
		2	–	–	–	D																																	
		3	–	–	–	D																																	
	10^{-3}	4	–	–	–	P	P	D																														6/8	
		5	–	–	–	?	?	–	–	–			PP	PP	P D																							
		6	–	–	–	–	–	–	–	–			–	–	–	–	–	–	EE	P	D																	
		7	–	–	–	–	–	–	–	–			–	–	–	–	–	?	–	–	–	–	–	–	–	–	?	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
C		1	–	P	D																																	
		2	–	P	D																																	
		3	–	P	D																																	
SERUM FROM CYNOMOLGUS #1753 + LANSING POST Y-SK	1:40	4	–	WW CNS	D																																	5/8	$10^{-2.1}$ N.I. = 32
		5	–	–	?	D																																	
		6	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		1	–	TD	TD PP	D																																	
		2	–	–	?	D																																	
		3	–	–	–	:	?	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	TY	TY	TY	TY	? TY	? TY					
LANSING POST Y-SK	1:200	4	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2/8	
		5	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

FEB 21 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C (CONT.) SERUM FROM CYNOMOLGUS #1753 + LANSING POST Y-SK	10^{-3}	1	-	D																																		4/8	
		2	-	D																																			
		3	-	D																																			
		4	-	PP	D																																		
		5	-	?	?	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
D SERUM FROM CYNOMOLGUS #1756 + LANSING POST Y-SK	1:40	1	-	-	PP	D																																6/8	$10^{-1.9}$ N.I. 4 50
		2	-	-	P	D																																	
		3	-	-	-	D																																	
		4	-	-	-	P	D																																
		5	-	-	-	-	H	H	H	H	H		H	H	H	H	H	H	H		H	H	H	H	H	H		H	H	H	H	H	H		H	H	H		
		6	-	-	-	-	-	-	-	-	-		-	E	GE	E	E	D																					
		7	-	-	-	-	-	-	-	-	-		-	-	-	E	E	E	D																				
		8	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-			-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
	1:200	1	-	-	H	H PP	D																															1/8	
		2	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		3	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		4	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		5	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		6	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		7	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		8	-	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
	10^{-3}	1	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	TY	TY	TY	TY		TY	TY	TY	0/8	
		2	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		3	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		4	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		5	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		6	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		7	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		
		8	-	-	-		-	-	-	-	-		-	-	-	-	-	-	-		-	-	-	-	-	-		-	-	-	-	-	-		-	-	-		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
E		1	(1)																																				
		2	–	P	P		D																																
		3	–	?	W/W		D																																
	1:40	4	–	–	–		D																															7/7	N.I.
		5	–	–	–		D																																"
SERUM FROM CYNOMOLGUS #1762		6	–	–	–		PP PP	PR	D																														10
		7	–	–	–		PP	PR	D																														
		8	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	?	?	–	–		–	–	P	D								
		1	–	CNS	W/W CNS		D																																
+		2	–	–	PP		D																																
		3	–	–	–		–	–	–	?	–	D																										
	1:200	4	–	–	–		–	–	–	–	–	–		–	P P	D																						6/8
LANSING		5	–	–	–		–	–	–	–	–	–		–	P	P	D																					
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	?		?	–	–	–	–		–	–	–	–	–	–	?		?	PE			
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–			
POST Y-5K		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–			
		1	–	–	PP		D																																
		2	–	–	?		D																																
		3	–	–	–		–	–	H	H	H	H		H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H	H		
	10^{-3}	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	?		–	–	–	2/8	
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–		
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–		
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–		
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–		
F		1	–	–	PP		D																																
		2	–	–	–		PR	D																															
SERUM FROM CYNOMOLGUS #1765		3	–	–	–		?	PP	D																														
	1:40	4	–	–	–		–	PP	D																													5/8	N.I.
+		5	–	–	–		–	–	?	?	?	–		–	–	–	–	–		–	–	–	–	–		W	P	D										"
LANSING		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–		80
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–		
POST Y-5K		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		–	–	–		

$10^{-2.6}$

$10^{-1.7}$

FEB 21 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
F (CONT.)		1	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		2	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		3	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
	1:200	4	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
SERUM FROM CYNOMOLGUS #1765		5	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	0/8	
		6	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		7	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
+		8	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		1	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		2	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
LANSING		3	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
	10^{-3}	4	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
POST Y-SK		5	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	9/8	
		6	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		7	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		8	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–		
		1	–	–	PP		D																																
		2	–	–	P		D																																
		3	–	–	CNS		D																																
	1:40	4	–	–	–		–	–	–	CNS	PP CNS	D																											
SERUM FROM CYNOMOLGUS #1768		5	–	–	–		–	–	–	–	–	–		EE	P EE	D																						
		6	–	–	–		–	–	–	–	–	–		–	–	?	?	TY	?TY		TY	TY	TY	?TY	?TY	?		?	–	–	–	–	–		–	–	P	7/8	$10^{-2.8}$
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	?		D								–										
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	?	–	–		–	–	–	–	–	–		–	–	–		N.I. 11 6
+		1	–	–	D																																		
		2	–	–	P		D																																
LANSING		3	–	–	–		D																																
	1:200	4	–	–	–		–	–	–	–	EE	P EE		D																									
POST Y-SK		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		W PP EE	D														8/8	
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	W PP	D	P													
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	P		D											
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	:	P		D				

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
G (CONT.)		1	–	?	?		P	P P	D																														
		2	–	–	–		–	?	?	?	?	–		–	–	–	–	P	P		D																		
SERUM FROM		3	–	–	–		–	–	–	–	–			–	–	–	–	–	?		?	?	–	–	–		–	–	–	P	D							
CYNOMOLGUS #1768	10^{-3}	4	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	3/8	
+		5	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
LANSING		6	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		7	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
POST Y-SK		8	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
H		1	–	?	?		PP	D																														$10^{-1.3}$
		2	–	–	–		?	D																														
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	?		–	–	–	–	–	–	–	–	–	–		N.I.
	1:40	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	2/8	4
SERUM FROM		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
CYNOMOLGUS		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
#1774		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		200
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
+		1	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		2	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		3	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
LANSING	1:200	4	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	0/8	
		5	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		6	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
POST Y-SK		7	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		8	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		1	–	–	–		–	–	–	–	–			–	–	–	–	–	?		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		2	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		3	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
	10^{-3}	4	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	0/8	
		5	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		6	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		7	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		
		8	–	–	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–		

STANDARD B & P "NOTEAR"

FEB 21 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
CONTROL	1:200	1	–	D																																			$10^{-3.6}$
		2	–	PP	D																																		
		3	–	?	?		?	?	–	W	WW PP P	D																										
		4	–	–	–		–	–	–	–		D																										
		5	–	–	–		–	–	–	–	–	P		D																							8/8	
		6	–	–	–		–	–	–	–	–	–		–	P	P P	D																					
		7	–	–	–		–	–	–	–	–	–		–	–	–	P	P EE	D																			
SALINE		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	PP	PR		D			
+		1	–	PP	D																																	
		2	–	P	PP		D																															
LANSING		3	–	–	P		D																															
	10-3	4	–	–	–		D																															7/8
		5	–	–	–		CWS	CWS	D																													
		6	–	–	–		–	/	–	–	–	–		–	–	–	–	–	–		P	D																
		7	–	–	–		–	/	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	P	D										
		8	–	–	–		–	/	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	
		1	–	–	–		–	–	?	?	?	D																										
		2	–	–	–		–	–	–	–	–	–		?	?	?	D																					
		3	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	? E	? E	?		–	–	–	
	10-4	4	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	2/8
		5	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	
		6	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	
		7	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	
		8	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	

SUMMARY OF TEST OF FEBRUARY 23, 1951

TEST FOR NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
CYNOMOLGUS # 1775	POST Y-SK	5/8	3/8	2/8	—	2.1	40 125
CYNOMOLGUS # 1777	POST Y-SK	6/7	5/8	5/8	—	2.8	8 25
CYNOMOLGUS # 1778	POST Y-SK	7/8	5/8	6/8	—	3.0	5 16
CYNOMOLGUS # 1779	POST Y-SK	5/7	6/8	6/8	—	3.0	5 16
CYNOMOLGUS # 1780	POST Y-SK	6/8	6/8	4/7	—	2.7	10 32
CYNOMOLGUS # 1781	POST Y-SK	5/8	7/8	6/8	—	3.0	5
CYNOMOLGUS # 1782	POST Y-SK	6/7	5/8	4/8	—	2.6	13 40
CYNOMOLGUS # 1783	POST Y-SK	6/8	7/8	4/8	—	2.8	8
CONTROL		—	8/8	8/8	2/8	3.7	
						4.2	

FEB 23 1951

TEST FOR NEUTRALIZING ANTIBODIES FOR LANSING VIRUS AMONG DIFFERENT GROUPS OF CYNOMOLGUS MONKEYS GIVEN Y-SK BY MOUTH

PURPOSE: To determine if these animals which were given Y-SK virus orally have developed neutralizing antibodies for Lansing virus.

VIRUS: Lansing virus: Pool VII of 2/5/51. 10% suspension in saline. Centrifuged 2000 rpm for 10 minutes.

PROCEDURE: 0.2 ml of undiluted post Y-SK serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500, giving final dilutions of virus 1:40, 1:200, 1:1000. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixtures were shaken and incubated at room temperature for 1 hr. During incubation time the tubes were in an ice bath.

MICE: 18-20 gm. Mayfield albino 8 per dilution

CODE	CYNOMOLGUS #		1:40	1:200	10^{-3}	10^{-4}
A	1775	POST Y-SK	5/8	3/8	2/8	—
B	1777	POST Y-SK	6/7	5/8	5/8	—
C	1778	POST Y-SK	7/8	5/8	6/8	—
D	1779	POST Y-SK	5/7	6/8	6/8	—
E	1780	POST Y-SK	6/8	6/8	4/7	—
F	1781	POST Y-SK	5/8	7/8	6/8	—
G	1782	POST Y-SK	6/7	5/8	4/8	—
H	1783	POST Y-SK	6/8	7/8	4/8	—
I	CONTROL		—	8/8	8/8	2/8

FEB 23 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
A		1	–		P	D																																	
		2	–		P	D																																	
		3	–		CNS	PP CNS	D																																
	1:40	4	–		CNS	CNS	PP CNS	D																															
		5	–		–	–	?	?	–	–		PP	PP	PP	D																							
SERUM FROM CYNOMOLGUS #1775		6	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	5/8	10$^{-2.1}$ N.I. " 40
		7	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		8	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
+		1	–		D																																	
		2	–		PP	D																																	
		3	–		–	–	?	W-1	D																													
	1:200	4	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	? TY	? TY		?	?	–	–	TY	TY			TY	TY	TY	TY	TY	3/8	
LANSING		5	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		
		6	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		
		7	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		
POST Y-5K		8	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–			–	–	–	–	–		
		1	EE		D																																	
		2	:		PR	PR	PR	D																														
	10^{-3}	3	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		4	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	2/8	
		5	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		6	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		7	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
		8	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		
B		1	D																																			
		2	–		D																																	
SERUM FROM CYNOMOLGUS #1777		3	–		P	P	P	D																														
	1:40	4	–		–	D																																6/7	10$^{-2.8}$ N.I. " 8
+		5	–		–	–	–	–	–	–		–	–	TY	TY	TY	TY		TY	TY	TY	TY	TY	TY		TY	? TY	? TY	? TY	? TY	TY			TY	TY	TY	TY	TY		
LANSING		6	–		–	–	–	–	–	–		–	–	–	–	E	E P		D																				
		7	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	P	D															
POST Y-5K		8	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		D						

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
B (CONT.)		1	–		D	–																																	
		2	–		–	?	?	–	–			PP W	D																											
		3	–		–	–	–	–	–			4h	P EE	PR	D																									
SERUM FROM CYNOMOLGUS #1777 + LANSING POST Y-SK	1:200	4	–		–	–	–	–	–			–	–	–	EE	D																							
		5	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	D											5/8	
		6	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			
		7	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			
		8	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			
		1	–		P																																		
		2	–		P		P	PP	D																														
		3	–		–	–	–	–	–			–	–	–	–	–	P		D																				
	10^{-3}	4	–		–	–	–	–	–			–	–	–	–	–	–		–	–	PP	PP	PP	PP	D													5/8	
		5	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		P	PP	D												
		6	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	?	–	–	–		–	–	–	–	–			
		7	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			
		8	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			
C		1	–		D																																		
		2	–		PW	D																																	
		3	–		?	D																																	
SERUM FROM CYNOMOLGUS #1778 + LANSING POST Y-SK	1:40	4	–		–	–	–	–	EE	EE	P	D																										7/8	$10^{-3.0}$ N.I. 4 5
		5	–		–	–	–	–	–			–	–	–	–	–	–		PP PP E	D D																			
		6	–		–	–	–	–	–			–	–	–	–	–	–																							
		7	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		P	D													
		8	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			
		1	–		D																																		
		2	–		D																																		
		3	–		–	–	–	–	–			–	–	P	PP	D																							
	1:200	4	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		D													5/8	
		5	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	P	D											
		6	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			
		7	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			
		8	–		–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			

FEB 23 1954

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C (CONT.) SERUM FROM CYNOMOLGUS #1778 + LANSING POST Y-SK	10^{-3}	1	–	–	–	PP EE D																																6/8	
		2	–	–	–	PP CP D																																	
		3	–	–	–	CNS	EE CNS	EE CNS	EE CNS		D											P	D			P D												
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–																
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P D												
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P D												
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
D SERUM FROM CYNOMOLGUS #1779 + LANSING POST Y-SK	1:40	1	Ⓓ																																		$10^{-3.0}$ N.I. = 5
		2	–	D																																	
		3	–	D																																	
		4	–	–	–	–	–	–				? WW	D																									
		5	–	–	–	–	–	–				–	–	? P EE P EE D																								
		6	–	–	–	–	–	–				–	–	–	–	–	–	–	–	–	–	P E	P E	P E	D													
		7	–	–	–	–	–	–				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5/7	
	1:200	1	–	D																																	
		2	–	D																																	
		3	–	? D																																	
		4	–	–	P	PP D																															
		5	–	–	–	–	–	–				D																									
		6	–	–	–	–	–	–				–	–	–	–	–	–	–	–	–	eb	P D															
		7	–	–	–	–	–	–				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–				–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6/8	
	10^{-3}	1	–	D																																	
		2	–	D																																	
		3	–	–	E	EEE D																															
		4	–	–	–	–	?	–	–			P P	PP	PR D																							
		5	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	?	P PP		D												
		6	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	E EE AP		D							
		7	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–			–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6/8	

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
E		1	–		PP CNS PP	D PP																																	
		2	–				D																																	
		3	–		?	?	P CNS	D																																	
	1:40	4	–		–	–	–	–	–	–			–	–	–	P	PP	D																					
		5	–		–	–	–	–	–	–			–	–	–	–	P	D																					
SERUM FROM CYNOMOLGOS # 1780		6	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	E	E		D												6/8	10^-2.7 N.I. 11 10
		7	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
		8	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
+		1	–		PR	PR	PR	PR	PR	D																													
		2	–		PP	PP	PP	D																															
		3	–		–	D																																	
	1:200	4	–		–	–	–	–	–	–			–	–	–	D																							
LANSING		5	–		–	–	–	–	–	–			–	–	–	–	E	E		D																		6/8	
		6	–		–	–	–	–	–	–			–	–	–	–	–	–		4h	PP EE	D																	
		7	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
POST Y-SK		8	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
		1	D																																			
		2	?		PR	D																																	
		3	?		CNS	D																																	
	10^{-3}	4	–		–	–	–	–	–	TY			?	?	–	–	–	–		D																			
		5	–		–	–	–	–	–	–			–	–	–	–	–	–		D																		4/7	
		6	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
		7	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
		8	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
F		1	–		D																																		
		2	–		D																																		
SERUM FROM CYNOMOLGOS #1781 + LANSING		3	–		–	–	–	–	PP		D																												
	1:40	4	–		–	–	–	–	–			W	PP	D																								5/8	10^-3.0 N.I. 11 5
		5	–		–	–	–	–	–			–	–	?	D																							
		6	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
		7	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		
POST Y-SK		8	–		–	–	–	–	–	–			–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		–	–	–	–	–		

STANDARD B & P "NOTEAR"

FEB 23 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
F (CONT.)		1	–		PP	PP	D																																
		2	–		E	PP	D																																
		3	–		?	P	D																																
	1:200	4	–		–	P	D																																
SERUM FROM CYNOMOLGUS #1781		5	–		–	–	–	–	–	–							?	W	D																		7/8	
		6	–		–	–	–	–	–	–							–	–	E	D																			
		7	–		–	–	–	–	–	–							–	–	–	–	–	–	–	–	–	–	–	P	D										
		8	–		–	–	–	–	–	–							–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
+																																							
		1	–		P	PP PP	D																																
LANSING		2	–		–	P	D																																
		3	–		–	P	PP	D																															
POST Y-SK	10-3	4	–		–	–	–	–	–	–							–	–	–	P	D																6/8	
		5	–		–	–	–	–	–	–							–	–	–	–	P	PP	D															
		6	–		–	–	–	–	–	–							–	–	–	–	–	–	–	:		PP	D											
		7	–		–	–	–	–	–	–							–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–		–	–	–	–	–	–							–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
G		1	D																																			$10^{-2.6}$
		2	–		D																																	N.I.
		3	–		PP	D																																"
	1:40	4	–		P	D																																
SERUM FROM CYNOMOLGUS #1782		5	–		CNS	PP W P	D																														6/7	13
		6	–		–	P	PP P	D																															
		7	–		–	–	–	–	–	–							?	?	–	–	PP	D																	
		8	–		–	–	–	–	–	–							–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
+																																							
		1	–		D																																		
LANSING		2	–		P	D																																
		3	–		–	–	PP PP	D																															
POST Y-SK	1:200	4	–		–	–	P	PP EE	D																													5/8	
		5	–		–	–	–	–	–	–							–	–	–	EE P	D																	
		6	–		–	–	–	–	–	–							–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–		–	–	–	–	–	–							–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–		–	–	–	–	–	–							–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
G (CONT.) SERUM FROM CYNOMOLGUS #1782 + LANSING POST Y-SK	10^{-3}	1	–		P	D	P																																
		2	–		–	P	D																																
		3	–		–	?	?	?	?	?	D																												
		4	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P E	P E D																		
		5	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	?	?	?	?	–	–	–	–	–	–	–	–	–	–	–	–	4/8	
		6	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
H SERUM FROM CYNOMOLGUS #1783 + LANSING POST Y-SK	1:40	1	–		D																																$10^{-2.8}$ N.I. 11 8
		2	–		–	–	–	?	D																														
		3	–		–	–	–	–	PP	D																													
		4	–		–	–	–	–	–	–		D																											
		5	–		–	–	–	–	–	–		D																											
		6	–		–	–	–	–	–	–	–	–	D																									6/8	
		7	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	1:200	1	–		D																																		
		2	–		–	–	P	D																															
		3	–		–	–	W W	P P	D																														
		4	–		–	–	–	–	–	–	–	–	–	W	D																								
		5	–		–	–	–	–	–	–	–	–	–	–	–	–	–	PP EE	PP EE	D																			
		6	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P E	PR P	D P																7/8	
		7	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	D																
		8	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	10^{-3}	1	–		PP	PP	D																																
		2	–		–	W W	D																																
		3	–		–	–	PP	PR	D																														
		4	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P	D																4/8	
		5	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	? CNS	? CNS	?	–	–	–	–	–	–	–	–	–	–		
		6	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

FEB 23 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
		1	?		D																																		
		2	–		D																																		
		3	–		?		?	D																															
	1:200	4	–		–	–	?	–	–	–		PP	D																										
		5	–		–	–	–	–	–	–		–	–	–	?	D																							
CONTROL		6	–		–	–	–	–	–	–		–	–	–	–	–	–		D																			
		7	–		–	–	–	–	–	–		–		–	–	–	–		–	–	–	–	EE	EE		D												
		8	–		–	–	–	–	–	–		–		–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	P	P	EE	D			8/8	
		1	–		D																																		
		2	–		PP	D																																	
		3	–		PP	D																																	
SALINE		4	–		PP	PP	D																																
+		5	–		–	PP	D																																
		6	–		–	–	–	–	–	–		D																											
		7	–		–	–	–	–	–	–		–	–	–	–	–	O																						
LANSING	10-3	8	–		–	–	–	–	–	–		–	–	–	–	–	–		–	PE	D																	8/8	
		1	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	EE	EE	D					
		2	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	PP	EE	D				
		3	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		
	10-4	4	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	2/8	
		5	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		
		6	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		
		7	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		
		8	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–		

SUMMARY OF TEST MARCH 19, 1951

TEST FOR PRESENCE OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS FROM NORMAL CYNOMOLGUS MONKEYS

CYNOMOLGUS #	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS				LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	3.0	4.0		
1600 X Prev NI = 0/80	NORMAL	5/8	1/7	2/7	0/8	1.9	
1572 Prev. NI = 8 of 40	NORMAL	8/8	7/8	4/8	0/7	2.9	
1579 Prev. NI = 8 of 40	NORMAL	7/7	7/8	7/8	5/8	4.0	
CONTROL		—	7/8	7/8	4/8	3.8	

4.2

MAR 19 1951

TEST FOR PRESENCE OF NEUTRALIZING ANTIBODIES FOR LANSING VIRUS FROM NORMAL CYNOMOLGUS MONKEYS

PURPOSE: These normal sera on previous tests appeared to contain a substance which neutralized Lansing virus. The tests are being repeated to determine if these findings were due to chance or if the sera really contained neutralizing substance.

VIRUS: Lansing virus: Pool VII of 2/5/51. 10% suspension in saline. Centrifuged at 2000 rpm for 10 minutes to remove flocculant ppt.

PROCEDURE: 0.2 ml of undiluted normal serum was added to 0.2 ml of each of the following dilutions of Lansing virus in saline: 1:20, 1:100, 1:500, 1:5,000.; giving final dilutions of virus of 1:40, 1:200, 10^{-3}, 10^{-4}. Virus controls consisted of 1:200, 10^{-3}, 10^{-4} dilutions made in saline. The mixtures were shaken and incubated at room temperature for 1 hour. Tubes were placed in an ice bath during inoculation.

MICE: 18-20 gm Manfield ♀ 8 per dilution

CODE	CYNOMOLGUS #	1:40	1:200	10^{-3}	10^{-4}
A	NORMAL 1600X	5/8	1/7	2/7	0/8
B	NORMAL 1572	8/8	7/8	4/8	0/7
C	NORMAL 1579	7/7	7/8	7/8	5/8
D	CONTROL	—	7/8	7/8	4/8

MAR 19 1957

SPECIMEN

A

SERUM FROM CYNOMOLGUS

#/600X

+

LANSING

NORMAL

PREVIOUS TEST
1:40 - 5/8
1:200 - 2/8
10^{-3} - 1/8

VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY
	1	–	?	?	D																																
	2	–	–	?	D																																
	3	–	–	–	PP	D																															
1:40	4	–	–	–	–	–		–	–	–	–	–	–		–	–	PP	D																			5/8
	5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	?	PP	D			
	6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
	7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
	8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	–	–	–		–	–	–	–	–	–	–		
	1	–	D																																	
	2	–	–	–	–	–		–	~	S	S	S	S		S	TY	TY	TY	TY	TY		D	TY	PHOID												
	3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
1:200	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		1/7
	5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	1	–	–	–	–	–		–	–	–	–	–	?		D																					
	2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	D														
	3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		TY	TY	D	TY	PHOID				
	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		2/7
10^{-3}	5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	1	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	2	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		0/8
10^{-4}	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		
	8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–		

LD50
$10^{-1.9}$
N.I.
4
80

SPECIMEN: B

SERUM FROM CYNOMOLGUS #1572 + LANSING NORMAL

PREVIOUS TEST
1:40 - 5/8
1:200 - 5/8
10^{-3} - 2/8

VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
	1	–	–	PP	D																																	10^{-2} 9
	2	–	–	PP	D																																		N.I.
	3	–	–	?	D																																		"
1:40	4	–	–	–	?	?		?	? CNS	? CNS	D																												8
	5	–	–	–	–	–		–	–	–	D																												
	6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	E	E	PP EE		D															8/8	
	7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	?	P	PP EE	D												
	8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	WW E	P	E	PP EE	PP EE	PP EE	D							
	1	–	–	–	D																																	
	2	–	–	–	PP	D																																
	3	–	–	–	–	–		–	D																													
1:200	4	–	–	–	–	–		–	–	–	–	–	PP		D																							
	5	–	–	–	–	–		–	–	–	–	–	–		–	–	E	D																			7/8	
	6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	E	E	PP EE	D																
	7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	P	P	D				
	8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
	1	?	?	–	D																																	
	2	–	–	–	–	–		D																														
	3	–	–	–	–	–		CNS	CNS	CNS	CNS	CNS	PP CNS		D																							
10^{-3}	4	–	–	–	–	–		–	–	–	–	–	P		D																							
	5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–			4/8	
	6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
	7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
	8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
	1	?	S	S	D																																	
	2	–	–	–	–	–		?	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
	3	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
10^{-4}	4	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–			0/7	
	5	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
	6	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
	7	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				
	8	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–				

MAR 1 9 1951

SPECIMEN	VIRUS	No.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	MORTALITY	LD50
C SERUM FROM CYNOMOLGUS #1579 + LANSING	1:40	1	— D	7/7	$10^{-4.0}$ N.D. 4 −2
		2	— D		
		3	— PP PR D		
		4	— PP D		
		5	— — — — — — — EP PR D		
		6	— — — — — — — — — S (D) P D		
		7	— — — — — — — — — — — — P D		
		8	— — — — — — — — — — — — — — — — — — — ? EE PP EE D		
	1:200	1	— D	7/8	
		2	— D		
		3	— CNS D		
		4	— — — D		
		5	— — — PP D		
		6	— — — — — — — — P P D E PE		
		7	— — — — — — — — — — D		
		8	— — — — — — — — — — — — — — — — — — — ? ? ? — — — — — —		
NORMAL		1	— P D	7/8	
		2	— — — P D		
		3	— — — ? D		
	10^{-3}	4	— — — — — D		
		5	— — — — — — — — — — — — P P D		
		6	— — — — — — — — — — — — — — — W PP P D		
		7	— D		
		8	— —		
	10^{-4}	1	— — — — PP D	5/8	
		2	— — — — — D		
		3	— — — — — — — D		
		4	— — — — — — — — — — — — — — — — — — — D		
		5	— D		
		6	— —		
		7	— —		
		8	— —		

PREVIOUS TEST
1:40 - 5/7
1:200 - 5/8
10^{-3} - 3/7

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
D		1	ⓓ																																				
		2	–	P	D																																		
		3	–	–	–	P	PP	D																															
	1:200	4	–	–	–	–	PP	D																															
		5	–	–	–	–	–	–	–	–	–	–	–	E		D																							
CONTROL		6	–	–	–	–	–	–	–	–	–	–	–	–		–	3	D																				7/8	
		7	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	P	P	D												
		8	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–												
SALINE		1	–	–	W	D																																	
		2	–	–	?	?	D																															
+		3	–	–	–	–	?	D																															
	10^{-3}	4	–	–	–	–	–	–	–	–	–	–	–	P		D																							
		5	–	–	–	–	–	–	–	–	–	–	–	–		D																						7/8	
LANSING		6	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		P E	P E	D														
		7	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	E E	P E	D										
		8	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–												
		1	–	–	–	–	–	P	D																														
		2	–	–	–	–	–	P	P	PP	D																												
		3	–	–	–	–	–	–	–	–	–	–	–	?		?	–	–	–	–	?		D																
	10^{-4}	4	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	?	–		D									4/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–				
		6	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–				
		7	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–				
		8	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–				

LD_{50}: $10^{-3.8}$

STANDARD B & P "NoTEAR"

SUMMARY OF TEST OF MAY 22, 1951

QUALITATIVE TEST FOR NEUTRALIZATION OF LANSING VIRUS BY "NORMAL" CYNOMOLGUS MONKEY SERA

DONOR	SERUM	MORTALITY AT INDICATED FINAL DILUTION OF VIRUS						LD_{50}	NEUTRALIZING INDEX
		1.6	2.3	2.48	3.0	4.0	5.0		
CYNOMOLGUS #1606	NORMAL	7/8	8/8	—	3/8	0/8	—	2.8	25
CYNOMOLGUS #1626	NORMAL	7/7	8/8	—	6/8	—	—	3.3	8
CONTROL		—	—	9/9	10/10	6/10	0/10	4.2	

Note: In test of 1-10-51, Cyn 1606 yielded LD_{50} of 2.4 on simultaneous control of 4.3 or an index of 80

In test of 12-29-50 Cyn. 1626 yielded LD_{50} of 2.6 on simultaneous control of 4.1 or an index of 32

Note — ~~B~~. Cyn 1626 developed fatal paralytic poliomyelitis after feeding of Y-5k virus on 12/3/50 and developed neutr. antibody at time of death with index of 160 +

Cyn 1606 in same experiment did not develop polio, but antibodies with index of 630 +

MAY 22 1951

QUALITATIVE TEST FOR NEUTRALIZATION OF LANSING VIRUS BY NORMAL CYNOMOLOGUS MONKEY SERA

PURPOSE: Of these normal sera on previous tests (see tests of 1/16/51, 12/29/50) one (#1606) was positive against Lansing virus and the results of the other (#1626) were doubtful. The tests are being repeated to determine if the results obtained previously were correct.

VIRUS: Lansing virus: Pool VII of 2/15/51. 10% suspension in saline. Centrifuged 10 minutes at 2000 rpm to remove flocculant ppt.

PROCEDURE: Dilutions of Lansing virus of: 1:20, 1:100, 1:500 and 1:5,000 were made up and 0.2 ml. of each were distributed in tubes. 0.2 ml of undiluted normal serum were added to these virus dilutions so that the final dilutions of virus were: 1:40, 1:200, 10^{-3}, 10^{-4}. The virus controls consisted of Lansing virus in saline; final concentrations of 1:300, 10^{-3}, 10^{-4} 10^{-5}. The mixtures were shaken and incubated at room temperature for one hour. Tubes remained in an ice bath during inoculation.

MICE: 18-20 gram Maxfield albino 8 per dilution
controls 10 per dilution

CODE	SPECIMEN	1:40	1:200	10^{-3}	10^{-4}	10^{-5}
A	SERUM FROM CYNOMOLGUS #1606 "NORMAL"	7/8	8/8	2/8	0/8	—
B	SERUM FROM CYNOMOLGUS #1626 "NORMAL"	7/7	8/8	6/8	—	—
			1:300			
C	CONTROL	—	—	9/9	1/10	6/10	0/10

MAY 2 2 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
A		1	–	–	P	D																																	
		2	–	–	–	–		–	–	PP	D																												
		3	–	–	–	–		–	–	–	–	–	–		D																								
	1:40	4	–	–	–	–		–	–	–	–	–	–		PEE	PEE	D																						
		5	–	–	–	–		–	–	–	–	–	–		–	EE	D																						
SERUM FROM CYNOMOLGUS # 1606		6	–	–	–	–		–	–	–	–	–	–		–	?	PP	D																				
		7	–	–	–	–		–	–	–	–	–	–		–	–	PE	D																						
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7/8	25
		1	–	–	–	–		–	E	D																												
NORMAL		2	–	–	–	–		–	–	–	–	P	D																										
		3	–	–	–	–		–	–	–	–	P	PP		D	WPP																							
+	1:200	4	–	–	–	–		–	–	–	–	–	–		–	–	D																						
		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		P	PP	PP	P															
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	P	P	D															
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		EE	EE	D									
LANSING		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–		–	–	?	EE	D						8/8	
		1	–	–	P		D																															
		2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	P		D										
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	10^{-3}	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2/8
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
	10^{-4}	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0/8
		5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

SPECIMEN	~~SERUM~~ VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
B SERUM FROM CYNOMOLGUS #1626 NORMAL + LANSING	1:40	1	Ⓓ																																			7/7	$10^{-3.3}$ N.I. " 8
		2	–	–	–	–		D																															
		3	–	–	–	–		P P P	D																														
		4	–	–	–	–		P P	D																														
		5	–	–	–	–		P	–	–	–	D																											
		6	–	–	–	–		–	–	–	?	P	D																										
		7	–	–	–	–		–	–	–	–	P	P P E E	D																										
		8	–	–	–	–		–	–	–	–	–	P C E	D																										
	1:200	1	–	–	D	P P P		D																															
		2	–	–																																			
		3	–	–	–	–		–	–	–	D																												
		4	–	–	–	–		–	–	–	–	–	–	P	D																								
		5	–	–	–	–		–	–	–	–	–	–	P	D																								
		6	–	–	–	–		–	–	–	–	–	–	–	–	P W P D																							
		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	P		D																
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	W W	D													
	10^{-3}	1	–	–	D																																		
		2	–	–	P	P		D																															
		3	–	–	–	–		D																															
		4	–	–	–	–		P P	D																														
		5	–	–	–	–		–	–	–	–	P	P E E	D																									
		6	–	–	–	–		–	–	–	–	P P	D																										
		7	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	10^{-4}	1	–																																			
		2	–	insufficient serum																																			
		3	–																																				
		4	–																																				
		5	–																																				
		6	–																																				
		7	–																																				
		8	–																																				

MAY 2 2 1951

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C		1	D																																				$10^{-4.2}$
		2	–	D																																			
		3	–	?	P	P		D																															
		4	–	–	–	P		PP	PP	D																													
	1:300	5	–	–	–	?		?	P	P	D																												
CONTROL		6	–	–	–	–		–	–	P	D																												
		7	–	–	–	–		–	–	P	D																												
		8	–	–	–	–		–	–	–	P	D																											
SALINE		9	–	–	–	–		–	–	–	–	E	P	P	E	D																							9/9
		10	–	–	–	–		–	–	–	–	–	–		–		P	D																					
+		1	–	–	–	–		–	P	D																													
		2	–	–	–	–		–	PP	PP	D																												
LANSING		3	–	–	–	–		–	–	P	D																												
		4	–	–	–	–		–	–	–	–	–	P		D																								
	10^{-3}	5	–	–	–	–		–	–	–	–	–	–		D																							10/10
		6	–	–	–	–		–	–	–	–	–	–		EE	P	D																						
		7	–	–	–	–		–	–	–	–	–	–		–	E	D																						
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	EE	D																				
		9	–	–	–	–		–	–	–	–	–	–		–	–	–	–	=		–	–	P	D															
		10	–	–	–	–		–	–	–	–	–	–		–	–	–	–	=		–	–	–	–	–	–	P	P	D									
		1	–	–	–	P	P	D																															
		2	–	–	–	–		?	?	–	–	–	–		–	?	P	D																				
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	?	D																			
		4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	I	E	E	D																
	10^{-4}	5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			D																9/10
		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–			D																
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		9	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		10	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
C (CONT.)		1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
CONTROL		4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
	10^{-5}	5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	9/10	
SALINE		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
+		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
LANSING		9	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		
		10	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–		

SUMMARY OF TEST OF MAY 22, 1951

QUANTITATIVE TEST FOR LANSING NEUTRALIZING SUBSTANCES IN SERUM OF A CYNOMOLGUS MONKEY WHICH HAD LANSING ANTIBODY BEFORE INFECTION AND YET DEVELOPED PARALYSIS

SERUM FROM	SPECIMEN TAKEN	MORTALITY AT INDICATED FINAL DILUTION OF		US. 50 LD50 (49 LD50)		50% PROTECTIVE ENDPOINT
		1:2	1:8	1:32	1:128	
CYNOMOLYGUS #1600X	BEFORE INFECTION	1/8	5/8	8/8	7/7	1:5
	POST Y-SK	0/8	0/8	1/8	2/8	1:181+

	1:300	10^{-3}	10^{-4}	10^{-5}	TITER
CONTROLS	9/9	10/10	6/10	0/10	4.2

MAY 22 1951

QUANTITATIVE TEST FOR LANSING NEUTRALIZING SUBSTANCES IN SERUM OF CYNOMOLGUS MONKEYS ~~GIVEN Y-5K BY MOUTH~~ which had Lansing Antibody before Infection + 4 yr Developed Paralysis

PURPOSE: To determine the titer of activity of the antiviral factor against 50 LD_{50} (1:300) of Lansing virus. These normal and post-Y-5K sera were done previously (see tests 4/10/51, 3/19/51) and both were found to be positive against Lansing virus.

VIRUS: Lansing virus: Pool III of 2/5/51. 10% suspension in saline. Centrifuged at 2000 rpm to remove flocculant ppt.

PROCEDURE: The sera were serially diluted as follows: undiluted, 1:4, 1:16 0:64. To 0.5 ml. of each dilution 0.5 ml of a 1:750 dilution of Lansing virus was added so that the final concentration of virus was 1:300 (50 LD_{50}) and the final dilutions of sera were 1:2, 1:8, 1:32 and 1:128. The tubes were shaken and placed at room temperature for 1 hour. Tubes were placed in an ice bath during inoculation.

MICE: 18-20 gram Mayfield albino 8 per dilution
controls 10 per dilution

CODE	SPECIMEN	1:2	1:8	1:32	1:128
A	SERUM FROM CYNOMOLGUS #1600X BEFORE INFECTION	4/8	5/8	8/8	7/7
B	SERUM FROM CYNOMOLGUS #1600X POST Y-5K	0/8	0/8	1/8	2/8
		1:300	10^{-3}	10^{-4}	10^{-5}
C	CONTROL	9/9	10/10	6/10	0/10

MAY 22 1951

SPECIMEN	SERUM	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
A		1	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	P		D										
		2	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		
		3	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		1:5
	1:2	4	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	1/8	
		5	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		
SERUM FROM CYNOMOLGUS #1600X		6	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		
		7	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		
		8	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		
NORMAL Before Infection		1	—	—	—	P		D																														
		2	—	—	—	—		D																														
+		3	—	—	—	—		—	—	—	—	D																										
	1:8	4	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	P	D												5/8	
		5	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	?	?	—		—	—	—	—	—	—		—	P		
		6	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		
LANSING 1:300		7	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		
		8	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—		
(49 LD50)		1	—	—	—	—		?	—	—	P	D																										
		2	—	—	—	—		—	—	—	—	P P P P			D																							
		3	—	—	—	—		—	—	—	—	?	P		D																							
	1:32	4	—	—	—	—		—	—	—	—	—	—		—	P	D																					8/8	
		5	—	—	—	—		—	—	—	—	—	—		—	?	P P P D																						
		6	—	—	—	—		—	—	—	—	—	—		—	—	?	? P P D																						
		7	—	—	—	—		—	—	—	—	—	—		—	—	—	P D																						
		8	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		—	—	—	—	—	—		P										
		1	—	D																																		
		2	—	?	?	S		D																														
		3	—	—	—	—		—	P	P	D																											
	1:128	4	—	—	—	—		—	—	P	D																											7/7	
		5	—	—	—	—		—	—	—	—	E	E E P P		D																							
		6	—	—	—	—		—	—	—	—	—	P		D																							
		7	—	—	—	—		—	—	—	—	—	—		?	D																						
		8	—	—	—	—		—	—	—	—	—	—		—	—	—	E	D																			

B

SERUM FROM CYNOMOLGUS # 1600X

POST V-SK

+

LANSING

1:300

49 LD_{50}

SERUM	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
1:2	1	–	–	–	–		–	–	–	–	–	–		–	?	?	?	?	S		–	–	–	–	–	–		–	–	–	–	–			–	–		1:181+
	2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	0/8	
	5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
1:8	1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	0/8	
	5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
1:32	1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	1/8	
	6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
1:128	1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–	2/8	
	5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		
	8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–			–	–		

1 PRED

2 EE D

3 PRED

4 EE D

STANDARD B & P "NoTEAR"
STANDARD B & P "NoTEAR"

MAY 22, 1950

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
C		1	@ –																																				
		2	– D																																				
		3	– :		P	P		D																															
		4	– –		–	P		PP	PP	D																													
	1:200	5	– –		–	?		:	P	P	D																												
CONTROL		6	– –		–	–		–	–	P	D																												
		7	– –		–	–		–	–	P	A																												
		8	– –		–	–		–	–	–	P	D	E	P	E																								
SALINE		9	– –		–	–		–	–	–	–	–	–		D		P	D																					
		10	– –		–	–		–	–	–	–	–	–		–																								
+																																							
		1	– –		–	–		–	P	D																												
LANSING		2	– –		–	–		–	PP	PP	D																												
		3	– –		–	–		–	–	P	D																												
		4	– –		–	–		–	–	–	–	–	P		D																								
	10^{-3}	5	– –		–	–		–	–	–	–	–	–		D																								
		6	– –		–	–		–	–	–	–	–	–		E	P E	D																						
		7	– –		–	–		–	–	–	–	–	–		–		E D																						
		8	– –		–	–		–	–	–	–	–	–		–		–	E E D																					
		9	– –		–	–		–	–	–	–	–	–		–		–	–	–			–	–	P	D														
		10	– –		–	–		–	–	–	–	–	–		–		–	–	–			–	–	–	–	?		P D										
		1	– –		–	P P		D																														
		2	– –		–	–		?	?	–	–	–	–		–	?	P	D																				
		3	– –		–	–		–	–	–	–	–	–		–	–	–	–	?	D																		
		4	– –		–	–		–	–	–	–	–	–		–	–	–	–	–	E E	D																	
	10^{-4}	5	– –		–	–		–	–	–	–	–	–		–	–	–	–	–	–	D																	
		6	– –		–	–		–	–	–	–	–	–		–	–	–	–	–	–	D																	
		7	– –		–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	– –		–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		9	– –		–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		10	– –		–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

9/9

10/10

6/10

$10^{-4.2}$

SPECIMEN	VIRUS	NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD_{50}
C (CONT.)		1	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		
		2	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		
		3	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		
CONTROL		4	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		
	10^{-5}	5	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–	0/10	
SALINE		6	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		
		7	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		
+		8	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		
LANSING		9	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		
		10	–	–	–	–		–	–	–	–	–	–		–	–	–	–	–	–	–	–	–	–	–	–	–		–	–	–	–	–			–	–		

Neutralization tests with sera of Cynomolgus Monkeys.

SEP 18 1951

Purpose - To determine Lansing antibody content of Cynomolgus monkey sera (Monkeys bled fed virus (Y-5K) mixed with human milk - both boiled and unboiled. Incubation of virus in milk of 1 hour at room temperature prior to feeding.

Virus - Lansing virus - Pool VI - of 2/5/51 - 10% mouse brain.

Sera - Sera from Cynomolgus monkeys 2292 to 2321 obtained at autopsy.

Mice - 18-20 grm. Maxfield albino (female).

Methods - Each serum against virus dil. of 1:10, 1:50, 1:500 giving final virus dils. of 1:20, 10^{-2}, 10^{-3}

Controls - Virus dil of 10^{-2}, 10^{-3} 10^{-4}

Amts. needed and amts. used for dilutions.

2 cc of 1:10 virus (2 ampules 2000 RPM x 10 MIN)
2.2 cc of 1:50 " { .6 cc of 1/10 + 2.4 cc sal. = 3 cc 1/50
2.2 cc of 1:500 " { .3 cc of 1/50 + 2.7 cc sal = 3 cc 1/500
.2 cc of 1:5000 " { .2 cc of 1/500 + 1.8 cc sal = 2 cc 1/5000

.2 cc sera + .2 cc of virus dil. 1:10, 1:50, 1:500
= final virus dil of 1:20, 10^{-2}, 10^{-3}

CYN. MONKEY SERA 2292 - 2301 SEP 18 1951

CYN. MONKEY SERA 2302 - 2311 SEP 19 1951

CYN. MONKEY SERA 2312 - 2321 SEP 20 1951

STANDARD B & P "NOTEAR"

STANDARD B & P "NOTEAR"

SEP 18 1951

CYN. SERA NEUTRALIZATION TESTS

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	MORTALITY	LD50
CYN. MONKEY 2292 UNBOILED MILK + Y-SK VIRUS A	1:20	1	-	P																																		8/8	3.5+?
		2	-	D																																			
		3	-	-	-	-	-	P	P	CNS	D																												
		4	-	-	-	-	-	2	CNS	P	P	CNS	D																										
		5	-	-	-	-	-	-	P			P	P	D																								
		6	-	-	-	-	-	-	-			-	P	P	P	D																						
		7	-	-	-	-	-	-	-			-	-	-	-	-	P	P	P	P	Pn	D																
		8	-	-	-	-	-	-	-			-	-	-	-	-	-	2	2	-	2	CNS	P	D														
	1:20	1	-	P	P	P	D																															8/8	3-?
		2	-	-	-	2	-	P	P	D																												
		3	-	-	-	-	-	-	W	P	D																												
		4	-	-	-	-	-	-	-	P	P	P	D																										
		5	-	-	-	-	-	-	-	P	P	P	D																										
		6	-	-	-	-	-	-	-	-	2	CNS	D																										
		7	-	-	-	-	-	-	-	-	P	D																											
		8	-	-	-	-	-	-	-	-	-	-	2	CNS	D																								
	1:20	1	-	P																																		8/8	3-?
		2	-	P	D																																		
	-3	3	-	P	P	P	P	-	P	Pn	D																												
	1:20	4	-	-	-	-	-	-	P	P	D																												
		5	-	-	-	-	-	-	-	2	CNS	Pn	D																										
		6	-	-	-	-	-	-	-	-	-	-	-	P	D																								
		7	-	-	-	-	-	-	-	-	-	-	-	-	CNS	CNS	D																						
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	PP	D																				
CYN. MONKEY 2293 B UNBOILED MILK + Y-SK VIRUS	1:20	1	-	P	D																																	8/8	10-3.2
		2	-	P	P	P	D																																
		3	-	W	P	W	W	P	D																														
		4	-	-	P	P	-	-	2	CNS	2	CNS	2	2	Pn	P	CNS	P	P	CNS	CNS	D																
		5	-	-	-	-	-	-	-	-	-	-	2	2	2	P	CNS	P	P	CNS	D																	
		6	-	-	-	-	-	-	-	-	-	-	-	-	2	P	P	CNS	D																			
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	W	W	CNS	D																
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	CNS	2	CNS	CNS	Pn	P	Pn	CNS	P	Pn	D							

CYN. SERA NEUTRALIZATION TEST

SEP 18 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED MORTALITY	LD 50
CYN MONKEY 2293 UNBOILED MILK + 4-SK	10^{-2}	1	-	D																																		8/8	
		2	-	PP	D																																		
		3	-	PP	D																																		
		4	-	P	D																																		
		5	-	P	PP	D																																	
		6	-	-	-	-	-	-	P	P	D																												
		7	-	-	-	-	-	-	-	-	PP	D																											
		8	-	-	-	-	-	-	-	-	-	-	2	2 CNS	2 CNS	2 CNS	CNS	D																						
B		1	-	-	-	2	-	2	2	-	-	-	-	2 CNS	2 CNS	P CNS	D																						10 $^{-3.2}$
		2	-	-	-	-	-	-	-	-	-	-	-	-	2 CNS	PP CNS	D																						
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	PP CNS	D																		5/8	
	10^{-3}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	P CNS	D															
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	D														6-?	
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CYN. MONKEY 2294 UNBOILED MILK + 4-SK	1:20	1	-	D																																			
		2	-	-	?	-	-	2	2	-	PP	D																										8/8	CAL-CULATED
		3	-	-	-	-	-	-	-	-	-	PP	D																										
		4	-	-	-	-	-	-	-	-	-	-	ww	PP	D																								
		5	-	-	-	-	-	-	-	-	-	-	-	2 CNS	D																								
		6	-	-	-	-	-	-	-	-	-	-	-	-	CNS	P CNS	D																						10 $^{-3.4}$
		7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	D																				
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	PNS	CNS	D												
C.		1	-	-	PP	D																																	
		2	-	-	2	W	W	PP	D																														
		3	-	-	-	-	-	E	PP	D																													
	10^{-2}	4	-	-	-	-	-	-	P	PP	D																											7/8	4-?
		5	-	-	-	-	-	-	-	-	-	D																											
		6	-	-	-	-	-	-	-	-	-	-	P	D																									
		7	-	-	-	-	-	-	-	-	-	2	CNS	CNS	D																								
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

CYN SERA – NEUTRALIZATION TEST

SEP 18 1951

SPECIMEN	V.B.S	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	LD	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD50
CYN. MONKEY 2294 UNBOILED MILK + Y-SK C.	10^{-3}	1	–	P	PP	D																																MORTALITY	
		2	–	–	PP	D																																	
		3	–	–	W	W	D																															7/8	
		4	–	–	–	–	?	–	–	–	–	–	–	2	–	P	P	D																				
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2 CNS	2 CNS	CNS	CNS	D																		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	CNS	EE CNS	D																		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	EE	CNS	P CNS	D																
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	CNS	CNS	2 CNS	2	2	2	2	2	2	–	–	–	–							
CYN. MONKEY 2295 UNBOILED MILK + Y-SK	1:20	1	–	2	P	D																																	
		2	–	–	2	2	–	2	3	–	–	–	–	–	–	D																							
		3	–	–	–	–	–	2	–	–	–	–	–	–	–	–	PP CNS	PP	D																					
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E	P	D																			6/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	CNS	CNS	2 CNS	2	2	2	2	–	–	–	–	P	D								
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	–	–	–	–	–	–	–	–	–	P	D									
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
D	10^{-2}	1	–	–	2 CNS	2 CNS	?	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							0/8	$10^{-1.6}$
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
	10^{-3}	1	–	–	–	–	2 CNS	P	P	D																													
		2	–	–	–	–	2	?	?	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–							1/8	250
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–								

CYN. SERA – NEUTRALIZATION TEST

SEP 18 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LOSO
CYN. MONKEY 2296 UNBOILED MILK + Y-SK E	1:20	1	–	2	2 CNS	2	–	P	P	D																												MORTALITY	
		2	–	–	P	–	–	P	P	D																													
		3	–	–	–	–	–	–	P	P	D																												
		4	–	–	–	–	–	=	P	P	P	D																											
		5	–	–	–	–	–	=	2	2	2	P	D																										8/8	
		6	–	–	–	–	–	–	–	2	–	P	CNS	D																										
		7	–	–	–	–	–	–	–	–	–	CNS	CNS	CNS	CNS	P	P	D																						
		8	–	–	–	–	–	–	–	–	–	–	2	2	CNS	CNS	CNS	CNS	CNS	CNS	2	CNS	CNS	CNS	CNS	D														
	10^{-2}	1	–	2	D																																	CALCULATED	
		2	–	–	D																																		
		3	–	–	?	?	?	–	–	–	–	D																											
		4	–	–	–	–	–	–	–	–	–	CNS	D																										8/8	$10^{-3.2}$
		5	–	–	–	–	–	–	–	–	–	CNS	P	P	D																								
		6	–	–	–	–	–	–	–	–	–	–	–	D																										
		7	–	–	–	–	–	–	–	–	–	–	–	P	D																								
		8	–	–	–	–	–	–	–	–	–	–	–	2	–	2	D																						
	10^{-3}	1	–	–	2 CNS	?	2	2 CNS	2	2	–	–	–	PP	D																								5/8	
		2	–	–	–	–	–	E	2	–	–	–	2	P	PP CNS	D																								
		3	–	–	–	–	–	–	–	–	–	–	–	CNS	P	CNS	D																								
		4	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	2	2	2	2	CNS	2	–	–	2	2	2	2	CNS	PP	D							6–?
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	P	P	CNS	D				
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
CYN. MONKEY 2297 UNBOILED MILK + Y-SK F	1:20	1	–	–	–	D																																
		2	–	–	–	W	W	2	?	–	–	P	P	D																								4/8	
		3	–	–	–	–	–	–	–	–	2	–	–	–	P	D																							
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E	E	E	E	2	2	–	–	D												
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

STANDARD B & P "NOTEAR" STANDARD B & P "NOTEAR"

SEP 18 1951

CYN. SERA - NEUTRALIZATION TESTS

SPECIMEN	VIRUS	No	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	SURVIVED MORTALITY	LD 50
CYN MONKEY 2297 UNBOILED MILK + Y-SK F	10^{-2}	1	– – – 2 CNS 2 CNS 4 CNS 2 – 2 W W W L L 2 2 2 PP D	2/8	$10^{-1.5}$
		2	– – 2 – – – – – – – – – – – – – – 2 – – E F E E P PP D		
		3	– 2 2 2 2 – – –		
		4	– –		
		5	– –		
		6	– –		
		7	– –		
		8	– –		
	10^{-3}	1	D	0/7	320
		2	– – P 2 2 2 – – 2 2 –		
		3	– –		
		4	– –		
		5	– –		
		6	– –		
		7	– –		
		8	– –		
CYN MONKEY 2298 UNBOILED MILK + Y-SK G	1:20	1	– – – – – – – 2 – 2 2 – E D	5/8	$10^{-1.6}$
		2	– – – – – – – – – – – – – 2 D		
		3	– – – – – – – – – – – – – W W – – PP D		
		4	– – – – – – – – – – – – – – – – – CNS 2 CNS 2 2 2 – – PP D		
		5	– 2 D		
		6	– –		
		7	– –		
		8	– –		
	10^{-2}	1	D	1/7	250
		2	– – P – – – – – – – – – – – PP D		
		3	– – – – – – – – – – – – – 2 2 2 2 2 2 – – – – – – – – – – –		
		4	– –		
		5	– –		
		6	– –		
		7	– –		
		8	– –		

CYN. SERA - NEUTRALIZATION TEST

SEP 18 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SERVIVED	LD 50
CYN. MONKEY 2298 UNBOILED MILK + Y-SK G	10^{-3}	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	D									MORTALITY 1/8	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CYN. MONKEY 2299 UNBOILED MILK + Y-SK H	1:20	1	-	-	D																																8/8	
		2	-	-	PP	D																																	
		3	-	-	-	-	-	-	PPS	D																												
		4	-	-	-	-	-	P	D																													
		5	-	-	-	-	-	-	-	PP	D																											
		6	-	-	-	-	-	-	-	-	P	D																										
		7	-	-	-	-	-	-	-	-	PS	D																										
		8	-	-	-	-	-	-	-	-	-	-	2w	P2	D																							
	10^{-2}	1	-	-	P	D																															6/8	$10^{-2.6}$
		2	-	-	P	-	-	2	P2	D																												
		3	-	-	P	-	-	-	-	-	PPP	D																										
		4	-	-	-	-	-	-	-	-	-	D																										
		5	-	-	-	-	-	-	-	-	PS	PS	D																									
		6	-	-	-	-	-	-	-	-	-	PP	D																									
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-3}	1	-	-	D																																3/8	25
		2	-	-	P	D																																
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P2	D															
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

CYN. SERA – NEUTRALIZATION TEST

SEP 18 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD50
CYN. MONKEY 2300 UNBOILED MILK + Y-SK I	1:20	1	–	D																																		MORTALITY	
		2	–	D																																			
		3	–	PP	D																																		
		4	–	PP	D																																	8/8	
		5	–	–	2	?	?	D																															
		6	–	–	–	–	–	P	D																														
		7	–	–	–	–	–	2	–	CNS P	CNS P	D																											
		8	–	–	–	–	–	–	–	–	–	CNS 2	PP	D																									CALCULATED	
	10^{-2}	1	–	P	D																																		
		2	–	–	D																																		
		3	–	–	PP	PP	D																																
		4	–	–	–	–	–	2	PP CNS	D																												8/8	$10^{-3.3}$
		5	–	–	–	–	–	–	2	2	2	W	W	D																								
		6	–	–	–	–	–	–	–	–	–	–	–	2	2	D																							
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	D																							
		8	–	–	–	–	–	–	–	–	–	–	–	✓	–	–	2	PP CNS	D																				
	10^{-3}	1	–	–	2	–	D																																
		2	–	–	2	–	–	–	–	–	–	2P	D																										
		3	–	–	–	–	–	–	–	–	–	–	P	D																									
		4	–	–	–	–	–	–	–	–	–	–	PP	PP	PP	P	2	D																				6/8	5–
		5	–	–	–	–	–	–	–	–	–	–	–	2	2	–	CNS	P	CNS	D																			
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2 CNS	2	2	–	–	–	–	–	–	–	–	CNS	PP						
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–						
CYN. MONKEY 2301 UNBOILED MILK + Y-SK J	1:20	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1/8	
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

CYN. SERA- NEUTRALIZATION TEST

SEP 18 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	~~SERUM~~ MORTALITY	LD50
CYN. MONKEY 2301 UNBOILED MILK + 4-5K	10^{-2}	1	+	-	(CNS)	D																																1/8	Calculated 10^{-1}
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
J	10^{-3}	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 (CNS)	2	-		
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0/8	
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		1000+
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CONTROL LANSING VIRUS + SALINE K	10^{-2}	1	-	PP	D																																
		2	-	-	2	2	-	2 (CNS)	D																														
		3	-	-	-	-	-	2	(CNS)	(CNS)	P	PP	D																									7/8	
		4	-	-	-	-	-	-	-	-	2	(CNS)	D																										
		5	-	-	-	-	-	-	-	-	-	-	PP	D																								
		6	-	-	-	-	-	-	-	-	-	-	-	-	(CNS)	D																						
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	D																				
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	v	2	v	-	-	2	v	2	-	-	-	-	-	-	-	-	-		
	10^{-3}	1	-	-	-	-	-	-	-	-	-	P	D																								$10^{-4.0}$
		2	-	-	-	-	-	-	-	-	-	(CNS)	P	D																								
		3	-	-	-	-	-	-	-	-	-	2	2	D																							5/8	
		4	-	-	-	-	-	-	-	-	-	-	-	2	2	(CNS)	PD																					
		5	-	-	-	-	-	-	-	-	-	-	2	-	-	(CNS)	2	v	2	2	2	v	v	v	2	2	2	(CNS)	(CNS)	2	2	D						
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(CNS)	(CNS)	2	2		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

SEP 18 1951

CYN. SERA- NEUTRALIZATION TEST

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD50
CONTROL		1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ENS	PP	D																		MORTALITY
LANSING		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	PP	D														
+		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	D													
SALINE	10^{-4}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	P	D									6/8	
UNBOILED		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ENS	D								
MILK		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ENS	D							
+		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Y-SK	K	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

STANDARD B & P "NOTEAR" STANDARD B & P "NOTEAR"

CYN. SERA — NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD 50
A CYN. MONKEY 2302 UNBOILED MILK + Y-SK	1:20	1	–	D																																		MORTALITY	
		2	–	PP	D																																		
		3	–	CNS	D																																		
		4	–	–	–	–	–	2	–	–	PP	D																										
		5	–	–	–	–	–	–	–	–	P	PP	CNS	D																								8/8	
		6	–	–	–	–	–	–	–	–	–	CNS	D																										
		7	–	–	–	–	–	–	–	–	–	–	–	2	2 CNS	CNS	D																						
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	EE	PP	D																					
	10^{-2}	1	–	2 CNS	D																																		
		2	–	2 CNS	2 CNS	2 CNS	2 CNS	PP CNS	D																														
		3	–	–	–	–	–	–	–	–	P	2	D																										
		4	–	–	–	–	–	–	–	–	–	CNS	D																										8/8
		5	–	–	–	–	–	–	–	–	–	–	2	2	2	–	CNS	CNS	PP	PP	D																		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	PP CNS	D																				
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2 CNS	2	EEEE	D																
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2 CNS	D																
	10^{-3}	1	–	–	–	D																																	3 –
		2	–	–	–	P	D																																
		3	–	–	–	–	–	–	–	CNS	2 CNS	2	2	–	P	D																								
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	CNS	CNS	D																					8/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	CNS	CNS	D																					
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	CNS	CNS	CNS	CNS	PP	D								
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	E	E	E	CNS	D				
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	CNS	CNS		
B CYN. MONKEY 2303 UNBOILED MILK + Y-SK	1:20	1	–	–	–	–	2	–	2	D																													
		2	–	–	–	–	–	–	–	–	2 CNS	CNS	2	2 CNS	D																									
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	CNS	D																						
		4	–	–	–	–	–	–	–	–	–	–	–	–	2	2 CNS	CNS	2	2	2	2	2	–	2	–	D												5/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	2	2 CNS	2	2	2	CNS	CNS	D						
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

LD 50

10^{-} 1.6

CYN. SERA- NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LOSO
B																																						MORTALITY	
CYN. MONKEY 2303 UNBOILED MILK + Y-SK	10^{-2}	1	-	-	-	-	?	-	2	(NS)	D																											2/8	
		2	-	-	-	-	-	-	-	-	D	2	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	PP		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	D	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		1	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-3}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
C		1	-	P	P	D																																
		2	-	2 (NS)	2 (NS)	2	?	PP	D																													
CYN. MONKEY 2304 UNBOILED MILK + Y-SK		3	-	2	-	-	-	PP	PP	D																												8/8	
	1:20	4	-	-	-	-	-	-	PP	D																													
		5	-	-	-	-	-	-	(NS)(NS)	D																													
		6	-	-	-	-	-	-	-	D																													
		7	-	-	-	-	-	-	-	(NS)(NS)(NS)	2	(NS)	D																											
		8	-	-	-	-	-	-	-	2	-	-	-	-	2	(NS)(NS)(NS)	P	D																					
		1	-	D																																		
		2	-	D																																		
		3	-	P	D																																	8/8	
	10^{-2}	4	-	P	D																																	
		5	-	W	-	-	-	D																														
		6	-	-	-	-	(NS)	(NS)	P																													
		7	-	-	-	-	-	(NS)	P	D																												
		8	-	-	-	-	-	-	-	-	D																											

LOSO

$10^{-1.6}$

250

CYN. SERA — NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	No.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	SURVIVORS MORTALITY	LD 50
C CYN. MONKEY 2304 UNBOILED MILK + Y-SK	10^{-3}	1	– PP D	7/8	3 –
		2	– P D		
		3	– 2 CNS PP D		
		4	– – – D		
		5	– – – CNS D		
		6	– – – – – – 2 PP P D		
		7	– – – – – – – – W 2 2 2 2 2 2 2 2 2 2 2 2 W W W D		
		8	– – – – – – – – – – – 2 – – 2 2 – – – – 2 CNS 2 CNS 2 CNS CNS CNS 2 CNS 2 CNS 2 2 2 – 2 –		
D CYN. MONKEY 2305 UNBOILED MILK + Y-SK	1:70	1	– D	6/8	
		2	– CNS CNS CNS CNS PP D		
		3	– 2 2 – 2 CNS CNS CNS PP D		
		4	– – – – – 2 2 W 2 CNS 2 CNS CNS PP D		
		5	– – – – – – – 2 – – 2 W W CNS D		
		6	– – – – – – – – – – W W CNS CNS PP PP PP PP PP PP PP PP PP PP PP PP PP PP P P P P P D		
		7	– – – – – – – – – – 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 – – –		
		8	– –		
	10^{-2}	1	– D	7/8	
		2	– 2 PP D		
		3	– – – EE 2 CNS 2 CNS P D		
		4	– – – – – – – CNS CNS 2 E W W CNS CNS D		
		5	– – – – – – 2 – – – CNS CNS 2 CNS 2 CNS 2 – – CNS CNS PP CNS D		
		6	– – – – – – – – – – – – 2 2 – – 2 – 2 2 CNS D		
		7	– P W D		
		8	– –		
	10^{-3}	1	– 2 CNS D	7/8	3 –
		2	– – CNS D		
		3	– – – 2 PP D		
		4	– – – – PP D		
		5	– – – – – – PPP D		
		6	– – – – – – – – 2 2 2 – CNS PP P D		
		7	– – – – – – – – – – – – – – 2 2 2 PP 2 CNS PP D		
		8	– – – – – – – – – – – – – – – – 2 2 2 – – – – – – – – – – – – – – – – –		

CYN. SERA - NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD50
E CYN. MONKEY 2306 UNBOILED MILK + Y-SK	1:20	1	–	PP	PP	D																																MORTALITY	
		2	–	P	PP	D																																8/8	
		3	–	2	PP	D																																	
		4	–	–	–	2	2	D																															
		5	–	–	–	–	–	(CNS)	(CNS)	P	S	D																											
		6	–	–	–	–	–	2	–	2	P	E	D																										
		7	–	–	–	–	–	–	–	2	P	E	D																										
		8	–	–	–	–	–	–	–	–	–	(CNS)	D																										
	10^{-2}	1	–	D																																			
		2	–	(CNS)	D																																		
		3	–	2 (CNS)	PP	D																																8/8	
		4	–	–	–	(CNS)	2	2 (CNS)	2 (CNS)	P	(CNS)	D																											
		5	–	–	–	–	–	–	–	2	2	2	P	(CNS)	D																								
		6	–	–	–	–	–	–	–	–	2	–	(CNS)	2	2	2	2 (CNS)	(CNS)	(CNS)	(CNS)	(CNS)	(CNS)	D																
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	(CNS)	(CNS)	(CNS)	(CNS)	P	2	D												
		8	–	–	–	–	–	–	–	–	–	Miss	t	n	G	9/29																							3
	10^{-3}	1	–	?	–	D																																	
		2	–	–	–	D																																	
		3	–	–	–	E	E	E	2	–	W	2	2	P	(CNS)	D																						7/8	
		4	–	–	–	–	–	–	–	–	–	–	–	(CNS)	D																								
		5	–	–	–	–	–	–	–	–	–	–	–	2 (CNS)	(CNS)	(CNS)	(CNS)	(CNS)	P	(S)	D																			
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	2 (CNS)	(CNS)	(CNS)	D																				
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	D													
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	
F CYN. MONKEY 2307 BOILED MILK + Y-SK	1:20	1	–	D																																			
		2	–	2	PP	D																																	
		3	–	–	–	E	2	–	–	PD	D																											8/8	
		4	–	–	–	?	–	–	–	W	2	(CNS)	P	D																									
		5	–	–	–	–	–	–	–	–	–	2	2 (CNS)	(CNS)	P	(S)	D																						
		6	–	–	–	–	–	–	–	–	–	–	–	–	(CNS)	(CNS)	D																						
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	(CNS)	D																						
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	P	(CNS)	D																				

CYN. SERA – NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD 50
F CYN. MONKEY 2307 BOILED MILK + Y-SK	10^{-2}	1	–	PP	D																																	MORTALITY	
		2	–	P	PP	D																																		
		3	–	2	2	E	2	–	–	–	–	E	CNS	2	2	2	2	2	2	2	–	–	–	–	–	PP	E	CNS	D										
		4	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	CNS	D		4/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		$10^{-2.1}$
	10^{-3}	1	–	–	–	D																																	
		2	–	–	–	E	E	E	–	–	E	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	D				7/8	
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		80
G CYN. MONKEY 2308 BOILED MILK + Y-SK	10^{-2}	1	–	D																																			
		2	–	–	–	–	–	PP	D																														
		3	–	–	–	–	–	PP	D																													8/8	
		4	–	–	–	–	–	CNS	P	D																													
		5	–	–	–	–	–	PP	D																														
		6	–	–	–	–	–	T	PP	D																													
		7	–	–	–	–	–	–	–	D																													
		8	–	–	–	–	–	–	–	CNS	PP	CNS	D																											
	10^{-2}	1	–	?	–	–	P	CNS	PP	D																													3 –
		2	–	–	–	–	P	PP	D																														
		3	–	–	–	–	–	PP	D																													7/8	
		4	–	–	–	–	–	–	CNS	PP	D																												
		5	–	–	–	–	–	2	2	PP	D																												
		6	–	–	–	–	–	–	–	2	CNS	CNS	D																										
		7	–	–	–	–	–	–	–	–	–	2	2	2	2	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	D							
		8	–	–	–	–	–	–	–	–	–	–	–	2	2	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		

CYN. SERA.— NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD 50
G CYN. MONKEY 2308 BOILED MILK + Y-SK	10^{-3}	1	–	–	–	D																																MORTALITY	
		2	–	–	–	–	–	–	–	–	ENS	D																											
		3	–	–	–	–	–	–	–	–	P	PP	D																										
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	CNS	D																				8/8	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	EE	PP	CNS	D																		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	PP	D																		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	2	D															
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	CNS	P	D
H. CYN. MONKEY 2309 BOILED MILK + Y-SK	1:10	1	–	D																																	
		2	–	D																																	
		3	–	–	–	–	PP	CNS	P	D																											
		4	–	–	–	–	2	P	D																													8/8
		5	–	–	–	–	–	–	1	D																												
		6	–	–	–	–	–	–	–	PP	D																											
		7	–	–	–	–	–	–	–	(N)	2	2	2	2	CNS	CNS	P	D																				
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	CNS	(N)	D																			
	10^{-2}	1	–	PP	D																																
		2	–	2	2	2	CNS	D																														8/8	
		3	–	–	–	–	–	–	–	P	PP	D																										
		4	–	–	–	–	–	–	–	–	–	CNS	CNS	D																									
		5	–	–	–	–	–	–	–	–	–	–	E	P	P	D																							3—
		6	–	–	–	–	–	–	–	–	–	–	–	2	CNS	PP	D																						
		7	–	–	–	–	–	–	–	–	–	–	–	–	2	–	CNS	P	CNS	D																			
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	CNS	CNS	CNS	(N)	D																	
	10^{-3}	1	–	P	D																																
		2	–	–	2	–	–	–	–	E	2	–	–	P	D																							7/8	
		3	–	–	–	–	–	–	–	–	–	–	–	2	–	PP	D																						
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	EE	P	P	CNS	D																		
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	PP	D																				
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	2	CNS	CNS	P	CNS	PP	CNS	PP	CNS	D									
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	PP	D	
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	

CYN. SERA - NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED MORTALITY	LD50
I CYN. MONKEY 2310 BOILED MILK + Y-SK	1:20	1	-	-	2 CNS	2	2	-	D																														
		2	-	-	-	-	-	-	-	-	P	2	-	-	-	-	-	-	-	-	2 CNS	2	P CNS	D															
		3	-	-	-	-	-	-	-	-	P	-	-	-	-	-	-	-	-	-	-	2	- CNS PP	D															
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 CNS	CNS	CNS	CNS	D											4/8	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	CNS	CNS	2	2	2	2	2	2	2	-	-	-			
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-2}	1	-	2	-	2 CNS	2 CNS	2	2	2	2	D																											
		2	-	-	-	-	-	-	-	-	-	2	-	P	D																								
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	2	P	PP CNS	D										3/8	$10^{-1.6}$
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-3}	1	-	-	-	-	-	-	2	-	CNS	D																											
		2	-	-	-	-	-	-	-	-	W	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1/8	250
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
J CYN. MONKEY 2311 BOILED MILK + Y-SK	1:20	1	-	-	-	-	-	-	-	PP	D																											
		2	-	-	-	-	-	-	-	-	PW	D																											
		3	-	-	-	-	-	-	-	-	-	-	2	2	2	CNS	D																						
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	2 CNS	CNS	D																					7/8	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EP	CNS	D																				
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	E	E	PP	PW	D																		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	P	PP	D												
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

MISSING

CYN. SERA – NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD 50
J CYN. MONKEY 2311 BOILED MILK + Y-SK	10^{-2}	1	D																																			MORTALITY	
		2	–	–	2	EP	PP	D																																
		3	–	–	–	–	–	–	–	–	–	–	–	–	PP	D																								
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	2	2	–	2	E	E	E	E	2	2	2	2	–	–	–	–	–	–	–	–	–	2/7	
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		$10^{-1.7}$
	10^{-3}	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	0/8	
		3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		200
		5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
K CONTROL LANSING VIRUS + SALINE	10^{-2}	1	–	–	–	–	PP	D																															
		2	–	–	–	–	–	PP	D																															
		3	–	–	–	–	–	2 CNS	CNS	P	PP	D																												
		4	–	–	–	–	–	–	2 CNS	P	PP	D																												
		5	–	–	–	–	–	–	–	–	2	2	P	CNS	D																									
		6	–	–	–	–	–	–	–	–	–	2 CNS	CNS	2 CNS	CNS	D																									
		7	–	–	–	–	–	–	–	–	–	–	–	2	2 CNS	2	2	2	2 CNS	2 CNS	2 CNS	2 CNS	2	CNS	CNS	CNS	D													
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–		
	10^{-3}	1	D																																				
		2	–	–	–	–	–	–	P	P	D																												
		3	–	–	–	–	–	–	–	D																													
		4	–	–	–	–	–	–	–	PP	D																												
		5	–	–	–	–	–	–	–	PPP	D																												
		6	–	–	–	–	–	–	2	2	W	CNS	2 CNS	CNS	2 CNS	CNS	CNS	P	CNS	CNS	D																		
		7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	CNS	CNS	D																		
		8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	2	D																			

7/7

$10^{-3.8}$

STANDARD B & P "NOTEAR"

CYN. SERA — NEUTRALIZATION TEST

SEP 19 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	~~SURVIVED~~ MORTALITY	LD50
K CONTROL LANSING VIRUS + SALINE	10^{-4}	1	-	-	-	-	-	-	-	-	-	-	-	-	B	-	-	-	-	-	D																		
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	D																	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	CNS	D																
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	2	2	2	2	2	-	-	D	4/8	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	✓	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

CYN. SERA - NEUTRALIZATION TEST

SEP 20 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	~~SURVIVED~~ MORTALITY	LD 50
A CYN. MONKEY 2312 BOILED MILK + Y-SK	1:30	1																				2			CNS	CNS	CNS	CNS	E	E	2	2	2						
		2																							CNS	2	2	2	2	2	2									
		3																							2	2														0/8
		4																																					
		5																																					
		6																																					
		7																																					
		8																																					
	10^{-2}	1		2 CNS	2	2				2												2	2				2	D											
		2																												2	2	2	2	2	2			0/7	
		3																																					
		4																																					
		5																																					
		6																																					1000+
		7																																					
		8																																					
	10^{-3}	1			2 CNS	2	2															CNS	D															
		2																				2										2	2					1/8	
		3																																					
		4																																					
		5																																					
		6																																					
		7																																					
		8																																					
B CYN. MONKEY 2313 BOILED MILK + Y-SK	1:30	1				mm	PP	D																													
		2					CNS	PP	PP	D																													
		3								D																												4/8	
		4												2	2	2	2		PP	D																			
		5																				2	2	B	2	2	2												
		6																																					
		7																																					
		8																																					

CYN. SERA - NEUTRALIZATION TEST

SEP 20 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	MORTALITY	LD50
B		1	D																																				
		2	-	P	PP	D																																		
CYN.		3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	EPS	D																				3/7	
MONKEY	10^{-2}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS(CNS)		
2313		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
BOILED		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
MILK		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
+ Y-SK		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		$10^{-1.6}$
		1	-	-	2E	2	-	-	-	E	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		2	-	-	-	-	-	-	CNS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0/8	
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-3}	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		250
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
C		1	-	-	D																																		
		2	-	-	2 CNS	2 CNS	2 CNS	2	2	PP	D																												
CYN.		3	-	-	-	-	-	-	-	2	2	D																											8/8	
MONKEY	1:20	4	-	-	-	-	-	-	-	-	CNS	EPS	D																										
2314		5	-	-	-	-	-	-	-	-	-	P	D																										
BOILED		6	-	-	-	-	-	-	-	-	-	CNS	D																										
MILK		7	-	-	-	-	-	-	-	-	-	-	CNS	D																									
+ Y-SK		8	-	-	-	-	-	-	-	-	-	-	CNS	D																									
		1	-	D																																		
		2	-	-	-	-	-	-	E	CNS	EPS	D																											7/8	3—
		3	-	-	-	-	-	-	-	CNS	2	D																												
	10^{-2}	4	-	-	-	-	-	-	-	-	-	-	2	2	2	CNS	EPS	EPS	D																				
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	CNS	CNS	D																				
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	EPS	D																			
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	EPS	Pn	D																	
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	CNS	CNS	CNS	CNS	CNS	CNS	CNS	CNS	2	2	2	2	2	2	V	-	-	-			

CYN. NEUTRALIZATION TEST.

SEP 20 1951

SPECIMEN	VIRUS	No	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	SURVIVED	LD 50
C CYN. MONKEY 2314 BOILED MILK + Y-SK	10^{-3}	1	– – PP D	MORTALITY 8/8	
		2	– – P D		
		3	– – – – 2 CNS D		
		4	– – – – – – – D		
		5	– – – – – – – – – – CNS D		
		6	– – – – – – – – – – 2 PP D		
		7	– – – – – – – – – – – – – – 2 2 D		
		8	– – – – – – – – – – – – – – 2 2 2 2 CNS CNS CNS D		
D CYN. MONKEY 2315 BOILED MILK + Y-SK	1:20	1	– P D	8/8	
		2	– P D		
		3	– – D		
		4	– – PP D		
		5	– – – – – PPP D		
		6	– – – – – – P D		
		7	– – – – – – CNS PP D		
		8	– – – – – – – – 2 2 P D		
	10^{-2}	1	– PP D	8/8	CALCULATED $10^{-3.3}$
		2	– – 2 2 – 2 – CNS D		
		3	– – – – – – – CNS D		
		4	– – – – – – – CNS D		
		5	– – – – – – – 2 2 PP D		
		6	– – – – – – – – – 2 D		
		7	– – – – – – – – – – CNS CNS P CNS PNS D		
		8	– – – – – – – – – 2 2 2 CNS CNS D		
	10^{-3}	1	– – – – – – P P P W 2 CNS 2 2 2 – 2 – CNS PP CNS D	6/8	5 –
		2	– – – – – – – – – – – – – – – – 2 CNS 2 CNS CNS PP CNS D		
		3	– – – – – – – – – – – – – – – – – – CNS 2 CNS P 2 D		
		4	– 2 2 – – – P D		
		5	– P PP D		
		6	– 2 P 2 D		
		7	– –		
		8	– –		

CYN. SERA - NEUTRALIZATION TEST

SEP 20 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34-35	SURVIVED	LD50
E CYN. MONKEY 2316 BOILED MILK + Y-SK	1:20	1	-	CNS	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MORTALITY	+N1
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0/8	
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-2}	1	-	CNS	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0/8	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-3}	1	-	-	-	-	-	-	-	CNS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0/7	1000+
		2	-	-	-	-	-	-	-	K	-	WS (D)																										
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
F CYN. MONKEY 2317 BOILED MILK + Y-SK	1:20	1	-	-	-	-	-	-	-	-	-	#D																								1/8	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

CYN. SERA- NEUTRALIZATION TEST

SEP 20 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	~~SURVIVED~~ MORTALITY	LD50 +NI
F CYN. MONKEY 2317 BOILED MILK + Y-SK	10^{-2}	1	-	-	-	-	-	-	-	E	2	P	P	2	2	2	2	2	2	-	-	-	-	-	-	-	D											1/8	1000+
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	10^{-3}	1	-	-	-	-	-	-	E	-	2	~~D~~	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	0/8	
		2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
G CYN MONKEY 2318 BOILED MILK + Y-SK	1:10	1	-	2 (CNS)	D																																8/8	CALCULATED $10^{-3.3}$
		2	-	-	-	P	D																																
		3	-	-	-	-	2	2	2	2	2	P	P	P	D																								
		4	-	-	-	-	-	-	-	-	-	-	P	E	P	P	D																						
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	2 (CNS)	D																						
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2 (CNS)	2 (CNS)	2 (CNS)	2 (CNS)	2 (CNS)	2	P	P	P	D								
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	-	-	2 (CNS)	(CNS)	(CNS)	D								
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	D		
	10^{-2}	1	-	D																																	8/8	
		2	-	-	P	P	P	D																															
		3	-	-	-	2	2	-	D	P	P	D																										
		4	-	-	-	-	-	-	2	-	2 (CNS)	D																											
		5	-	-	-	-	-	-	-	-	-	2	2 (CNS)	D																									
		6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2 (CNS)	(CNS)	(CNS)	(CNS)	(CNS)	(CNS)	(CNS)	(CNS)	(CNS)	(CNS)	2	2	2	2	2	P	P	P	D			
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2 (CNS)	2	2	2	2	2	-	-	-	-	-	-	-	(CNS)	P (CNS)			
		8	-	-	-	-	-	-	-	-	-	-	MISSING																										

CYN. SERA - NEUTRALIZATION TEST

SEP 20 1951

SPECIMEN	VIRUS	No	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED MORTALITY	LD 50
G CYN. MONKEY 2318 BOILED MILK + Y-SK	10^{-3}	1	-	-	CNS	D																																6/8	5 —
		2	-	-	PP	PP	D																																
		3	-	-	-	-	CNS	2	2	-	-	-	-	CNS	D																								
		4	-	-	-	-	-	-	-	-	-	-	-	-	2	P	D																						
		5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	CNS	2	2	2	D																		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	CNS	2	CNS	CNS	D														
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
H CYN. MONKEY 2319 BOILED MILK + Y-SK	1:20	1	-	D																																		8/8	
		2	-	D																																			
		3	-	-	PP	D																																	
		4	-	-	-	-	CNS	P	P	D																													
		5	-	-	-	-	-	PP	D																														
		6	-	-	-	-	-	-	-	2	P	D																											
		7	-	-	-	-	-	-	-	-	2	2	PP	D																									
		8	-	-	-	-	-	-	-	-	2	-	CNS	CNS PP	D																								
	10^{-2}	1	-	PP	D																																	8/8	
		2	-	-	E	2	P	D																															
		3	-	-	-	-	2	PP	D																														
		4	-	-	-	-	-	PW	P	P	D																												
		5	-	-	-	-	-	-	-	2	-	-	CNS	2	2	P	PP	D																					
		6	-	-	-	-	-	-	-	-	-	-	-	-	P	PP	D																						
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	PP	P	D																					
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	CNS	D															
	10^{-3}	1	-	-	D																																	7/8	
		2	-	-	PP	PP	D																																
		3	-	-	-	2	P	D																															
		4	-	-	-	-	-	-	-	-	2	2	D																										
		5	-	-	-	-	-	-	-	-	-	-	2	P	PP	CNS	D																						
		6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	P	D																					
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	2	CNS	PP	CNS	D													
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	CNS	CNS	2	CNS	2	2	2	2	2	2	-	-	-								

LD 50: 3 —

STANDARD B & P "NOTEAR" STANDARD B

CYN. SERA - NEUTRALIZATION TEST

SEP 20 1951

SPECIMEN	VIRUS	NO	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35	SURVIVED MORTALITY	LD50
I CYN. MONKEY 2320 BOILED MILK + Y-SK	1:10	1	- - D		
		2	- - 2 PP D		
		3	- - - 2 2 PP PP D		
		4	- - - - - - 2 - 2 2 - 2 - - - - - 2 PP D	4/8	
		5	- - - - - - - - - - - - - - - - 2 - - - - 2 2 2 2 CNS - - -		
		6	- -		
		7	- -		
		8	- -		
	10^{-2}	1	- - 2 2 - - - CNS D		
		2	- - - - - - 2 2 - PP D		
		3	- - - - - - - - - - - - 2 - - - - CNS P CNS P D		
		4	- - - - - - - - - - - - - - - - - - CNS CNS P CNS P D	5/8	
		5	- 2 2 CNS 2 2 2 CNS 2 2 CNS CNS 2 CNS CNS		$10^{-1.8}$
		6	- P D		
		7	- -		
		8	- -		
	10^{-3}	1	- - - - - - - - - - - 2 - 2 - - - - - - - - - - - - - 2 - CNS CNS 2 - -		
		2	- -	0/8	160
		3	- -		
		4	- -		
		5	- -		
		6	- -		
		7	- -		
		8	- -		
J CYN. MONKEY 2321 BOILED MILK + Y-SK	1:20	1	- D		
		2	- D		
		3	- - PP PP D		
		4	- - 2 - - CNS CNS PP PP D	8/8	
		5	- - - - - - - PP PP D		
		6	- - - - - - - - - P D		
		7	- - - - - - - - - - - CNS D		
		8	- - - - - - - - - - - 2 P D		

CYN. SERA - NEUTRALIZATION TEST

SEP 20 1951

SPECIMEN	VIRUS	NO	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED MORTALITY	LD SC
J CYN. MONKEY 2321 BOILED MILK +Y-SK	10^{-2}	1	-	-	P	D																																	
		2	-	-	2	PP	D																																	
		3	-	-	-	2	(NS)	(NS)	Pn	D																														
		4	-	-	-	-	2	PP	PP	Pn	Pn	D																											8/8	
		5	-	-	-	-	-	-	2	W	2	D																												
		6	-	-	-	-	-	-	-	2	-	2	D																											
		7	-	-	-	-	-	-	-	-	-	-	2	(NS)	PP	PP	D																							
		8	-	-	-	-	-	-	-	-	-	-	-	-	E	2 (NS)	2	2	2	2	(NS)	D																		3 —
	10^{-3}	1	-	-	-	-	2	-	2	(NS)	D																												
		2	-	-	-	-	-	-	2	2	-	PP	D																											8/8
		3	-	-	-	-	-	-	-	-	-	PP	D																											
		4	-	-	-	-	-	-	-	-	-	-	D																											
		6	-	-	-	-	-	-	-	-	-	-	-	PP	D																									
		7	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	-	2	D																				
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	D	
K CONTROL LANSING + SALINE	10^{-2}	1	-	(NS)	2 (NS)	(NS)	2 (NS)	(NS)	2	PP	D																												
		2	-	-	-	-	2	-	(NS)	D																														
		3	-	-	-	-	-	-	-	W	D																													7/8
		4	-	-	-	-	-	-	-	-	(NS)	D																												
		5	-	-	-	-	-	-	-	2	(NS)	D																												
		6	-	-	-	-	-	-	-	-	2 (NS)	PP	D																												
		7	-	-	-	-	-	-	-	-	-	W	D																											
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	10^{-3}	1	-	2	(NS)	2 (NS)	2 (NS)	2 (NS)	(NS)	D																													
		2	-	-	-	-	-	-	-	2	2	PP	D																											8/8
		3	-	-	-	-	-	-	-	-	PP	PP	D																											
		4	-	-	-	-	-	-	-	-	-	2	(NS)	D																											
		5	-	-	-	-	-	-	-	-	-	-	2	(NS)	(EN)	PP	(NS)	D																						
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	D																							
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	(NS)	D																						
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 (NS)	D

$10^{-3.8}$

CYN-SERA — NEUTRALIZATION TEST

SEP 20 1951

SPECIMEN	VIRUS	No.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	SURVIVED	LD 50
K		1	D																																			MORTALITY	
CONTROL		2	-	?	-	-	-	-	-	-	PP	P																											
LANSING		3	-	-	-	-	-	-	-	-		PD																											
+	10^{-4}	4	-	-	-	-	-	-	-	-	-	-	-	-	CSD																								3/7	
SALINE		5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
		8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		