


XX XX  
ID: XX Page: Acq Test Date: May. 31, 2024 DOB: Age: (DOB empty) Report: Jun. 02, 2024  
Acquisition Page





6860 SW 81st Street Miami, Florida 33143  
 305-668-6102 • 1-800-IHSYSTEMS • www.ihsys.com

XX XX  
 ID: XX Page: Acq Test Date: May. 31, 2024 DOB: Age: (DOB empty) Report: Jun. 02, 2024  
 Acquisition Page

Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR RN	Gain	Filters
1	TXLA80B.1	80SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.41	0.02 8.348	100	100-1500Hz
2	TXLA80B.2	80SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.43	0.02 8.257	100	100-1500Hz
3	TXLA80B.3	80SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.39	0.02 8.255	100	100-1500Hz
4	TXLA70B.3	70SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.32	0.04 2.528	100	100-1500Hz
5	TXLA70B.1	70SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.38	0.04 3.046	100	100-1500Hz
6	TXLA70B.2	70SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.35	0.04 2.807	100	100-1500Hz
7	TXLA65B.1	65SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.47	0.05 3.625	100	100-1500Hz
8	TXLA65B.4	65SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.59	0.06 1.887	100	100-1500Hz
9	TXLA65B.2	65SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.47	0.05 2.801	100	100-1500Hz
10	TXLA65B.3	65SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.29	0.06 2.131	100	100-1500Hz
11	TXLA60B.2	60SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.35	0.09 0.859	100	100-1500Hz
12	TXLA60B.3	60SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.29	0.10 0.868	100	100-1500Hz
13	TXLA60B.4	60SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.32	0.11 1.067	100	100-1500Hz
14	TXLA60B.1	60SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.23	0.08 0.856	100	100-1500Hz
15	TXLA55B.3	55SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.24	0.07 0.532	100	100-1500Hz
16	TXLA55B.2	55SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.26	0.14 0.450	100	100-1500Hz
17	TXLA55B.1	55SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.28	0.17 0.502	100	100-1500Hz
18	TXLA20B.1	20SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.23	0.74 0.080	100	100-1500Hz
19	TXLA20B.2	20SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.26	0.60 0.127	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms \*-indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	80	L	
2	80	L	
3	80	L	
4	70	L	
5	70	L	
6	70	L	
7	65	L	
8	65	L	
9	65	L	
10	65	L	
11	60	L	
12	60	L	
13	60	L	
14	60	L	
15	55	L	
16	55	L	
17	55	L	
18	20	L	
19	20	L	

1.00uV



Num	Filename	Int	Ear	Stim.	Type	Swps/Art	Rate	Mode	PP Amp	SNR	RN	Gain	Filters
1	TXLA50B.2	50SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.20	0.20	0.304	100	100-1500Hz
2	TXLA50B.1	50SPL	L	Bone	8000Hz(1)	560/0	11.4	Altr	0.22	0.25	0.544	100	100-1500Hz
3	TXLA50B.3	50SPL	L	Bone	8000Hz(1)	560/1	11.4	Altr	0.20	0.17	0.297	100	100-1500Hz

System SNR & RN Region: 4.00 - 9.00 ms \*-indicates different region used

Num	Int	Ear	Peaks: Latency(ms)   Amp(uV) (AR=Amp Ratio)
1	50	L	
2	50	L	
3	50	L	